

termite prufe™

Material Safety Data Sheet

EFFECTIVE DATE: September 29, 2010

Note: The Termite Prufe powder described in this MSDS is to be mixed for application at the rate of 90% water and 10% Disodium octaborate tetrahydrate powder.

1 Chemical product and company identification

Product name: *Termite Prufe™*
Grade: Technical
Product use: Termiticide, insecticide, fungicide
Chemical formula: $\text{Na}_2\text{B}_8\text{O}_{13} \cdot 4\text{H}_2\text{O}$
Chemical name/ synonyms: Disodium octaborate tetrahydrate
Chemical family: Inorganic borates
CAS registry number: 12280-03-4
EPA pesticide Reg. No.: 9608-3

(Refer to Section 15 for TSCA/DSL Chemical inventory listing)

2 Composition/information on ingredients

This product contains greater than 98 percent (%) disodium octaborate tetrahydrate, $\text{Na}_2\text{B}_8\text{O}_{13} \cdot 4\text{H}_2\text{O}$, which is hazardous under the OSHA Hazard Communication Standard and

MANUFACTURER: Copper Brite, Inc
1482 East Valley Road, Suite 29
Santa Barbara, CA 93108

MAILING ADDRESS: P.O. Box 50610
Santa Barbara, CA 93150-0610

EMERGENCY PHONE NUMBER:

24 Hr. Info. Service: (877) 565-1566

under the Canadian Controlled Products Regulations of the Hazardous Products Act (WHMIS), based on animal chronic toxicity studies. Refer to Sections 3 and 11 for details on hazards.

3 Hazard identification

Emergency overview

Termite Prufe is a white, odorless, powdered substance that is not flammable, combustible, or explosive and has low acute oral and dermal toxicity.

Potential ecological effects

Large amounts of *Termite Prufe* can be harmful to plants and other species. Therefore, releases to the environment should be minimized.

Potential health effects

Routes of exposure: Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because *Termite Prufe* is poorly absorbed through intact skin.

Inhalation: Occasional mild irritation effects to nose and throat may occur from inhalation of *Termite Prufe* dust at levels greater than 10 mg/m³.

Eye contact: *Termite Prufe* is non-irritating to eyes in normal use.

Skin contact: *Termite Prufe* does not cause irritation to intact skin.

Ingestion: Products containing *Termite Prufe* are not intended for ingestion. *Termite Prufe* has a low acute toxicity. Small amounts (e.g. a teaspoonful) swallowed accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms.

Cancer: *Termite Prufe* is not a known carcinogen.

Reproductive/developmental: Animal ingestion studies in several species, at high doses, indicate that borates cause reproductive and developmental effects. A human study of occupational exposure to borate dust showed no adverse affect on reproduction.

Target organs: No target organ has been identified in humans. High dose animal ingestion studies indicate the testes are the target organs in male animals.

Signs and symptoms of exposure: Symptoms of accidental over-exposure to *Termite Prufe* might include include nausea, vomiting and diarrhea, with delayed effects of skin redness and peeling. These symptoms have been associated with the accidental over-exposure to the chemically related substance boric acid by ingestion or absorption through large areas of damaged skin.

Refer to Section 11 for details on toxicological data.

4 First aid measures

Inhalation: If symptoms such as nose or throat irritation are observed, remove person to fresh air.

Eye contact: Use eye wash fountain or fresh water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

Skin contact: No treatment necessary because non-irritating.

Ingestion: Swallowing small quantities (one teaspoon) will cause no harm to healthy adults. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.

Note to physicians: Observation only is required for adult ingestion in the range of 4-8 grams of *Termite Prufe*. For ingestion of larger amounts, maintain adequate kidney function and force fluids. Gastric lavage is recommended for symptomatic patients only. Hemodialysis should be reserved for massive acute ingestion or patients with renal failure. Boron analyses of urine or blood are only useful for documenting exposure and should not be used to evaluate severity of poisoning or to guide treatment. Refer to Section 11 for details.

5 Fire fighting measures

General hazard: None, because *Termite Prufe* is not flammable, combustible or explosive. The product is itself a flame retardant.

Extinguishing media: Any fire extinguishing media may be used on nearby fires.

Flammability classification (29 CFR 1910.1200): Non-flammable solid.

6 Accidental release measures

General: *Termite Prufe* is a water-soluble white powder that may, at high concentrations, cause damage to trees or vegetation by root absorption. (Refer to Ecological Information Section 12, for specific information.)

Land spill: Vacuum, shovel or sweep up *Termite Prufe* and place in containers for disposal in accordance with applicable local regulations. Avoid contamination of water bodies during clean-up and disposal.

Spillage into water: Where possible, remove any intact containers from the water. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level (Refer to Sections 12, 13 and 15 for additional information.) *Termite Prufe* is a non-hazardous waste when spilled or disposed of, as defined in the Resource Conservation and Recovery Act (RCRA) regulations (40 CFR 261). (Refer to Regulatory Information, Section 15, for additional references.)

7 Handling and storage

Storage temperature: Ambient

Storage pressure: Atmospheric

Special sensitivity: Moisture (Caking)

General: No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimize caking of the product, cans/cases should be handled on a first-in, first-out basis. Good house-keeping procedures should be followed to minimize dust generation and accumulation.

8 Exposure controls/personal protection

Engineering controls: Use local exhaust ventilation to keep airborne concentrations of *Termite Prufe* dust below permissible exposure levels.

Personal protection: Refer to label for actual regulatory personal protection requirements. Where airborne concentrations are expected to exceed exposure limits (e.g. confined spaces), NIOSH/MSHA certified respirators must be used. Eye protection, protective clothing and waterproof gloves may also be warranted under certain high exposure conditions.

Occupational exposure limits:

Disodium octaborate tetrahydrate (*Termite Prufe*) is treated by OSHA, Cal OSHA and ACGIH as "Particulate Not Otherwise Classified" or "Nuisance Dust". The OSHA/PEL (Permissible Exposure Level) is 15 mg/m³ total dust and 5 mg/m³ respirable dust. The Cal OSHA/PEL is 10 mg/m³. The ACGIH/TLV (Threshold Limit Value) is 10mg/m³.

9 Physical and chemical properties

Appearance: White, odorless, powder
Bulk density: 320 to 480 kg/m³
Vapor pressure: Negligible @ 20°C
Solubility in water: 9.7% @20°C; 34.3% @50°C
Melting point: 815°C

pH @ 20°C: 8.3 (3.0% solution)
7.6 (10.0% solution)
Molecular weight: 412.52

10 Stability and reactivity

General: *Termite Prufe* is a stable product.

Incompatible materials and conditions to avoid: Reaction with strong reducing agents such as metal hydrides or alkali metals, will generate hydrogen gas, which could create an explosive hazard.

Hazardous decomposition: None

Acute Toxicity

Ingestion: Low acute oral toxicity; LD₅₀ in rats is 2,550 mg/kg of body weight.

Skin/Dermal: Low acute dermal toxicity; LD₅₀ in rabbits is greater than 2000 mg/kg of body weight. *Termite Prufe* is poorly absorbed through intact skin.

Inhalation: Low acute inhalation toxicity; LC₅₀ in rats is greater than 2.0 mg/L (or g/m³).

Skin Irritation: Non-irritant

Eye Irritation: Draize test in rabbits produced mild eye irritation effects. Years of occupational exposure to *Termite Prufe* indicates no adverse effects on human eye. Therefore *Termite Prufe* is not considered to be a human eye irritant in normal industrial use.

Sensitization: *Termite Prufe* is not a skin sensitizer.

Other

Reproductive/developmental toxicity: Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testis. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations.⁸

The doses administered were many times in excess of those to which humans would normally be exposed.

Carcinogenicity/ Mutagenicity: No evidence of carcinogenicity in mice⁸. No mutagenic activity was observed for boric acid in a battery of short term mutagenicity assays.

Human Data: Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust. A recent epidemiology study under the conditions of normal occupational exposure to borate dusts indicated no effect on fertility.

Ecotoxicity data

General: Boron (B) is the element in disodium octaborate tetrahydrate (*Termite Prufe*) which is used by convention to report borate product ecological effects. It occurs naturally in seawater at an average concentration of 5 mg B/L and generally occurs in freshwater at concentrations up to 1 mg B/L. In dilute aqueous solutions the predominant boron species present is undissociated boric acid. To convert disodium octaborate tetrahydrate into the equivalent boron (B) content, multiply by 0.2096.

Phytotoxicity: Boron is an essential micronutrient for healthy growth of plants; however, it can be harmful to boron-sensitive plants (e.g. grass and ornamentals) in high quantities. Care should be taken to minimize the amount of *Termite Prufe* accidentally spilled and released to the environment.

Algal toxicity:

Green algae, *Scenedesmus subspicatus*
96-hr EC₁₀ = 24 mg B/L[†]

Invertebrate toxicity

Daphnids, *Daphnia magna straus*
24-hr EC₅₀ = 242 mg B/L[†]

Test substance:[†] sodium tetraborate

Disposal guidance: Small quantities of *Termite Prufe* can usually be disposed of at landfill sites. No special disposal treatment is required, but local authorities should be consulted about any specific local requirements. Tonnage quantities of product are not recommended to be sent to landfills. Such product should, if possible, be used for an appropriate application.

Fish toxicity:

Seawater⁹ :

Dab, *Limanda limanda*
96-hr LC₅₀ = 74 mg B/L[†]

Freshwater¹⁰ :

Rainbow trout, *S. gairdneri* (embryo-larval stage)
24-day LC₅₀ = 88 mg B/L[†]
32-day LC₅₀ = 54 mg B/L[†]

Goldfish, *Carassius auratus* (embryo-larval stage)
7-day LC₅₀ = 65 mg B/L[†]
3-day LC₅₀ = 71 mg B/L[†]

Environmental fate data

Persistence/degradation: Boron is naturally occurring and ubiquitous in the environment. *Termite Prufe* decomposes in the environment to natural borate.

Octanol/water partition coefficient: No value. In aqueous solution disodium octaborate tetrahydrate is converted substantially into undissociated boric acid.

Soil mobility: *Termite Prufe* is soluble in water and is leachable through normal soil.

RCRA (40 CFR 261): *Termite Prufe* is not listed under any sections of the Federal Resource Conservation and Recovery Act (RCRA).

Refer to Section 15 for additional regulatory information.

DOT hazardous classification: Disodium octaborate tetrahydrate (*Termite Prufe*) is not regulated by the U.S. Department of Transportation (DOT) and is therefore not considered a hazardous material/substance.

OSHA/Cal OSHA: This MSDS document meets the requirements of both OSHA (29 CFR 1910.1200) and Cal OSHA (Title 8 CCR 5194(g)) hazard communication standards.

Refer to Section 8 for regulatory exposure limits.

FIFRA: *Termite Prufe* is registered with the EPA (EPA Reg. No. 9608-3), in accordance with Section 3 of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as a pesticide product. Refer to EPA approved product label for additional product hazard and precautionary information.

RCRA: Disodium octaborate tetrahydrate is not listed as a hazardous waste under any sections of the Resource Conservation and Recovery Act or regulations (40 CFR 261 et seq).

California Proposition 65: Disodium octaborate tetrahydrate (*Termite Prufe*) is not listed on the Proposition 65 list of carcinogens or reproductive toxicants.

Superfund: CERCLA/SARA. Disodium octaborate tetrahydrate is not listed under CERCLA (the Comprehensive Environmental Response Compensation and Liability Act) or its 1986 amendments, SARA, (the Superfund Amendments and Reauthorization Act), including substances listed under

Section 313 of SARA, Toxic Chemicals, 42 USC 11023, 40 CFR 372.65; Section 302 of SARA, Extremely Hazardous Substances, 42 USC 11002, 40 CFR 355; or the CERCLA Hazardous Substances list, 42 USC 9604, 40 CFR 302.

Safe Drinking Water Act (SDWA): Disodium octaborate tetrahydrate is not regulated under the SDWA, 42 USC 300g-1, 40 CFR 141 et seq. Consult state and local regulations for possible water quality advisories regarding boron compounds.

Clean Water Act (CWA) (Federal Water Pollution Control Act): 33 USC 1251 et seq

- Disodium octaborate tetrahydrate (*Termite Prufe*) is not itself a discharge covered by any water quality criteria of Section 304 of the CWA, 33 USC 1314.
- It is not on the Section 307 List of Priority Pollutants, 33 USC 1317, 40 CFR 129.(c)
- It is not on the Section 311 List of Hazardous Substances, 33 USC 1321, 40 CFR 116.

IARC: The International Agency for Research on Cancer (of the World Health Organization) does not list or categorize disodium octaborate tetrahydrate as a carcinogen.

NTP Biennial Report on Carcinogens: Disodium octaborate tetrahydrate is not listed.

OSHA Carcinogen: Disodium octaborate tetrahydrate is not listed.

References

- Litovitz TL, Norman SA, Veltri JC, Annual Report of the American Association of Poison Control Centers Data Collection System. Am. J. Emerg. Med. 4: 427-458 (1986)
- Weir R J, Fisher RS, Toxicol. Appl. Pharmacol. 23: 351-364 (1972).
- Fail et al., Fund. Appl. Toxicol. 17: 225-239 (1991)
- Price et al., J. Am. Coll. Toxicol. 4: (2), 173 (Abst. P-17) (1995).
- Murray F J, Regul. Toxicol. Pharmacol. (Dec. 1995)
- National Toxicology Program (NTP)-Toxicology and carcinogenesis studies of boric acid in B6C3F1 mice, Tech. Report Ser. No. 324, U.S. Dept. of Health and Human Services, NIH Publ. No. 88-2580 (1987)
- Whorton et al., Occup. Environ. Med. 51: 761-767 (1994)
- Schoberl et al., Tenside Surfactants Detergent 25: 99-107 (1988)
- Hugman SJ, Mance G, Water Research Centre Report 616-M (1983)
- Butterwick L, de Oude N, Raymond K, Ecotoxicol. Environ. Safety: 339-371 (1989).

For general information on the toxicology of inorganic borates, see Patty's Industrial Hygiene and Toxicology, 4th Ed. Vol. II, (1994), Chap. 42, Boron; ECETOC Tech. Report No. 63 (1995).

Product label text hazard information:

Refer to EPA (United States) or PMRA (Canada) approved product specimen label additional product hazard and precautionary information.

**Contact Copper Brite, Inc.
for further information:**

(805) 565-1566