

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Goo Gone Paint Clean Up
Product Code: 2737, 2736
Supplier: THE HOMAX GROUP, INC
Address: 1835 Barkley Blvd. Suite 101
Bellingham, WA 98226
Telephone: (800) 729-9029 M-F, 9-5 EST
Emergency: CHEMTREC 24 HR (800) 424-9300
Date: October 2, 2012

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>Percent</u>	<u>CAS #</u>
Water	70 - 80	7732-18-5
Tripropylene glycol methyl ether	10 - 20	25498-49-1
Acetone	1 - 10	67-64-1
Benzyl Alcohol	1 - 10	100-51-6

*The ingredients in the balance of this product do not contribute significant hazards beyond those described in this document. All pertinent health, safety and environmental information has been presented, per the requirements of the US Federal OSHA Hazard Communication Standard (29CFR 1910.1200).

SECTION 3 – HAZARDS IDENTIFICATION

Potential Acute Health Effects:

Eye: Causes eye irritation, possibly severe. Contact may produce redness, stinging and pain.

Skin: Causes irritation. A component may be absorbed through the skin with symptoms paralleling ingestion. Prolonged contact can cause redness, pain, drying and cracking of the skin.

Ingestion: May cause irritation of the gastrointestinal tract. May cause abdominal pain, nausea, vomiting, dizziness, headache and central nervous system depression.

Inhalation: Causes irritation to the respiratory tract. May cause coughing, dizziness and headache. Higher concentrations can produce central nervous system depression.

Chronic Exposure: Prolonged and/or repeated skin contact can cause severe irritation or dermatitis.

SECTION 4 - FIRST AID MEASURES

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and seek medical attention immediately.

Skin: Immediately wash with mild soap and water for 15 minutes, while removing contaminated clothing and shoes. Wash clothing and shoes before reuse. Get medical attention if symptoms persist.

Eye: Immediately flush with water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention.

Ingestion: If swallowed, Do not induce vomiting. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point (method): > 200F (PMCC)

LEL: Not Determined

UEL: Not Determined

Autoignition Temperature: Not Determined

Extinguishing Media: Use alcohol foam, carbon dioxide, and dry chemical.

MATERIAL SAFETY DATA SHEET

Special Fire Fighting Procedures: Evacuate personnel to a safe area. Keep containers cool with water spray. Avoid breathing decomposition products. Firefighters should wear NIOSH approved self-contained breathing apparatus and full body protection.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Ventilate area of leak or spill. Clean up remaining materials from spill with suitable absorbent. Small spills may be absorbed with non-reactive absorbent (sand) and placed in suitable containers. For large spills, provide diking or other appropriate containment to keep material from spreading. Prevent large spills from entering sewers or waterways. Observe all personal protection equipment recommendations.

SECTION 7 – HANDLING AND STORAGE

Store in a cool, dry well-ventilated location. Protect against physical damage. Keep container closed when not in use. Keep away from heat, sparks, open flames and other sources of ignition.
Keep Out Of Reach Of Children.

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS:

Acetone:

OSHA Permissible Exposure Limit (PEL): 1000 ppm (TWA)

ACGIH Threshold Limit Value (TLV): 500 ppm (TWA), 750 ppm (STEL)

Engineering Controls: Provide general or local exhaust ventilation for areas of use.

Respiratory protection: Not normally required. Avoid breathing vapor.

Eye protection: Use chemical goggles or glasses with side shields.

Skin protection: Use chemical resistant gloves.

Other protective clothing or equipment: Eye wash, Safety Shower, Full Protective Clothing.

Work Hygienic Practices: The usual precaution for the handling of chemicals must be observed.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear, colorless gel with citrus odor
BOILING POINT:	Not Determined
SOLUBILITY:	Soluble in water
VAPOR PRESSURE (mm Hg):	Not Determined
PH:	6 - 7
EVAPORATION RATE:	Not Determined
Specific gravity:	0.975
VOC:	< 5 %

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Heat, flame, ignition sources and incompatibles.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, formaldehyde, hydrochloric acid and toxic phosgene gas.

Hazardous Polymerization: Will not occur.

Incompatibles: Strong oxidizers, acids, alkalis, chloroform, chlorine compounds and aluminum.

MATERIAL SAFETY DATA SHEET

SECTION 11 - TOXICOLOGICAL INFORMATION

There is no data available for the product. The following are component data:

Acetone (67-64-1): Oral LD50 Rat: 5800 mg/kg
Benzyl Alcohol (100-51-6): Oral LD50 Rat: 1230 mg/kg

<u>Ingredient</u>	-----Cancer Lists-----		
	<u>NTP Known</u>	<u>NTP Anticipated</u>	<u>IARC Category</u>
Tripropylene Glycol Methyl Ether	No	No	None
Acetone	No	No	None
Benzyl Alcohol	No	No	None

SECTION 12 – ECOLOGICAL INFORMATION

No data is available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local requirements.

SECTION 14 - TRANSPORT INFORMATION

Not regulated for transport.

SECTION 15 - REGULATORY INFORMATION

Toxic Substances Control Act (TSCA) Inventory: All ingredients are listed or exempted from listing on the inventory.

Canada Domestic Substance List (DSL): All ingredients are listed.

SARA Section 313: Acetone

SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No Reactivity: No

SARA Section 302: None of the ingredients are listed.

CERCLA: Acetone (5000)

California Prop. 65 Warnings: None

WHMIS Classification: D2B

OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

SECTION 16 - OTHER INFORMATION

This product is sold to consumers for household use in containers of relatively small volume (i.e. 5 gallon or less in size). This MSDS has been developed to address safety concerns affecting those individuals working in warehouses and other places where large numbers of these containers are stored, as well as those affecting potential users of this product in industrial /occupational settings. All pertinent health, safety and environmental information have been presented in this document, per the requirements of the US Federal OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian WHMIS.

Disclaimer: As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, including, but not limited to merchantability or fitness for a particular use, is made concerning this product. The user assumes all risk of use or handling whether or not in accordance with any directions or suggestions of the supplier. Seller shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our products, from breach of any warranty or from any other cause, the exclusive remedy against the seller being to require replacement or repair of defective goods.