## ANT KILLER GRANULES

Kills ants, fleas, fire ants, brown dog ticks, crickets, chinch bugs, cutworms, billbugs, earwigs, sod webworms, grubs and other listed insects.

Intended For Outdoor Residential Use Only.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-425

Buyers Guarantee Limited to Label Claims. ©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

BN



## Read entire label before use.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides. Do not allow adults, children, or pets to enter the treated area until dusts have settled.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

# Two Easy Steps to use this Product

Step #1: Determine size of the job, measure the area to be treated.

Step #2: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

Treatment Areas	Pests	Use Rate	How to Use
Band Treatment	Ants, Asian Lady	1 lb. per 500 sq. ft.	These pests are
Around House	Beetles, Fleas,		commonly found
Foundation	Boxelder Bugs, Brown		around or near
	Dog Ticks, Clover		foundations of houses,
	Mites, Crickets,		as well as in lawns.
	Earwigs, Firebrats,		Certain of these pests
	Grasshoppers,		may enter houses.
	Millipedes,		Apply a 5-foot band
	Roaches, Silverfish,		of granules next to
	Sowbugs (Pillbugs),		the house foundation.
	Spiders, Spider		Distribute granules
	mites, Springtails		uniformly. Water lightly
	(collembolan)		after application.
Spot Treatment	Ants	Apply 11/2 teaspoons   Water lightly after	Water lightly after
		over and around	application.
		each ant hill.	

How to Use	Apply 1 cup over, diately after application. A deach fire ant mound, diately after application. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Note:  For best results, apply in early morning or late evening hours. Treat new mounds as they appear.
Use Rate	Apply 1 cup over, and 2 ft. around, each fire ant mound
Pests	Fire Ants
Treatment Areas	Spot Treatment continued

How to Use	Apply 1 lb. per 500 Apply when grass is sq. ft. dry. Water lawn lightly after application. Repeat as necessary.
Use Rate	Apply 1 lb. per 500 sq. ft.
Pests	Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Lawn Moths (Sod Webworms), Leafhoppers, Millipedes, Sowbugs
Treatment Areas	Overall Lawn Application for Grass and Dichondra Lawns

Treatment Areas	Pests	Use Rate	How to Use
Overall Lawn	Billbugs,	Apply 1 lb. per	Apply 1 lb. per  Water grass thoroughly afte
Application	Grubs,	400 sq. ft. or	400 sq. ft. or application. For Billbug contro
for Grass and	Japanese	4 oz. per 100	apply when activity is first observe
Dichondra Lawns	Beetle Grubs,	sq. ft.	or when chewed or brown gras
continued.	Dung Beetles		indicates damage from thes
	(Ataenius		insects. For Grub control, exce
	Spretulus)		Dung Beetle, treat any time betwee
			late July and early October. For
			Dung Beetle Grub control, app
			in spring or early summer whe
			damage is first noticed. Water gras
			thoroughly with 1/4 to 1/2 inch of wat
			after application. Treat again in la
			summer or early fall if a secor
			generation occurs.

#### STORAGE & DISPOSAL STORAGE: Store product in original container in a locked

storage area. Store and transport in an upright position. DISPOSAL: If empty - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information. . Hold eve open and rinse slowly and gently If in eves with water for 15-20 minutes.

· Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.

 Call a poison control center or doctor for treatment advice · Call a poison control center or doctor swallowed immediately for advice.

 Have person sip a glass of water if able to swallow

or clothing

If on skin

If inhaled

. Do not induce vomiting unless told to do so by the poison control center or doctor. . Do not give anything by mouth to an unconscious person. Take off contaminated clothing. Rinse skin immediately with plenty of

water for 15-20 minutes. · Call a poison control center or doctor for treatment advice. Move person to fresh air. . If person is not breathing, call 911 or an ambulance, then give artificial respiration. preferably by mouth-to-mouth, if possible. Call a poison control center or doctor

for further treatment advice.

#### PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals CAUTION: Harmful if absorbed through skin. Causes moderate eve irritation. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing

hefore reuse. **Environmental Hazards** This pesticide is extremely toxic to aquatic organisms. including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents). call the National Pesticide Information Center at 1-800-858-7378. **DISCLAIMER:** To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling

not in strict accordance with directions given herewith.