


ALSKO, INC.
2664 Russell St
Orangeburg, SC 29115
803 531 1820



EMERGENCY NO:
(803) 531-1820
 FOR TRANSPORTATION EMERGENCY CONTACT:
CHEM-TEL INC NO:
800-255-3924

SECTION I: IDENTIFICATION

ALSO #1336X

chemical name & synonyms BLEND OF MINERAL SPIRITS AND SILICONE		ITEM 1336, 1336F, 1337, & 2337
chemical family HYDROCARBON MIXTURE	formula PROPRIETARY	trade name SILICONE WATER-GUARD
description CLEAR LIGHT YELLOW LIQUID SLIGHT KEROSENE ODOR		cas no. SEE SECTION III

SECTION II: NORMAL HANDLING PROCEDURES

precautions in storing and handling STORE IN COVERED AREA KEEP FROM COLD DO NOT CONTAMINATE ANIMAL FEED OR WATER WITH THIS PRODUCT		
protective equipment EYE PROTECTION GLOVES OTHER	NONE REQUIRED FOR NORMAL USE NONE REQUIRED FOR NORMAL USE NONE REQUIRED	ventilation USE ONLY WITH ADAQUATE VENTILATION

SECTION III: HAZARDOUS INGREDIENTS

basic material	CAS#	percent	OSHA PEL/TLV	significant effects
ALIPHATIC HYDROCARBON	6052-41-3	87.0%	100/100 PPM	

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

flash point method	105° F COC	DOT hazard classification COMBUSTABLE	flammable explosive limits upper lower 1%
extinguishing media REGULAR FOAM, OR WATER FOG, OR CO₂, OR DRY CHEMICAL		special fire hazard & fire fighting procedures SELF-CONTAINED BREATHING APPARATUS WITH FULL POSITIVE PRESSURE FACE SHIELD	

SECTION V: HEALTH HAZARD DATA

threshold limit value (TLV) 100 PPM	symptoms of over exposure IRRITATION TO EYES AND MUCOUS MEMBRANES, DEFATTING OF SKIN, NAUSIA, HEADACHE, UNCONCIOUSNESS, DEATH
---	---

SECTION VI: EMERGENCY FIRST-AID PROCEDURES

skin WASH THOROUGHLY WITH SOAP & WATER, LAUNDER CONTAMINATED CLOTHES, IF IRRITATED, GET MEDICAL ATTENTION
eyes FLUSH WITH CLEAN WATER FOR 15 MINUTES IF IRRITATION PERSISTS, GET MEDICAL ATTENTION
ingestion DO NOT INDUCE VOMITING, KEEP PERSON WARM AND QUIET, GET MEDICAL ATTENTION IMMEDIATELY
Inhalation REMOVE TO FRESH AIR, IF BREATHING IS LABORED, GET MEDICAL ATTENTION IMMEDIATELY

SECTION VII: TOXICOLOGY

acute oral LD 50	(SEE SECTION III)	carcinogenic	NOT KNOWN TO BE CARCINOGENIC
acute dermal LD 50		mutagenic	NOT KNOWN TO BE MUTAGENIC
acute inhalation LC 50		eye irritation	IRRITANT
		primary skin irritation	IRRITANT
principle routes of absorpior			
DERMAL, ORAL AND INHALATION			
effects of acute exposure			
IF INGESTED MAY CAUSE STOMACH CRAMPS AND DIARRHEA BREATHING CONCENTRATED VAPORS IMPAIRS FUNCTION			
effects of chronic exposure			
NONE EXPECTED AT NORMAL USE LEVELS			

SECTION VIII: SPILL OR LEAKAGE PROCEDURES

steps to be taken in case material is released or spilled	
<p>SMALL SPILLS: ABSORB WITH PROPER MATERIAL AND TRANSFER TO FUME HOOD</p> <p>LARGER SPILLS: ELIMINATE ALL IGNITION SOURCES PERSONS WITHOUT PROTECTIVE GEAR SHOULD BE EVACUATED DIKE SPILL TO PREVENT SPREAD ABSORB LIQUID AND SHOVEL INTO CONTAINERS</p> <p>TAKE CARE THAT WET SURFACES CAN BE EXTREMELY SLIPPERY</p>	
waste disposal method	
<p>TREAT OR DISPCSE OF ACCORDING TO REGULATIONS UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT AS ADMINISTERED BY USEPA OR APPROPRIATE STATE AGENCIES.</p>	

SECTION IX: REACTIVITY DATA

corrosive action (metals, plastics, rubber, etc.)	NONE
stability	THIS PRODUCT IS STABLE
conditions to avoid	AVOID STRONG OXIDIZING AGENTS AND OPEN FLAME
incompatability (materials to avoid)	LATEX RUBBER PRODUCTS
hazardous polymerization	WILL NOT OCCUR
hazardous decomposition products	CARBON DIOXIDE AND CARBON MONOXIDE

SECTION X: PHYSICAL DATA

boiling point	vapor pressure	volatiles
258° CELCIUS	12.00 mm Hg	MINERAL SPIRITS
melting point	solubility in water	evaporation rate (ETHER = 1)
	INSOLUBLE	36
specific gravity	pH (100% solution)	
.75 gm/cm	NA	
specific vapor density (AIR = 1)	cloud point (100% solution)	
4.7	NA	

AUTHORIZED SIGNATURE *Daniel J. Hitting*

DATE: September 8, 2004
3-30-07 *[Signature]*