

Revision Date: 03/25/2008

Issue date: 03/25/2008

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** Loctite Extra Time Epoxy  
**Product type:** Epoxy Resin  
**Company address:** Henkel Corporation  
 32150 Just Imagine Drive  
 Avon, Ohio 44011

**Item #:** 235342  
**Region:** United States  
**Contact Information:**  
 Telephone: 440.937.7000  
 Emergency telephone: 877.279.0423

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	60-100	None	None	None
Phenyl glycidyl ether 122-60-1	0.1-1	0.1 ppm TWA (skin)	10 ppm TWA 60 mg/m <sup>3</sup> TWA	None

**3. HAZARDS IDENTIFICATION**

<u>EMERGENCY OVERVIEW</u>		
<u>HMIS:</u>		
<b>Physical state:</b> Liquid	<b>HEALTH:</b>	2*
<b>Color:</b> Translucent Clear	<b>FLAMMABILITY:</b>	1
<b>Odor:</b> None	<b>PHYSICAL HAZARD:</b>	0
	<b>Personal Protection:</b>	See Section 8
<b>WARNING:</b> MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.		

**Relevant routes of exposure:** Eye contact, Ingestion, Inhalation, Skin contact

**Potential Health Effects**

<b>Inhalation:</b>	Mild respiratory tract irritation.
<b>Skin contact:</b>	Allergic skin reaction. Moderate skin irritation. Itching. Redness.
<b>Eye contact:</b>	Moderate eye irritation. Redness.
<b>Ingestion:</b>	Not expected under normal conditions of use.

**Existing conditions aggravated by exposure:** Skin disorders. Skin allergies.

**See Section 11 for additional toxicological information.**

## 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Ingestion:</b>	DO NOT induce vomiting unless directed to do so by medical personnel. Keep individual calm. Get medical attention if symptoms develop and persist.
<b>Notes to physician:</b>	None.

## 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	Greater than 248.9°C (480°F) Pinsky Martens closed cup
<b>Autoignition temperature:</b>	Not available
<b>Flammable/Explosive limits-lower %:</b>	Not available
<b>Flammable/Explosive limits-upper %:</b>	Not available
<b>Extinguishing media:</b>	Foam, dry chemical or carbon dioxide.
<b>Special fire fighting procedures:</b>	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
<b>Unusual fire or explosion hazards:</b>	In the event of fire, cool tanks with water spray. Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
<b>Hazardous combustion products:</b>	Oxides of carbon. Irritating organic fragments.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Prevent product from entering drains or open waters.
<b>Clean-up methods:</b>	Remove all ignition sources. Immediately contact emergency personnel. Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Do not breathe mist or vapors. Keep container closed. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
<b>Storage:</b>	Store in original container until ready to use. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
<b>Incompatible products:</b>	Refer to Section 10.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering controls:</b>	Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.
<b>Respiratory protection:</b>	Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.
<b>Skin protection:</b>	Chemical resistant, impermeable gloves.
<b>Eye/face protection:</b>	Chemical splash goggles or safety glasses with side shields.

See Section 2 for exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Liquid
<b>Color:</b>	Translucent Clear
<b>Odor:</b>	None
<b>Vapor pressure:</b>	0.03 mmHg
<b>pH:</b>	Not applicable
<b>Boiling point/range:</b>	Greater than 260.2°C (500°F)
<b>Melting point/range:</b>	Not available
<b>Specific gravity:</b>	1.17
<b>Vapor density:</b>	Not available
<b>Evaporation rate:</b>	Not available
<b>Solubility in water:</b>	Slight
<b>Partition coefficient (n-octanol/water):</b>	Not available
<b>VOC content:</b>	0.098% (value for resin and hardener together)

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable
<b>Hazardous polymerization:</b>	Will not occur.
<b>Hazardous decomposition products:</b>	None
<b>Incompatibility:</b>	Strong acids. Strong bases. Strong oxidizers. Amines.
<b>Conditions to avoid:</b>	Excessive heat. Storage with incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	No	No	No
Phenyl glycidyl ether 122-60-1	No	Group 2B	Yes

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	Allergen, Irritant
Phenyl glycidyl ether 122-60-1	Allergen, Central nervous system, Irritant, Respiratory, Blood, Immune system, Bone Marrow, Reproductive, Some evidence of carcinogenicity

## 12. ECOLOGICAL INFORMATION

<b>Ecological information:</b>	Not available
--------------------------------	---------------

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

<b>Recommended method of disposal:</b>	Dispose according to EPA and local governmental regulations.
<b>EPA hazardous waste number:</b>	Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

Item No. : IDH No. 235342

Product name: Loctite Extra Time Epoxy

**U.S. Department of Transportation Ground (49 CFR):**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None

**International Air Transportation (ICAO/IATA):**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None

**Water Transportation (IMO/IMDG):**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None  
Marine pollutant: None known

**15. REGULATORY INFORMATION**

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None.

**CERCLA/SARA Section 302 EHS:** None.  
**CERCLA/SARA Section 311/312:** Immediate Health Hazard  
**CERCLA/SARA 313:** None.

**California Proposition 65:** This product contains a chemical known to the State of California to cause cancer.

**Canada Regulatory Information**

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Domestic Substances List.  
**WHMIS hazard class:** D.2.B

**16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections: 2, 11

Prepared by: Regulatory Affairs

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Revision Date: 03/25/08

Issue date: 03/25/08

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

<b>Product name:</b> Lowes Extra Time Epoxy <b>Product type:</b> Epoxy Hardener <b>Company address:</b> Henkel Corporation 32150 Just Imagine Drive Avon, Ohio 44011	<b>Item No. :</b> IDH No. 235342 <b>Region:</b> United States <b>Contact Information:</b> Telephone: 440.937.7000 Emergency telephone: 877.279.0423
---	---

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Polyamide resin 68410-23-1	60-100	None	None	None
N-(2-Aminoethyl)piperazine 140-31-8	10-30	None	None	None
Aliphatic amines Proprietary	10-30	None	None	None
Silica, amorphous, fumed, crystalline-free 112945-52-5	1-5	10 mg/m <sup>3</sup> TWA inhalable 3 mg/m <sup>3</sup> TWA respirable	6 mg/m <sup>3</sup> TWA	None

**3. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

<b>Physical state:</b> Liquid <b>Color:</b> Clear Amber <b>Odor:</b> Amine	<b>HMIS:</b>	<b>HEALTH:</b> 3 <b>FLAMMABILITY:</b> 1 <b>PHYSICAL HAZARD:</b> 1 <b>Personal Protection:</b> See Section 8
--	--------------	--

**DANGER:** CAUSES EYE, SKIN AND RESPIRATORY TRACT BURNS.  
MAY CAUSE ALLERGIC SKIN REACTION.  
MAY BE HARMFUL IF SWALLOWED.

**Relevant routes of exposure:** Eye contact, Ingestion, Inhalation, Skin contact

**Potential Health Effects**

<b>Inhalation:</b>	Respiratory tract burns. May cause respiratory tract irritation. May cause irritation to nose and throat. Lung damage.
<b>Skin contact:</b>	May cause skin burns. Allergic skin reaction. Rash. Redness. Tissue damage.
<b>Eye contact:</b>	Burns. Severe eye irritation. Redness. Tissue damage.
<b>Ingestion:</b>	May be harmful if swallowed. May cause burns of mouth and throat if swallowed.

**Existing conditions aggravated by exposure:** Skin disorders. Skin allergies. Respiratory disorders. Eye disorders.

**See Section 11 for additional toxicological information.**

#### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
<b>Skin contact:</b>	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if symptoms occur.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Ingestion:</b>	DO NOT induce vomiting unless directed to do so by medical personnel. Keep individual calm. Get medical attention immediately.
<b>Notes to physician:</b>	None.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	Greater than 224.6°C (436°F) Tagliabue closed cup
<b>Autoignition temperature:</b>	Not available
<b>Flammable/Explosive limits-lower %:</b>	Not available
<b>Flammable/Explosive limits-upper %:</b>	Not available
<b>Extinguishing media:</b>	Water spray (fog), foam, dry chemical or carbon dioxide.
<b>Special fire fighting procedures:</b>	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
<b>Unusual fire or explosion hazards:</b>	In the event of fire, cool tanks with water spray.
<b>Hazardous combustion products:</b>	Oxides of carbon. Amines. Irritating organic fragments.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Prevent product from entering drains or open waters.
<b>Clean-up methods:</b>	Remove all ignition sources. Immediately contact emergency personnel. Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

#### 7. HANDLING AND STORAGE

<b>Handling:</b>	Keep away from heat, spark and flame. Do not breathe mist or vapors. Keep container closed. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
<b>Storage:</b>	Store at or below 37.8°C (100°F). Store in original container until ready to use. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
<b>Incompatible products:</b>	Refer to Section 10.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering controls:</b>	Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.
<b>Respiratory protection:</b>	Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.
<b>Skin protection:</b>	Chemical resistant, impermeable gloves. Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.
<b>Eye/face protection:</b>	Chemical splash goggles or safety glasses with side shields.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Liquid
<b>Color:</b>	Clear Amber
<b>Odor:</b>	Amine
<b>Vapor pressure:</b>	Not available
<b>pH:</b>	Not applicable
<b>Boiling point/range:</b>	Not available
<b>Melting point/range:</b>	Not available
<b>Specific gravity:</b>	0.98
<b>Vapor density:</b>	Not available
<b>Evaporation rate:</b>	Not available
<b>Solubility in water:</b>	Slightly soluble
<b>Partition coefficient (n-octanol/water):</b>	Not available
<b>VOC content:</b>	0.113% (value for resin and hardener together)

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable
<b>Hazardous polymerization:</b>	Will not occur.
<b>Hazardous decomposition products:</b>	None
<b>Incompatibility:</b>	Strong acids. Strong oxidizers. Halogenated compounds.
<b>Conditions to avoid:</b>	Excessive heat. Storage with incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polyamide resin 68410-23-1	No	No	No
N-(2-Aminoethyl)piperazine 140-31-8	No	No	No
Aliphatic amines Proprietary	No	No	No
Silica, amorphous, fumed, crystalline-free 112945-52-5	No	No	No

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Polyamide resin 68410-23-1	Corrosive, Irritant
N-(2-Aminoethyl)piperazine 140-31-8	Irritant, Corrosive, Allergen
Aliphatic amines Proprietary	No data
Silica, amorphous, fumed, crystalline-free 112945-52-5	Nuisance dust

## 12. ECOLOGICAL INFORMATION

<b>Ecological information:</b>	Not available
--------------------------------	---------------

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose according to EPA and local governmental regulations.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

### 14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

#### U.S. Department of Transportation Ground (49 CFR):

**Proper shipping name:** Corrosive liquid, basic, organic, n.o.s. ( Aminoethylpiperazine , Aliphatic amines )  
**Hazard class or division:** 8  
**Identification number:** UN 3267  
**Packing group:** II  
**Exceptions:** (Not more than 1L) Consumer Commodity ORM-D

#### International Air Transportation (ICAO/IATA):

**Proper shipping name:** Corrosive liquid, basic, organic, n.o.s. ( Aminoethylpiperazine , Aliphatic amines )  
**Hazard class or division:** 8  
**Identification number:** UN3267  
**Packing group:** II

#### Water Transportation (IMO/IMDG):

**Proper shipping name:** Corrosive liquid, basic, organic, n.o.s. ( Aminoethylpiperazine , Aliphatic amines )  
**Hazard class or division:** 8  
**Identification number:** UN3267  
**Packing group:** II

### 15. REGULATORY INFORMATION

#### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None.

**CERCLA/SARA Section 302 EHS:** None.  
**CERCLA/SARA Section 311/312:** Immediate Health Hazard  
**CERCLA/SARA 313:** None.

**California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

#### Canada Regulatory Information

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Domestic Substances List.  
**WHMIS hazard class:** E, D.2.B

### 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: First issue.

**Prepared by:** Regulatory Affairs

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.