

## MATERIAL SAFETY DATA SHEET

<b>NOTE: BLANK SPACES ARE NOT PERMITTED. IF ANY ITEM IS NOT APPLICABLE, THE SPACE MUST BE MARKED TO INDICATE THAT.</b>					
<b>IDENTITY</b> (As shown on Label or package) <b>PDS GLOSSIFIER-METALLICIZER-PEARLIZER AEROSOL</b>				<b>PART NO.</b> <b>IF APPLICABLE</b>	
<b>SECTION I</b>					
<b>MANUFACTURER'S NAME</b> Plasti Dip International, Inc.				<b>EMERGENCY PHONE No.</b> USA only: 1-800-424-9300 INT'L: 703-527-3887	
<b>ADDRESS (NUMBER, STREET, CITY, STATE AND ZIP CODE)</b> 3920 Pheasant Ridge Drive				<b>REVISION #</b>	
Blaine, MN 55449				<b>MANUFACTURER'S PHONE No. FOR INFORMATION</b> 1-763-785-2156	
				<b>DATE MSDS WAS PREPARED</b> November 20, 2012	
<b>SECTION II - HAZARDOUS INGREDIENTS INFORMATION. All Health Hazards which comprise 1% or greater of the composition and all carcinogens if 0.1% of the composition or greater.</b>					
<b>HAZARDOUS COMPONENTS CHEMICAL and IDENTITY AND COMMON NAME (S)</b>	<b>% Wt. (OPTIONAL)</b>	<b>CAS NO.</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>	<b>OTHER LIMITS RECOMMEND</b>
VM & P Naphtha	40 - 51	64742-89-8	300 ppm	300 ppm	None
Propane	20 - 26	74-98-6	1000 ppm	1800 ppm	None
N Butane	10 - 16	106-97-8	800 ppm	800 ppm	None
Methyl Ethyl Ketone	5 - 8	78-93-3	200 ppm	200 ppm	None
Methyl Amyl Ketone	3 - 5	110-43-0	100 ppm	50 ppm	None
Xylene	3 - 5	1330-20-7	100 ppm	100 ppm	None
Ethylbenzene	1 - 3	100-41-4	100 ppm	100 ppm	None
<b>SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS</b>					
<b>BOILING POINT</b> < 0°F to 350°F	<b>SPECIFIC GRAVITY</b> (H <sub>2</sub> O =1) N/A		<b>APPROXIMATE WEIGHT PER GALLON (LBS)</b> N/A		
<b>VAPOR PRESSURE</b> 5585.20 mmHg @ 20°C	<b>VAPOR DENSITY</b> (AIR = 1) N/A		<b>EVAPORATION RATE</b> (BUTYL ACETATE =1) 4.6		
<b>SOLUBILITY IN WATER</b> Insoluble	<b>% VOLATILE</b>		<b>OTHER (IF ANY)</b> None		
<b>APPEARANCE AND ODOR</b> Aerosol, Mild Solvent Odor.					
<b>SECTION IV-FIRE AND EXPLOSION HAZARD DATA</b>					
<b>FLASH POINT</b> <0°F	<b>FLAMMABLE LIMITS</b>		<b>LEL</b> No Data (mixture)	<b>UEL</b> No Data (mixture)	
<b>EXTINGUISHING MEDIA</b> Carbon Dioxide, Dry Chemical, or Foam					
<b>SPECIAL FIRE FIGHTING PROCEDURES</b> Self contained breathing apparatus with a full face piece, operated in pressure demand or other positive pressure mode.					
<b>UNUSUAL FIRE AND EXPLOSION HAZARDS</b> Level 3 aerosol (NFPA 30B). Contents under pressure if heated over 120°F aerosol can could explode, even when empty.					
<b>HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION</b> Carbon Dioxide and/or Carbon Monoxide					
<b>EXPLOSIVE LIMITS (% BY VOLUME IN AIR)</b> No Data					
<b>SECTION V - OPTIONAL HAZARD RATINGS IDENTIFICATION</b>					
<b>HAZARD RATING</b> 4-EXTREME 3-HIGH 2-MODERATE 1-SLIGHT 0-INSIGNIFICANT **SEE SECTION IV			<b>National Fire Protection Association (NFPA)</b> <b>FIRE</b> <u>4</u> <b>REACTIVITY</b> <u>0</u> <b>HEALTH</b> <u>2</u> <b>SPECIAL HAZARDS</b> <u>None</u>		

This is the "front" when printed in duplex. Page 1 of 2 pages if not duplex.

<b>SECTION VI - REACTIVITY AND STABILITY DATA</b>			
<b>STABILITY</b>	UNSTABLE	STABLE	X
<b>INCOMPATIBILITY (Materials to Avoid)</b> Strong oxidizing agents			
<b>HAZARDOUS DECOMPOSITION OR BY PRODUCTS</b> Thermal decomposition may produce carbon dioxide, carbon monoxide, and unidentifiable organic materials.			
<b>HAZARDOUS POLYMERIZATION</b>	<b>MAY OCCUR</b>	<b>WILL NOT OCCUR</b>	X
		<b>CONDITIONS TO AVOID</b> Avoid contact with heat, sparks, and open flame. Product may explode if heated.	
<b>SECTION VII - HEALTH HAZARD DATA</b>			
<b>ROUTES OF ENTRY</b>	<b>INHALATION?</b>	Yes	<b>SKIN?</b> Yes
<b>HEALTH HAZARDS</b>	<b>ACUTE</b>	X	<b>INGESTION?</b> Yes
	<b>CHRONIC</b>	X	<b>EYES?</b> Yes
See Signs and Symptoms of Exposure below. Brain and Nervous System Damage (Referred to as solvents or painters syndrome). Drying or Cracking skin.			
<b>CARCINOGENICITY:</b> IARC 2B			
<b>SIGNS AND SYMPTOMS OF EXPOSURE</b>			
Headache, Dizziness, Drowsiness, Fatigue, Irregular Heartbeat, Skin and Eye Irritation.			
Target Organs: CNS, CVS, PNS, Liver, Kidneys, Lungs, Respiratory System, Skin.			
<b>MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE</b> Pre-existing Heart, Liver, Kidney and Lung disorders.			
<b>EMERGENCY AND FIRST AID PROCEDURES</b>			
Ingestion: Contact Physician or Poison Control Immediately.			
Inhalation: Remove to fresh air. Administer Oxygen or Artificial Respiration if Necessary.			
Eye Contact: Flush with large amounts of water. If irritation persists, contact Physician.			
Skin: Wash with soap and water.			
<b>SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE</b>			
<b>STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED</b>			
Wipe up with floor absorbent. Transfer to hood. Prevent run-off to sewers.			
Eliminate all sources of ignition. Ventilate to maintain exposure below PEL's			
<b>WASTE DISPOSAL METHODS</b>			
Dispose of product in accordance with local, county, state and federal regulations.			
<b>PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE</b>			
Keep away from sparks, flame and heat sources. Do not store above 120°F.			
Level 3 aerosol (NFPA 30B).			
<b>OTHER PRECAUTIONS</b>			
Keep Container Closed When Not In Use. Store this product with adequate ventilation in cool areas. Never place aerosol container in flame or fire, even when empty.			
<b>SECTION IX - CONTROL MEASURES</b>			
<b>RESPIRATORY PROTECTION (SPECIFY TYPE)</b> Depending on the airborne concentration, use a respirator with appropriate NIOSH approved cartridge or supplied air equipment.		<b>PROTECTIVE GLOVES</b> Impervious Gloves	
<b>VENTILATION</b>	<b>LOCAL EXHAUST</b> Supplemental (if needed)	<b>SPECIAL</b> None	
	<b>MECHANICAL (GENERAL)</b> To maintain exposure below PELs	<b>OTHER</b> None	
<b>EYE PROTECTION</b> Chemical splash goggles, or approved eye protection.		<b>OTHER PROTECTIVE CLOTHING OR EQUIPMENT</b> Chemical Apron/Eye bath/Safety Shower	
<b>WORK HYGIENIC PRACTICES</b> Wash thoroughly after handling.			
<b>SECTION X - TRANSPORTATION INFORMATION (Optional)</b>			
<b>DOT PROPER SHIPPING NAME</b> Aerosols		<b>DOT HAZARD CLASS</b> 2.1	
<b>DOT UN NUMBER</b> UN 1950		<b>DOT PACKING GROUP</b> N/A	
<b>DOT EXCEPTIONS</b> Ground shipment of limited or excepted quantities of aerosols in containers of 1 quart or less may ship as <b>CONSUMER COMMODITY, ORM-D</b>			
<b>THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT -TO-KNOW ACT OF 1986, 40 CFR 372, (see table on page 1 for CAS # and percent by weight)</b> Xylene, Ethylbenzene			
<b>WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.</b>			

This is the "back" when printed in duplex. Page 2 of 2 pages if not duplex.

Prepared By: Mark Kenow