

MATERIAL SAFETY DATA SHEET

Page 1 of 4

HE183 - REPAIR FABRIC YELLOW FIBERGLASS

1. Product And Company Identification

Supplier HENRY COMPANY

999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716

Company Contact: Technical Services **Telephone Number:** (800) 486-1278

Web Site: www.henry.com www.bakor.com

Supplier Emergency Contacts & Phone Number

CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666 Manufacturer

HENRY COMPANY

999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716

Company Contact: Technical Services
Telephone Number: (800) 486-1278

Web Site: www.henry.com www.bakor.com

Manufacturer Emergency Contacts & Phone Number

CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666

Issue Date: 09/06/2011

Product Name: HE183 - REPAIR FABRIC YELLOW FIBERGLASS

Product Code: HE183
Product/Material Uses
Reinforcing Fabric

2. Composition/Information On Ingredients

Ingredient	CAS	Percent Of
Name	Number	Total Weight
acrylic polymer blend	NA - Mixture	15 - 30
glass fibers	65997-17-3	70 - 90

EMERGENCY OVERVIEW

CAUTION! Direct skin and eye contact may cause irritation.

Appearance/Odor: woven fabric, no odor

3. Hazards Identification

Primary Routes(s) Of Entry

Inhalation

Eye Hazards

Particles may cause eye irritation.

Skin Hazards

May cause irritation to sensitive skin.

Ingestion Hazards

Not a probable route of exposure.

Inhalation Hazards

Not a probable route of exposure under normal conditions of use.

Chronic/Carcinogenicity Effects

None of the ingredients of this product comprising over 0.1% are classified as carcinogenic according to OSHA, National Toxicology Program (NTP), International Agency for Research on Cancer (IARC) or the American Conference

Henry

MATERIAL SAFETY DATA SHEET

Page 2 of 4

HE183 - REPAIR FABRIC YELLOW FIBERGLASS

3. Hazards Identification - Continued

Chronic/Carcinogenicity Effects - Continued

of Governmental Industrial Hygienists (ACGIH).

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

Remove contaminated clothing and shoes. Wash affected areas with soap and water.

Ingestion

Get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious victim.

Inhalation

Remove the person from the contaminated area to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Contact a physician if symptoms develop.

5. Fire Fighting Measures

Flash Point: NA °F NA °C Flash Point Method: NA

Autoignition Point: NA °F NA °C Lower Explosive Limit: NA Upper Explosive Limit: NA

Fire And Explosion Hazards

Sizing material in product may thermally decompose, or burn, releasing carbon monoxide, carbon dioxide, and irritating or toxic gases.

Extinguishing Media

Carbon dioxide, water fog, dry chemical, or chemical foam.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

N/A

7. Handling And Storage

Handling And Storage Precautions

N/A

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation.

Eye/Face Protection

Safety glasses with side shields or splash goggles recommended.

Skin Protection

Use with chemical-protective gloves to prevent skin contact.

MATERIAL SAFETY DATA SHEET



Page 3 of 4

HE183 - REPAIR FABRIC YELLOW FIBERGLASS

8. Exposure Controls/Personal Protection - Continued

Respiratory Protection

None normally required. Respirator use may be required due to secondary operations such as mixing, spraying, sanding, buffing, etc. The level of respiratory protection needed should be based on the evaluation of chemical exposures by a health or safety professional. If required, use an appropriate NIOSH-approved respirator equipped with a half-face air purifying respirator with an organic vapor cartridge and pre-filter or a supplied air respirator.

9. Physical And Chemical Properties

Appearance

Woven glass fabric.

<u>Odor</u>

No odor

Chemical Type: Mixture
Physical State: Solid
Melting Point: >1550 °F
Boiling Point: not available °F

Specific Gravity: 2.5 **Percent Volatiles:** 0

Vapor Pressure: not applicable Vapor Density: not available pH Factor: not available Solubility: Insoluble

Evaporation Rate: not applicable

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Not expected to occur

Conditions To Avoid (Stability)

Extreme temperatures, open flames, or oxidizers.

Incompatible Materials

Strong oxidzers.

Hazardous Decomposition Products

Decomposition not expected to occur if handled and stored properly.

11. Toxicological Information

Chronic/Carcinogenicity

None of the ingredients present in this product, at concentrations equal to or greater than 0.1%, have been determined to be carcinogenic by IARC, NTP, OSHA, or ACGIH.

Miscellaneous Toxicological Information

Toxicological testing has not been conducted for this product overall. Available toxicological data for individual ingredients are summarized below.

12. Ecological Information

None identified.

Henry

MATERIAL SAFETY DATA SHEET

Page 4 of 4

HE183 - REPAIR FABRIC YELLOW FIBERGLASS

13. Disposal Considerations
Dispose in accordance with applicable federal, state and local government regulations.
14. Transport Information
Ground Not restricted
IMDG Not restricted
IATA Not restricted
15. Regulatory Information
SARA Hazard Classes Acute Health Hazard
Ingredient(s) - State Regulations glass fibers California - Proposition 65
<u>Canadian Regulatory Information</u> This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. WHMIS Classification: Not classified or controlled.

NFPA 1 0 0

<u>HMIS</u>	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	

16. Other Information

Revision/Preparer Information

This MSDS Supersedes A Previous MSDS Dated: 10/29/2008

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

HENRY COMPANY

Printed Using MSDS Generator™ 2000