

Section 1: Product & Company Identification

Product Name: Contact Cleaner 2000® Precision Cleaner (Aerosol)

Product Number (s): 02140

Manufactured By: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 www.crcindustries.com

 General Information
 (215) 674-4300

 Technical Assistance
 (800) 521-3168

 Customer Service
 (800) 272-4620

 24-Hr Emergency (CHEMTREC)
 (800) 424-9300

Section 2: Hazards Identification

Emergency Overview

Appearance & Odor: Clear, colorless liquid with a faint ethereal odor

WARNING

Vapor harmful. Harmful if swallowed. May cause eye irritation. Contents under pressure.

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

Potential Health Effects:

- EYE: May cause moderate to severe eye irritation with tearing, pain or blurred vision.
- SKIN: Immediate effects may include mild to moderate irritation, itching, redness and swelling. Prolonged or repeated contact can cause defatting of the skin, with redness and rash.
- INHALATION: Overexposure to vapor may cause dizziness, loss of concentration, nausea, headache, and irritation of the respiratory tract. With high exposure levels, effects can include central nervous system (CNS) depression, unconsciousness and cardiac arrhythmia. Product vapors displace air and can cause suffocation especially in a confined space.
- INGESTION: Swallowing may irritate the mouth and gastro-intestinal tract. The major hazard is aspiration of the liquid into the lungs during swallowing or vomiting. This may result in chemical pneumonia. Symptoms include coughing, gasping, shortness of breath, bluish discoloration of the skin, and fever. Pulmonary edema, confusion, coma and seizures may occur in more serious cases.

CHRONIC EFFECTS: None identified.

TARGET ORGANS: None identified.

Medical Conditions Aggravated by Exposure: diseases of the central nervous system or cardiovascular system

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
Decafluoropentane (HFC-43-10mee)	138495-42-8	5 - 15
COzol® 401	proprietary blend	80 - 95
Carbon dioxide	124-38-9	3 - 8

Section 4: First Aid Measures

Eye Contact:	Immediately flush with plenty of water for 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get medical attention.
Skin Contact:	Remove contaminated clothing and wash affected area with a mild soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.
Inhalation:	Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Do NOT give epinephrine (adrenaline). Call a physician.
Ingestion:	Do NOT induce vomiting. Immediately give 2 glasses of water. Do NOT give stimulants. Get medical attention immediately.
Note to Physicians:	Because of possible disturbances of cardiac rhythm, catecholamine drugs such as adrenaline should be used with special caution and only in situations of emergency life support. Treatment of overexposure should be directed at the control of symptoms and the clinical conditions.

Section 5: Fire-Fighting Measures

Flammable Properties:	This product is nonflammable in accordance with aerosol flammability definitions (16 CFR 1500.3(c)(6)); however, it could be made to burn or flash under certain conditions.			
Flash Point: Autoignition Temperature:	None ND	Upper Explosive Limit: Lower Explosive Limit:	18 (estimate) 6.7 (estimate)	
Suitable Extinguishing Media:	Choose an extinguishing agent appropriate for the surrounding fire.			
Products of Combustion:	Product will decompose at high temperatures. Decomposition products include hydrofluoric acid, hydrogen chloride gas and carbonyl halides, such as phosgene.			
Protection of Fire-Fighters:	Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.			

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8. Avoid inhaling vapors.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with maximum ventilation. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection and other personal protective equipment. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures:	Minimize vapor accumulation by providing air circulation. Vapors are heavier than air and will collect in low areas. Avoid breathing vapors or mist. Wear eye protection. Wash thoroughly after handling.
Storage Procedures:	Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to prevent cans from rupturing. Do not store near heat sources or incompatible materials.
Aerosol Storage Level:	I

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	0	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Decafluoropentane	NE	NE	NE	NE	200	mfg*	ppm
COzol® 401	400	500 (v)	200	400	NE		ppm
Carbon dioxide	5000	30000(v	5000	30000	NE		ppm
N.E. – Not Established		(c) – ceiling	g (s) –	skin (v) – vaca	ted	

* manufacturer's exposure limit

Engineering Controls:	Area should have ventilation to provide fresh air. Use local exhaust to prevent accumulation of vapors. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations
Respiratory Protection:	None required for normal work where adequate ventilation is provided. Use a NIOSH- approved cartridge respirator with organic vapor cartridge if vapors exceed exposure limits. Use a self-contained breathing apparatus in confined spaces and for emergencies.
Eye/face Protection:	For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin Protection:	Use protective gloves such as Viton®, PVA or neoprene. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: liquid					
Color: clear, colorless					
Odor: faint ethereal					
Specific Gravity: 1.27					
Initial Boiling Point: ~ 104 F					
Freezing Point: ND					
Vapor Pressure: > 200 mmHg @ 77	7 F				
Vapor Density: > 1 (air =	= 1)				
Evaporation Rate: < 1 (ethe	er = 1)				
Solubility: slight in water					
pH: NA					
5 1			<u>g/L</u> : 730.3 <u>g/L:</u> 1206	ibeli gali	6.1 10.05
C	$\frac{WL}{WL}$	<u>/0</u> . 00	<u>g/L</u> . 1200	<u>105./gai.</u>	10.00

Section 10: Stability and Reactivity

Stability:	Stable		
Conditions to A	void:		rature extremes. Exposure of this product to high energy sources may yield corrosive decomposition products.
		magnesium,	line earth metals such as powdered or freshly abraded aluminum, sodium, zinc, beryllium, etc.; strong bases such as sodium hydroxide, potassium tc.; oxidizers
Hazardous Dec	composition	Products:	Hydrofluoric acids, carbonyl halides, such as phosgene, and hydrogen chloride gas. Decafluoropentane is incompatible with strong bases and can react to form salts of hydrofluoric acid.
Possibility of Ha	azardous Re	eactions:	No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

ACUTE EFFECTS

<u>Component</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Decafluoropentane	LC50	11,100 ppm/4H	Inhalation	rat
COzol® 401 ingredient 1	LD50	1235 mg/kg	Oral	rat
COzol® 401 ingredient 1	LD50	> 5 g/kg	Dermal	rabbit
COzol® 401 ingredient 2	LD50	>2000 mg/kg	Oral	rat

CHRONIC EFFECTS Carcinogenicity:

. .	Component
OSHA:	None listed
IARC:	None listed
NTP:	None listed

Result

Product Name: Contact Cleaner 2000® Precision Cleaner (Aerosol) Product Number (s): 02140

Mutagenicity:	No information	
Other:	Decafluoropentane	mild eye irritant and slight skin irritant in animal testing
Section 12:]	Ecological Informa	tion
Ecological studio		cted for this product. The following information is available for
Ecotoxicity:		afluoropentane – daphnia magna: 11.7 mg/L fathead minnow: 27.2 mg/L ol® 401 ingredient 1 - 5 min EC50 Photobacterium phosphoreum: 1142 mg/L

Persistence / Degradability: No data Bioaccumulation / Accumulation: No data Mobility in Environment: No data

Section 13: Disposal Considerations

Disposal: The dispensed liquid product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33) Aerosol containers should be emptied and depressurized before disposal. Empty containers may be recycled.

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

Section 14: Transport Information

Proper shipping description:

US DOT (ground): Consumer Commodity, ORM-D

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt. Decafluoropentane is controlled by TSCA Section 5, Significant New Use Rule (SNUR: 40 CFR 721.5645).

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA): Reportable Quantities (RQ's) exist for the following ingredients: COzol® 401 ingredient 1 (1000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	No
-	Reactive Hazard	No

Product Number (s): 02140			
	Release of Pressure Yes		
	Acute Health Hazard Yes		
	Chronic Health Hazard No		
Section 313 Toxic Chemicals:	This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None		
Clean Air Act:			
Section 112 Hazardous Air Pol	lutants (HAPs): None		
State Regulations			
This product may contain the f	d Toxic Enforcement Act (Prop 65): following chemicals known to the state of th defects or other reproductive harm: NONE		
State Right to Know:			
Pennsylvania: COzol® 401 in Massachusetts: COzol® 401 in	gredients 1, 3 & 4 gredients 1, 3 & 4 gredients 1, 3 & 4 gredients 3 & 4		
Additional Regulatory Information	on: None		
Section 16: Other Informa	tion		
	Flammability: 1 Reactivity: 1 Flammability: 1 Reactivity: 1 PPE: B		
Prepared By: Michelle Rudnicl CRC #: 657B Revision Date: 06/07/2007	k		
enangee enree laet ieneren	MSDS reformatted in accordance with ANSI Z400.1-2004 Formula change		
The information contained in this c	document applies to this specific material as supplied. It may not be valid for		

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
PMCC:	Pensky-Martens Closed Cup	g/L:	grams per Liter
PPE:	Personal Protection Equipment	lbs./gal:	pounds per gallon
TWA:	Time Weighted Average	STEL:	Short Term Exposure Limit
OSHA:	Occupational Safety and Health Administration	AIHA:	American Industrial Hygiene Assoc.
NIOSH:	National Institute of Occupational Safety & Health CARB:		California Air Resources Board
ACGIH:	American Conference of Governmental Industrial Hygienis	sts	