Material Safety Data Sheet Foaming Root Killer

Conforms with OSHA form OMB No. 1218-0072

Roebic Laboratories, Inc. 25 Connair Road, PO Box 927

Orange, CT 06477

Emergency Telephone Numbers-

ROEBIC (203) 795-1283 CHEMTREC (800) 424-9300

Trade Name: Roebic Foaming Root Killer (FRK)

EPA Reg. No.: 68464-1-7792

Date: 10/27/98

Preparer: Dave Lawler

SECTION I - INGREDIENTS

Component	CAS No.
Sulfamic Acid (h 503 NH2)	5329-14-6
Sodium Bicarbonate (NaC03)	144-55-8
Non Ionic Surfactants	9036-19-5
2.6 Dichlorobenzontrile	1194-65-6
Kaolin Clay	1332-58-7

SECTION II - PHYSICAL & CHEMICAL DATA

Appearance Odor Boiling Point Melting Point Specific Gravity Vapor Pressure Vapor Density	Bottom Layer* White Granules Odorless 408°F (Decomposition) 255°F (H20=1) 2.18 M M HG/2 0 NA	Top Layer* Brown Granules Slight Aromatic NA NA NA NA NA NA NA
Water Solubility	21%	Insoluble

^{*} Package contains 2 layers of chemical ingredients, which react in water to create foaming action.

SECTION III - FIRE, REACTIVITY, & EXPLOSION DATA

Flash Point:

420°F for Dichlobenil

Flammability Classification:

Extinguishing Media:

Use extinguishing media appropriate for surrounding fire. Avoid direct

water stream on molten material (splatter occurs).

Fire Fighting Techniques:

Wear full protective clothing including self-contained breathing

apparatus. Use water spray to cool nearby containers.

Unusual Fire & Explosion Hazards:

ds: May release sulfur trioxide or ammonia when involved in fire. Aqueous solutions of this product are mildly acidic. Avoid contact with

aluminum, explosive hydrogen may result.

Stability:

Stable

Class I

Polymerization:

Will not occur.

Materials to avoid:

Hazardous reaction in aqueous solution may occur with chlorine,

hypochlorous acid, hypochlorites, cyanides, or sulfides. Strong alkalis

should be avoided.

Hazardous Decomposition Products:

ucts: May release sulfur dioxide, sulfur trioxide, or ammonia gases and organic compounds in black smoke. Dichlobenil may hydrolyze to

2.6 dichlorobenzamide in Alkaline/alcoholic solutions.

SECTION IV - HEALTH HAZARD DATA

Effects of overexposure:

Immediate: Burning eye

Burning eyes, irritated skin, mouth and throat

Long-term: May aggravate some medical conditions such as Wilson's disease

This material is not considered to be a carcinogen by the National Toxicology Program, OSHA, or the International Agency for the Research on Cancer.

SECTION V - PRIMARY ROUTES OF ENTRY

Skin contact, Skin absorption, Eye contact

SECTION VI - PERMISSIBLE EXPOSURE LIMITS

No applicable information found.

SECTION VII - CANCER HAZARD

No applicable information found. (See Section IV)

SECTION VIII - PRECAUTIONS, SPILLS

Dot Storage Category:

Non DOT Regulated

Precautions for Handing and Storing:

Store in a cool, dry well ventilated place away from incompatible

materials. Keep packages dry at all times. Full and empty

containers retain product residue and vapors.

Other Precautions:

Wash thoroughly if on skin after handling. Do not get in eyes, on skin, or on clothing. Do not cut, grind, weld, or drill on or near

containers.

Actions if Released or Spilled:

Wear appropriate protective equipment and clothing. For small spills, sweep up and dispose of in DOT-approved waste containers. For large spills, shovel into DOT-approved waste containers. Keep out of surface waters and soil. Introduce lime

or soda ash to form soluble salts.

Waste Disposal Methods:

Plastic containers, triple rinse, then offer for recycling, reconditioning or incinerate. If state and local regulations allow, burn but stay away from smoke. NOTE: Dispose of all wastes in

accordance with federal, state, and local regulations.

SECTION IX - CONTROLS, PROTECTION

Ventilation Controls: Work in well-ventilated area. Use local mechanical exhaust

ventilation capable of minimizing dust emissions at the point of

use

Respiratory Protection: Not required for normal handling when used with adequate

ventilation.

Protective Gloves and Clothing:

Wear rubber gloves, long sleeve shirt, trousers, and safety shoes

when handling.

Eye and Face Protection:

Chemical splash-proof goggles or face shield - do not wear

contacts if at all possible.

Special Protective Measures for Maintenance Work: Eye wash facility and safety shower should be

nearby and ready to use. Use clothing and equipment consistent

with good pesticide handling and application procedures.

SECTION X - FIRST AID & EMERGENCY PROCEDURES

If in eyes:

Call physician. Hold eyelids open and flush with a gentle steady stream of water for 15

minutes.

If on skin:

If inhaled:

Wash with plenty of soap and water. Get medical attention.

If swallowed:

Call physician or poison control center. Drink promptly a large quantity of milk, egg whites, or gelatin mixture, or if these are not available a large quantity of water. Avoid

alcohol. Do not induce vomiting or give anything by mouth to an unconscious person. Remove victim to fresh air. If not breathing, and only if an individual is properly trained and has personal equipment available, the individual should consider CPR, after first

contacting emergency personnel. Get medical attention.

Note to physician:

n: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be

needed.