

# **Material Safety Data Sheet**

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identification** 

Product ID: 462700

Product Name: ULTIMATE DUSTING CLOTH 5PK
Product Use: Furniture Maintenance and Repair

Print date: 10/Jan/2012 Revision Date: 10/Jan/2012

**Company Identification** 

Guardsman, a division of Valspar 4999 36th St SE Grand Rapids, MI 49512 USA

**Manufacturer's Phone:** 1-800-253-3957

**24-Hour Medical Emergency** 1-888-345-5732

Phone:

# 2. HAZARDS IDENTIFICATION

# **Primary Routes of Exposure:**

Eye, skin, ingestion

# **Eye Contact:**

· May cause eye irritation.

## **Skin Contact:**

Prolonged skin contact may cause skin irritation.

#### Ingestion:

No adverse effects expected when used as directed.

#### Inhalation:

No adverse effects expected when used as directed.

# 3. COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

9	Approx. Weight %	Chemical Name
PROPRIETARY ADDITIVE	1 - 5	PROPRIETARY ADDITIVE

If this section is blank there are no hazardous components per OSHA guidelines.

# 4. FIRST AID MEASURES

# **Eye Contact:**

Immediately flush eye(s) with plenty of water. Get medical attention, if symptoms develop or persist.

#### **Skin Contact:**

Wash off with plenty of water.

## Ingestion:

Get medical attention if symptoms occur.

#### Inhalation:

Move to fresh air. Get medical attention, if symptoms develop or persist.

# Medical conditions aggravated by exposure:

Any respiratory or skin condition.

# 5. FIRE FIGHTING MEASURES

Flash point (Fahrenheit): 401 Flash point (Celsius): 205

# Unusual fire and explosion hazards:

None known.

#### **Extinguishing media:**

Carbon dioxide, dry chemical, foam and/or water fog.

#### Fire fighting procedures:

Standard procedure for chemical fires. Wear self contained breathing apparatus for fire fighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

# Action to be taken if material is released or spilled:

Avoid contact with eyes. Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

## Precautions to be taken in handling and storage:

Use only as directed. Keep container closed when not in use. KEEP OUT OF THE REACH OF CHILDREN.

# 8. PERSONAL PROTECTIVE EQUIPMENT AND EXPOSURE CONTROLS

# **Personal Protective Equipment**

## Eye and face protection:

Not required under normal use.

## Skin protection:

Not required under normal use.

## Respiratory protection:

Not required under normal use.

## Ventilation

Ensure adequate ventilation, especially in confined areas.

# **Hygiene Measures:**

Wash thoroughly after handling.

# **Exposure Guidelines**

**OSHA Permissible Exposure Limits (PEL's)** 

**ACGIH Threshold Limit Value (TLV's)** 

# 9. PHYSICAL PROPERTIES

Odor: Normal for this product type.

Physical State: Semi-solid carried by inert material

pH: not determined not determined Vapor pressure: Boiling point: not determined Solubility in water: not determined Coefficient of water/oil distribution: not determined Density (lbs per US gallon): not determined Specific Gravity: not determined Evaporation rate (butyl acetate = 1.0): not determined

Flash point (Fahrenheit): 401
Flash point (Celsius): 205

Lower explosive limit (%):

Upper explosive limit (%):

Autoignition temperature:

not determined
not determined

## 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: None known.

Incompatibility: Strong oxidizing agents.

Hazardous Polymerization: None anticipated.

Hazardous Decomposition Products: When exposed to fire, produces normal products of

combustion.

Sensitivity to static discharge: Sensitivity to static discharge is not expected.

# 11. TOXICOLOGICAL INFORMATION

Mutagens/Teratogens/Carcinogens: None known.

# 12. ECOLOGICAL DATA

No information on ecology is available.

# 13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with federal, state and local regulations. Consumer may discard empty container in trash, or recycle where facilities exist.

# 14. TRANSPORTATION INFORMATION

# **U.S. Department of Transportation**

Proper Shipping Name: NOT REGULATED

## U.S Hazmat and/or International DG shipment exceptions

The supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

# **Reportable Quantity Description:**

# International Air Transport Association (IATA):

Proper Shipping Name: NOT REGULATED

# **International Maritime Organization (IMO):**

Proper Shipping Name: NOT REGULATED

## 15. REGULATORY INFORMATION

# **U.S. FEDERAL REGULATIONS:**

# SARA 311/312 Hazard Class:

Acute: yes
Chronic: no
Flammability: no
Reactivity: no
Sudden Pressure: no

#### **U.S. STATE REGULATIONS:**

## **INTERNATIONAL REGULATIONS - Chemical Inventories**

#### **US TSCA Inventory:**

All components of this product are in compliance with U.S. TSCA Chemical Substance Inventory Requirements.

#### Canada Domestic Substances List:

All components of this product are listed on the Domestic Substances List.

## 16. OTHER INFORMATION

## **HMIS Codes**

Health: 1 Flammability: 1 Reactivity: 0

**PPE:** X - See Section 8 for Personal Protective Equipment (PPE).

#### Abbreviations:

OSHA - Occupational Safety and Health Administration, IARC - International Agency for Research on Cancer, NIOSH - National Institute of Occupational Safety and Health, NTP - National Toxicology Program, ACGIH - American Conference of Governmental Industrial Hygienists, SCAQMD - South Coast Air Quality Management District, TSCA - Toxic Substances Control Act, IATA - International Air Transport Association, IMO - International Maritime Organization, DOT - Department of Transportation, NA - Not applicable, NOT ESTAB - Not established, N.A.V. - Not available, RQ - Reportable quantity, WT - Weight, MG/CU M - Milligrams per cubic meter, G/L - Grams per liter, MM - Millimeters, MPPCF - Millions of particles per cubic foot, PPM - parts per million, PPT - parts per thousand, TCC/PM - Tag closed cup / Pensky-Martens, PB - Lead, PEL - Permissible exposure level, TWA - Time Weighted Average, STEL - Short term exposure limit, C - Celsius, F - Fahrenheit.

## Disclaimer:

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option. This MSDS contains additional information required by the state of Pennsylvania.

## **Preparation Information:**

Prepared By: Regulatory Affairs Department

Print date: 10/Jan/2012 Revision Date: 10/Jan/2012