1	. PRODUCT AND COMPANY	DENTIFICATION			
Product Name: Company Name:	Goof Off Goo Remover Gel W. M. Barr 2105 Channel Avenue Memphis, TN 38113	<b>Phone Number:</b> (901)775-0100			
Web site address:	www.wmbarr.com				
Emergency Contact: Information:	3E 24 Hour Emergency Contact W.M. Barr Customer Service	(800)451-8346 (800)398-3892			
Synonyms:	FG790				
Additional Information	and is subject to certain labeling require Act. These requirements differ from the required for safety data sheets (SDS).	his product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances ct. These requirements differ from the classification criteria and hazard information quired for safety data sheets (SDS). The product label also includes other important formation, including directions for use, and should always be read in its entirety prior to sing the product.			

2. HAZARDS IDENTIFICATION

Flammable Liquids, Category 3 Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: GHS Hazard Phrases:	Warning H226: Flammable liquid and vapor. H315: Causes skin irritation. H317: May cause an allergic skin reaction.	
	H319: Causes serious eye irritation. H335: May cause respiratory irritation.	
GHS Precaution Phrases:	<ul> <li>P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233: Keep container tightly closed.</li> <li>P240: Ground/bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>P242: Use only non-sparking tools.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P261: Avoid breathing gas/mist/vapors/spray.</li> <li>P264: Wash hands thoroughly after handling.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P272: Contaminated work clothing should not be allowed out of the workplace</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P235: Keep cool.</li> </ul>	
GHS Response Phrases:	<ul> <li>P302+352: IF ON SKIN: Wash with plenty of soap and water.</li> <li>P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contant clothing. Rinse skin with water/shower.</li> <li>P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a positic comfortable for breathing.</li> <li>P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. contact lenses, if present and easy to do. Continue rinsing.</li> </ul>	tion
Licensed to W.M. Barr and Company:	MIRS MSDS, (c) A V Systems, Inc.	GHS format

	Supersedes Revision: 03/26/2015			
	P312: Call a POISON CENTER or doctor/physician if you feel unwell.			
	P321: Specific treatment see label.			
	P332+313: If skin irritation occurs, get medical advice/attention.			
	P333+313: If skin irritation or rash occurs, seek medical advice/attention.			
	P337+313: If eye irritation persists, get medical advice/attention.			
	P362: Take off contaminated clothing and wash before re-use.			
	P363: Wash contaminated clothing before reuse.			
	P370+378: In case of fire, use dry chemical powder to extinguish.			
GHS Storage and Disposal	P403+233: Store container tightly closed in well-ventilated place.			
Phrases:	P405: Store locked up.			
	P501: Dispose of contents/container according to local, state and federal regulations.			
	Flammability A Instability			
Hazard Rating System:	HEALTH * 2			
	FLAMMABILITY 2			
	PHYSICAL 0 Health			
LIMIC.				
HMIS:	NFPA: Special Hazard			
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.			
Potential Health Effects (Acute and Chronic):	This product has not been tested as a whole to determine health effects. The health effects listed below are associated with the individual ingredients listed in Section 2.			
	EYES: Can cause moderate to severe eye irritation and damage to the cornea. May cause discomfort, pain, redness, excess blood flow, and corneal clouding and swelling.			
	SKIN: Can cause inflammation of the skin and dermatitis. Repeated exposure may cause skin cracking, flaking or drying, redness, redness, pain, blistering, and a rash. May enter the body through open lesions, cuts, abrasions, etc., and produce systemic injury.			
	INHALATION: Can cause respiratory irritation. May cause nose and throate irritation. May cause coughing and a headache.			
	INGESTION: Potassium ingestion can cause a slow, weak pulse, irregularities in heart rhythm, heart block and eventual fail in blood pressure. May produce diarrhea, bloated stomach, and occasional vomiting. May cause severe gastrointestinal tract irritation with nausea, vomiting and possible burns. May be harmful if swallowed.			
	CHRONIC OVEREXPOSURE EFFECTS: 2-Butoxyethanol: In animals, effects have been reported on blood (hemolysis) and secondary effects on the kidney and liver. Human red blood cells have been shown to be significantly less sensitive to hemolysis than those of rodents and rabbits. In long term animal studies, small but statistically significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans.			
	TARGET ORGANS: blood, kidney, liver, respiratory system, heart, stomach			
	PRIMARY ROUTES OF ENTRY: skin, ingestion, inhalation			

	2 00			
	3. 60	MPOSITION/INFORI		N INGREDIEN IS
CAS # H	azardous Comp	onents (Chemical Name)	Concentration	RTECS #
143-18-0 O	leic acid potassiu	ım salt	<=11.0 %	RK1150000
	thanol, 2-Butoxy- a glycol ether)}	{Ethylene glycol n-butyl ether,	<=10.0 %	KJ8575000
5989-27-5 d-	Limonene		<=10.0 %	GW6360000
100-51-6 B	enzenemethanol	{Benzyl alcohol}	<=5.0 %	DN3150000
Additional Cher	nical	Specific percentage of comp	osition is being	withheld as a trade secret.
		4. FIRST AI	D MEASUR	ES
Emergency and Procedures:		Skin:	the alkin thereway	bly with lorge empurity of water and mild
rocedures.			-	hly with large amounts of water and mild ated clothing. Seek medical attention if
		Eyes: Immediately begin to flush e the eyes for at least 15 minu	•	remove any contact lens. Continue to flush mmediate medical attention.
		Inhalation: Remove to fresh air. If not b give oxygen. Get immediate		rtificial respiration. If breathing is difficult, on.
		physician, hospital emergen anything by mouth to an unc	cy room, or pois conscious perso	k immediate medical attention. Call a son control center immediately. Never give n. If spontaneous vomiting is about to occu s drowsy or unconscious, place on the left
		5. FIRE FIGHT	ING MEAS	URES
		NFPA Class II		
Flash Pt:		137.00 F Method Used:	Setaflash Close	d Cup (Rapid Setaflash)
Explosive Limit	ts:	LEL: No data.		No data.
Autoignition Pt		No data.		
-		:Use carbon dioxide, dry pov	vder, water spra	ay, or foam.
Unsuitable Exti Media:	-	Solid streams of water may	-	
Fire Fighting In	structions:	buildings or confined areas.	Storage contain sure build-up. S	I be provided for fire fighters fighting fires in ners exposed to fire should be kept cool wit Stay away from heads of containers that hav
		Product does not sustain co	mbustion.	
Flammable Pro Hazards:	perties and		s per 49 CFR 17	73.120. This product does not sustain R 173 Appendix H.
		MIRS MSDS (c) A V Systems Inc.		GHS for

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

#### Flammability Classification:

		6. ACCIDEN	TAL RELEASE	MEASURES			
Steps To Be Material Is R	Taken In Case eleased Or	Vapors may cause flash fire or ignite explosively.					
Spilled:		Clean up: Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut off ignition sources; keep flares, smoking or flames out of hazard area. Use non-sparking tools. Use proper bonding and grounding methods for all equipment and processes. Keep out of waterways and bodies of water. Be cautious of vapors collecting in small enclosed spaces, sewers, low lying areas, confined spaces, etc.					
			pills: Take up with sand, earth or other noncombustible absorbent material and a plastic container where applicable.				
		Large spills: Dike far ahead of spill for later disposal.					
		Waste Disposal: Dispose in accordance with applicable local, state and federal regulations.					
		7. HAN	DLING AND S	TORAGE			
Precautions To Be Taken in Handling:		Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.					
		Do not use this product near any source of heat or open flame, furnace areas, pilot lights, stoves, etc.					
		Do not use in small enclosed spaces, such as basements and bathrooms. Vapors can accumulate and explode if ignited.					
		•	Do not spread this product over large surface areas because fire and health safety risks will increase dramatically.				
Precautions To Be Taken in Keep contain			ontainer tightly closed when not in use. Store in a cool, dry place. Do not store mes or at elevated temperatures.				
	8. EXF	POSURE CON	ITROLS/PERS	ONAL PROTECTIO	N		
CAS #	Partial Chemica	I Name	OSHA TWA	ACGIH TWA	Other Limits		
143-18-0	Oleic acid potass	ium salt	No data.	No data.	No data.		
111-76-2	Ethanol, 2-Butox n-butyl ether, (a	y- {Ethylene glycol glycol ether)}	PEL: 50 ppm	TLV: 20 ppm	No data.		
5989-27-5	d-Limonene		No data.	No data.	No data.		
100-51-6	Benzenemethan	ol {Benzyl alcohol}	No data.	No data.	No data.		

	Supersedes Revision: 03/26/2015
Respiratory Equipment	For use in areas with inadequate ventilation or fresh air, wear a properly maintained and
(Specify Type):	properly fitted NIOSH approved respirator for organic solvent vapors.
	For OSHA controlled work places and other regular users - Use only with adequate
	ventilation under engineered air control systems designed to prevent exceeding the
	appropriate TLV.
	A dust mask does not provide protection against vapors.
Eye Protection:	Safety glasses should be worn during normal handling of this material.
	Where contact with the eyes or face is likely, a faceshield or chemical splash goggles
	should be worn to prevent eye contact.
Protective Gloves:	Wear gloves with as much resistance to the chemical ingredients as possible. Glove
	materials such as nitrile rubber may provide protection. Glove selection should be based
	on chemicals being used and conditions of use. Consult your glove supplier for
	additional information. Gloves contaminated with product should be discarded and not reused.
Other Protective Clothing:	Various application methods can dictate use of additional protective safety equipment,
	such as impermeable aprons, etc., to minimize exposure.
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to
(Ventilation etc.):	control airborne levels below recommended exposure limits.
	Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas
	where vapors can accumulate and concentrate, such as basements, bathrooms or small
	enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors
	open all windows and doors and maintain a cross ventilation of moving fresh air across
	the work area. If strong odor is noticed or you experience slight dizziness, headache,
	nausea or eye-watering STOP ventilation is inadequate. Leave area immediately and move to fresh air.
Work/Hygiopio/Mointopopoo	Wash hands thoroughly after use and before eating, drinking, smoking, or using the
Practices:	restroom.
	Do not eat, drink, or smoke in the work area.
	Discard any clothing or other protective equipment that cannot be decontaminated.
	Facilities storing or handling this material should be equipped with an emergency
	eyewash and safety shower.

9.	PHYSICAL AND CHEMICAL PROPERTIES
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Clear orange gel.
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	137.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	0.9693
Density:	8.12 LB/GL
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate:	No data.
Solubility in Water:	soluble
pH:	7 - 8
Percent Volatile:	No data.
VOC / Volume:	191.0000 G/L
	10. STABILITY AND REACTIVITY
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	No data available.
Incompatibility - Materials To Avoid:	Oxidizers, strong acids
Hazardous Decomposition O Byproducts:	r Can include aldehydes, ketones, organic acids, oxides of citrus terpenes
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid - Hazardous Reactions:	No data available.

		<b>11. TOXICOLOGICAL INF</b>	ORMA	TION			
Toxicological	Information:	This product has not been tested as a whole. Refer to section 2 for acute and chronic effects.					
		CAS# 111-76-2:					
Carcinogenic Information:	ity/Other	Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H. Result:					
Behavioral: Ataxia. Nutritional and Gross Metabolic:Weight loss or decreased weight - Toxicology and Applied Pharmacology, Academic Press, Inc., 1 55802, Vol/p/yr: 68,405, 1983						St., Duluth, MN	
	Acute toxicity, LD50, Skin, Species: Rabbit, 220.0 MG/KG. Result:						
		Effects on Embryo or Fetus: Extra em Effects on Embryo or Fetus: Other effe	•	· •	, placenta, u	mbilical cord).	
		Specific Developmental Abnormalities		•			
		- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,					
		Acute toxicity, LD50, Oral, Rat, 250.0 mg/kg. Result:					
		Lungs, Thorax, or Respiration: Changes in pulmonary vascular resistance.					
		Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, Severe. Result:					
		Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects.					
		Effects on Newborn: Drug dependency. - American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946					
		IARC 3: Not Classifiable as to Carcine ACGIH A3 - Confirmed Animal Carcine			levance to H	umans	
CAS #	Hazardous Com	oonents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
143-18-0	Oleic acid potassi	um salt	n.a.	n.a.	n.a.	n.a.	
111-76-2	Ethanol, 2-Butoxy ether)}	- {Ethylene glycol n-butyl ether, (a glycol	n.a.	3	A3	n.a.	
5989-27-5	d-Limonene		n.a.	3	n.a.	n.a.	
		I {Benzyl alcohol}	n.a.	n.a.	n.a.		

# **12. ECOLOGICAL INFORMATION**

General Ecological Information:

This product has not been tested as a whole.

		13. DISPOSAL CO	<b>NSIDERA</b>	<b>FIONS</b>				
Waste Disposal Method:         Dispose of in accordance with local, state, and federal laws.								
Do not place material in general trash.								
	Do not allow material to enter bodies of water or sewers.							
		14. TRANSPORT	INFORMA	TION				
DOT Pro	ard Class:	<b>Γ):</b> Ime: DOT exempt per 49 CFR	173 Appendix ⊢	I.				
		15. REGULATOR	Y INFORMA	TION				
EPA SARA (S	Superfund Amend	ments and Reauthorization Act o	of 1986) Lists					
CAS #	Hazardous Con	nponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)			
143-18-0	Oleic acid potas	sium salt	No	No	No			
111-76-2	Ethanol, 2-Buto> (a glycol ether)}	ky- {Ethylene glycol n-butyl ether,	No	No	Yes-Cat. N230			
5989-27-5	d-Limonene		No	No	No			
100-51-6	Benzenemethan	ol {Benzyl alcohol}	No	No	No			
	le III Sections	[X] Yes [] NoChronic (del[X] Yes [] NoFire Hazard[] Yes [X] NoSudden Rel[] Yes [X] NoReactive Ha	ease of Pressure					
<b>CAS #</b> 143-18-0	Hazardous Con Oleic acid potas	nponents (Chemical Name) sium salt	Other US EPA or State Lists CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -					
111-76-2	1-76-2       Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}       Inventory; CA PROP.65: No         1-76-2       Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}       CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			S: No; TSCA: Yes -				
5989-27-5	7-5 d-Limonene CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No				No; TSCA: Yes -			
100-51-6	Benzenemethan	iol {Benzyl alcohol}	-					
Regulatory I Statement:	nformation	All components of this materi	al are listed on tl	ne TSCA Inventor	y or are exempt.			
		16. OTHER IN	FORMATIC	<b>N</b>				
Revision Dat	Revision Date: 04/15/2015							
Preparer Nai	me:	EHS Department						
Additional In This Product		it No data available.						
Company Po Disclaimer:	Company Policy orThe information contained herein is presented in good faith and believed to be accurateDisclaimer:as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other							
Licensed to W.M	1. Barr and Company:	MIRS MSDS, (c) A V Systems, Inc.			GHS format			

information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.