

Material Safety Data Sheet #305


Hercules Chemical Company Inc.

111 South Street

Passaic NJ 07055-7398

Information Telephone: 1-800 221-9330

Internet: www.herchem.com



Preparation 7/16/08 Revision Date 9/30/11 Revision Number 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Megaloc®

Intended Use: Multi-purpose thread sealant.

Manufacturer: Hercules Chemical Company, Inc.

111 South Street

Passaic, New Jersey 07055-7398

Information Telephone: (800) 221-9330

Internet: http://www.herchem.com

Emergency Phone: CHEMTREC: (800) 424-9300

MSDS Date of Preparation: 07/16/08

2. HAZARDS IDENTIFICATION

This product is a blue paste with no odor.

EMERGENCY OVERVIEW

May cause mild eye irritation.

May cause mild skin irritation on prolonged contact.

Prolonged inhalation of dusts from dried product may cause lung damage.

Ingestion: Swallowing may cause nausea, vomiting and diarrhea.

Inhalation: Inhalation is not a normal route of exposure for this product. Inhalation of dusts from dried product

may cause irritation of the nose throat and upper respiratory tract.

Eye: May cause mild irritation or discomfort.

Skin: Prolonged contact may cause mild irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Petroleum-based Lubricating Oil	64741-88-4, 64742-54-7, 64742-70-7	30-60%
Talc	14807-96-6	10-30%
Kaolin	1332-58-7	10-30%
Titanium Dioxide	13463-67-7	1-5%
Silica, amorphous, fumed	112945-52-5	0.5-1.5%
Poly (P-phenylenediamine	26125-61-1	1-5%
terephthalamide)		
Non-Hazardous Ingredients	Mixture	10-30%

4. FIRST AID MEASURES

Eye: Flush victim's eyes with large quantities of water, holding the eyelids apart. Get medical attention if

irritation persists.

Skin: No first aid is required. Wash with soap and water after use. **Ingestion:** Do not induce vomiting. Get immediate medical attention.

Inhalation: No first aid is required. Inhalation is not a normal route of exposure for this product.

5. FIRE FIGHTING MEASURES

Flashpoint: Not applicable

Flammable Limits: Not applicable Autoignition Temperature: Not applicable

Extinguishing Media: Use water fog or spray, carbon dioxide, dry chemical or foam.

Unusual Fire or Explosion Hazards: Not classified as flammable or combustible but will burn under fire

conditions.

Special Fire-Fighting Instructions: Firefighters should wear positive pressure self-contained breathing

apparatus and full protective clothing.

Hazardous Combustion Products: Burning may produce carbon monoxide, carbon dioxide and unidentified

hydrocarbons.

Explosion Data (sensitivity to mechanical impact or static discharge): None known.

6. ACCIDENTAL RELEASE MEASURES

Collect with inert absorbent and place in container for disposal. Report releases as required by local, provincial and federal authorities.

7. HANDLING AND STORAGE

Handling: Avoid contact with the eyes. Keep containers closed when not in use.

Storage: Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Petroleum-based Lubricating Oil	5 mg/m3 ACGIH TLV (as oil mist)
Talc	2 mg/m3 ACGIH TLV (respirable dust)
Kaolin	2 mg/m3 ACGIH TLV (respirable dust)
Titanium Dioxide	10 mg/m3 ACGIH TLV
Silica, amorphous, fumed	2 mg/m3 ACGIH TLV
Poly (P-phenylelediamine terephthalamide)	5 mg/m3 Dupont AEL & AIHA WEEL (total dust)
Non-Hazardous Ingredients	None Established

Engineering Controls: None required for normal use. **Respiratory Protection:** None normally needed.

Skin Protection: None normally required. Rubber gloves can be worn to prevent prolonged contact.

Eye Protection: Safety glasses recommended where contact is possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Blue paste with no odor.

Physical State: Paste	Boiling Point: Not applicable
Vapor Density: Not applicable	Vapor Pressure: Not applicable
Solubility In Water: Insoluble	Evaporation Rate: Not applicable
Specific Gravity: 1.2	pH: Not determined
Melting Point: Not applicable	Octanol/Water Coefficient: Not determined
VOC Content: 4.0 gpl	

10. STABILITY AND REACTIVITY

Stability: Stable under normal storage and handling conditions.

Incompatibility: Avoid direct contact with open flames.

Hazardous Decomposition Products: Burning may produce carbon monoxide, carbon dioxide and

unidentified hydrocarbons.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS:

Ingestion: Swallowing may cause nausea, vomiting and diarrhea.

Inhalation: Inhalation is not a normal route of exposure for this product. Inhalation of dusts from dried product

may cause irritation of the nose throat and upper respiratory tract.

Eye: May cause mild irritation or discomfort.

Skin: Prolonged contact may cause mild irritation.

Sensitization: None expected.

Chronic: Prolonged inhalation of dusts from dried product may cause lung damage.

Carcinogenicity: None of the components is listed as a carcinogen or suspected carcinogen by IARC, NTP or

OSHA.

Mutagenicity: None known.

Medical Conditions Aggravated by Exposure: None known.

Acute Toxicity Values: Not determined.

12. ECOLOGICAL INFORMATION

No data available for product.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal environmental regulations.

14. TRANSPORT INFORMATION

Transportation of Dangerous Goods Description:

Proper Shipping Name: Not regulated for transport

UN Number: None

Hazard Class/Packing Group: None

Labels Required: None

15. REGULATORY INFORMATION

Inventory Status. TSCA: Complies DSL: Complies

U.S. Federal Regulations

SARA 313.

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories Acute Health Hazard Yes Chronic Health Hazard Yes Fire Hazard No Sudden Release of Pressure Hazard No Reactive Hazard No

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania
Amorphous Silica	X		X
Hydroxide			
Talc	Х	Х	Х
Kaolin		Х	Х
Titanium Dioxide	Х	Х	Х

California Proposition 65

This product contains no chemicals requiring reporting under Proposition 65.

This product has been classified under the CPR and this MSDS discloses information elements required by the CPR.

Canadian WHMIS Classification: Class D-2-B

Canadian CEPA: All the components of this product are listed on the Canadian DSL.

16. OTHER INFORMATION

NFPA Rating: Health = 0 Fire = 1 Reactivity = 0 **HMIS Rating:** Health = 0 Fire = 0 Reactivity = 0

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.