trublumsds SAFETY DATA SHEET

SDS 0094

Section 1 PRODUCT AND COMPAN	Y IDENTIFICATION	
	HMIS CODES	
PRODUCT NAME	Health	1
RectorSeal Tru-Blu	Flammability	2
	Reactivity	6
PRODUCT CODES	PPI	E
31300, 31431, 31551, 31552, 31631, 3175		
HEMICAL FAMILY:	, 52,62, 52,65	
Organic		
SE		
Pipe Thread Sealant		
ANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.	
The RectorSeal Corporation	Chemtrec 24 Hours	
2601 Spenwick Drive	(800)424-9300 USA	
· · · · · · · · · · · · · · · · · · ·	(703)527-3887 Internation	len
Houston, Texas 77055 USA	(703)327-3087 Internactor	laı
DATE OF VALIDATION	TECHNICAL SERVICE TELEPHON	NE NO
January 23, 2015	(800)231-3345 or (713)263	
DATE OF PREPARATION	(800)231-3343 01 (713)20.	, 000
July 9, 2012		
		====
Section 2 HAZARDS IDENTIFICA	ATION	
EMERGENCY OVERVIEW		
OSHA Hazards		
Combustable		
ARGET ORGANS		
lot Classified		
HS CLASSIFICATION		
HYSICAL HAZARDS		
ombustable liquid (Category 4)		
EALTH HAZARDS		
cute Toxicity:		
Oral: Not Classified		
Dermal: Not Classified		
Inhalation: Not Classified		
Skin Corrosion/Irritation: Not Classifie		
Serious Eye Damage/Eye Irritation: Not Cla	assified	
Skin Sensitization: Not Classified		
Respiratory Sensitization: Not Classifie	1	
Germ Cell Mutagenicity: Not Classified		
Carcinogenicity: See Section 11		

Target Organ Systemic Toxicity - Single Exposure: Not Classified Target Organ Systemic Toxicity - Repeated Exposure: Not Classified Aspiration Toxicity: Not Classified

GHS Label elements, including precautionary statements

Pictogram: Harmful / Irritant

Signal Word: Warning

Hazard Statements

H303 - May be harmful if swallowed.

H313 - May be harmful in contact with skin.

H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.

Precautionary Statements

P102 - Keep out of reach of children.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/Bond container and receiving equipment

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P362 - Take off contaminated clothing and wash before reuse.

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU No. 1272/2008

SUMMARY OF ACUTE HAZARDS

Irritation to eyes, nose and throat; drowsiness, narcosis, tremors and other CNS effects at high concentration.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression and unconsciousness.

EYE CONTACT

Watering, blurred vision, inflammation and irritation which can result in corneal injury.

SKIN CONTACT

Irritation, dermatitis.

INGESTION

Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.

SUMMARY OF CHRONIC HAZARDS

Skin irritation and dermatitis. Possible liver and kidney damage. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver or kidneys may have increased susceptibility to excessive exposures.

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

.

INGREDIENT: Diacetone Alcohol PERCENTAGE BY WEIGHT: 20-30

CAS NUMBER: 123-42-2 EC# : 204-626-7

Section 4 -- FIRST AID MEASURES

If INHALED: If overcome by exposure, remove victim to fresh air

immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action

is essential.

If on SKIN: Wash with soap and water. If irritation occurs, seek

medical attention.

If in EYES: Flush eyes with large amounts of water for 15 minutes.

Get medical attention.

If SWALLOWED: If swallowed, call a physician immediately. Only induce

vomiting at the instruction of a physician. Never give

anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT LEL UEL 150 F (65 C) SETA CC N/D N/D

EXTINGUSING MEDIA

Foam, dry chemical, carbon dioxide or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10).

UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible - moderate flash point. Vapors heavier than air and may travel along the ground or to low spots at considerable distances to a source of ignition resulting in potential flashback. Burning liquid may float on water. Heat may build up pressure and rupture containers.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

Section 7 -- HANDLING AND STORAGE

PRECAULTIONS TO BE TAKEN IN HANDLING AND STOPING. Keep container closed and

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames.

OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

KEEP OUT OF REACH OF CHILDREN.

Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT UNITS

Diacetone Alcohol

ACGIH TLV 50 ppm OSHA PEL 50 ppm

RESPIRATORY PROTECTION (SPECIFY TYPE): In confined poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air purifying or supplied air respirators.

VENTILATION - LOCAL EXHAUST: Acceptable

SPECIAL: Explosion-proof equipment.

MECHANICAL (GENERAL): Preferable

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 322 F (161 C) @ 760mm Hg

SPECIFIC GRAVITY (H20 = 1): 1.38

VAPOR PRESSURE (mm Hg): 0.3 @ 68 F (20 C)

MELTING POINT:

VAPOR DENSITY (AIR = 1):

EVAPORATION RATE (ETHYL ACETATE = 1):

0.14

APPEARANCE/ODOR: Blue Paste/Mild Odor

SOLUBILITY IN WATER: 23%

VOLATILE ORGANIC COMPOUNDS(VOC)Content

(Theoretical Percentage By Weight): 23% or (230 g/L)

Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Heat, sparks, open flames, and strong oxidizing. Temperatures above 500 F (260 C).

INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen, strong oxidizing materials, molten alkali metals.

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons. HAZARDOUS POLYMERIZATION: Will not occur.

Sectio	n 11 TOXICOLOGY	
CHRONIC HEALTH HA No ingredients	ZARDS	s an IARC, NTP or OSHA Lister carcinogen.
TOXICOLOGY DATA Ingredient Name		
Diacetone Alco	hol Oral-Rat Inhalation-Human	LD50:4000 mg/kg TCLo: 100 ppm
	n 12 Ecological	Information
ECOLOGICAL DATA Ingredient Name		
Diacetone Alco	hol Food Chain Concer WATERFOWL TOXICIT BOD AQUATIC TOXICITY	ntration Potential N/A N/A N/A N/A
	n 13 DISPOSAL C	ONSIDERATIONS
Disposal Method: Waste from this p Resource Conser	vation and Recover	
Section	n 14 TRANSPORTA	
OCEAN (IMDG): AIR (IATA): WHMIS (CANADA):	Non-Regulated Non-Regulated Non-Regulated Non-Regulated	
	n 15 REGULATORY	INFORMATION
REGULATORY DATA Ingredient Name		
Diacetone Alcoho		N/A Yes N/A

RCRA Code

N/A

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001