# Issuing Date 15-Jul-2015

Revision Date 15-Jul-2015

Revision Number 1

**SAFETY DATA SHEET** 

**(U**)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	Lemon Room Spray		
Other means of identification			
Synonyms	None		
Recommended use of the chemical	and restrictions on use		
Recommended Use	Air Freshener (Liquid, Non-Aerosol)		
Uses advised against	No information available		
Details of the supplier of the safety data sheet			
Supplier Name	Watkins, Inc.		
Supplier Address	150 Liberty Street Winona Minnesota 55987 US		
Supplier Phone Number	Phone:507-457-6132 Fax:952-955-8210 Ext. 104 Contact Phone507-457-6132		
Supplier Email	bronson.damjanovic@jrwatkins.com		
Emergency telephone number			

# 2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin sensitization

Category 1



# GHS Label elements, including precautionary statements

	Emergency Overview	
Signal word	Warning	
Hazard Statements May cause an allergic skin reaction		
Appearance Clear Colorless	Physical state Liquid	Odor Lemon

# Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

### **Precautionary Statements - Storage**

None

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 1.25% of the mixture consists of ingredient(s) of unknown toxicity

### Other information

Harmful to aquatic life Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
SD Alcohol 40 (190 Proof)	64-17-5	1 - 5	*
Methylisothiazolinone	2682-20-4	0.1 - 1	*
*The exact percentage (concen	tration) of composition has	been withheld as a trade	secret

xact percentage (concentration) of composition has been withheid as a trade secre

# 4. FIRST AID MEASURES

# First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms and effe	cts, both acute and delayed
Most Important Symptoms and Effects	Itching. Rashes. Hives.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	May cause sensitization of susceptible persons. Treat symptomatically.



# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code Sensitizer: Liquid

Explosion Data Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.



# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
Conditions for safe storage, includ	ing any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Incompatible Products	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
SD Alcohol 40 (190 Proof)	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) 1900 mg/m <sup>3</sup>	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

# Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**



Physical state Appearance Color	Liquid Clear Colorless No information available	Odor Odor Threshold
Property	Values	Remarks Metho
pH	5	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	94 C / 201 F	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas) Flammability Limit in Air	No data available	None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	.995	None known
Water Solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/w	vaterNo data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing properties	No data available	
Other Information		
Softening Point	No data available	
VOC Content (%)	No data available	
	N 1 1 1 1 1 1	

No data available

## **Reactivity**

**Particle Size** 

**Particle Size Distribution** 

No data available.

**Chemical stability** Stable under recommended storage conditions. **Possibility of Hazardous Reactions** None under normal processing. **Conditions to avoid** None known based on information supplied. **Incompatible materials** None known based on information supplied. **Hazardous Decomposition Products** None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**



#### Remarks Method

# **10. STABILITY AND REACTIVITY**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
SD Alcohol 40 (190 Proof) 64-17-5	-	-	= 124.7 mg/L (Rat)4 h

# Information on toxicological effects

Symptoms

Itching. Rashes. Hives.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization of susceptible persons. May cause sensitization by skin contact.
Mutagenic Effects	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
SD Alcohol 40 (190 Proof)	A3	Group 1		Х
64-17-5				

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Contains a known or suspected carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Contains a known or suspected reproductive toxin. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage.
Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Liver. Reproductive System. Respiratory system. Skin.
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information



## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 431.60 mg/l ATEmix (inhalation-vapor) 3,000.00 ATEmix

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Harmful to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water	
			Microorganisms	Flea)	
SD Alcohol 40 (190 Proof)		96h LC50: > 100 mg/L	EC50 = 34634 mg/L 30 min	48h LC50: 9268 - 14221	
64-17-5		(Pimephales promelas) 96h	EC50 = 35470 mg/L 5 min	mg/L 48h EC50: = 2 mg/L	
		LC50: 13400 - 15100 mg/L	_	24h EC50: = 10800 mg/L	
		(Pimephales promelas) 96h		-	
		LC50: 12.0 - 16.0 mL/L			
		(Oncorhynchus mykiss)			

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

Chemical Name	Log Pow
SD Alcohol 40 (190 Proof)	-0.32
64-17-5	

### Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

# California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
SD Alcohol 40 (190 Proof)	Toxic
64-17-5	Ignitable



# **14. TRANSPORT INFORMATION**

DOT_ Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
	15. REGULATORY INFORMATION
International Inventories	

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive



Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65			
SD Alcohol 40 (190 Proof) - 64-17-5	Developmental			
U.S. State Right-to-Know Regulations				

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
SD Alcohol 40 (190 Proof)		Х			
64-17-5					

## International Regulations

#### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
SD Alcohol 40 (190 Proof)		Mexico: TWA 1000 ppm
64-17-5 (1-5)		Mexico: TWA 1900 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

# Canada

WHMIS Hazard Class

Not determined

# **16. OTHER INFORMATION**

NFPA	Health Hazards	2	Flammability	0	Instability 0		Physical and Chemical Hazards
HMIS	Health Hazards	2	Flammability	0	Physical Hazard	0	Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501						
Issuing Date	15-Jul	-20	15				
Revision Date	15-Jul	-20	15				
Revision Note	No inf	orm	ation available				

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet



