# **Material Safety Data Sheet**

ENFORCER

Zep Commercial Sales & Service A unit of Zep Inc. 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-888-805-HELP (4357) www.enforcer.com Section 1. Chemical Product and Company Identification

Product name BugMax Insect Killer

Product code EBMA16

**Date of issue** 08/26/10 Supersedes
This product is a registered pesticide. EPA ID No. 73049-183-40849

**Emergency Telephone Numbers** 

**For MSDS Information:** 

Compliance Services 404-352-1680

For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded

In the District of Columbia (202) 483-7616

Prepared By

Compliance Services 1420 Seaboard Industrial Blvd. Atlanta, GA 30318

Section 2. Hazards Identification

**Emergency overview** 

\*Hazard Determination System (HDS): Health, Flammability, Reactivity

CAUTION

HARMFUL IF SWALLOWED. MAY CAUSE ALLERGIC SKIN REACTION.

CONTENTS UNDER PRESSURE.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects Routes of Entry Ingestion.

**Eyes** Non-irritating to the eyes.

**Skin** May cause slight irritation in sensitive individuals. May cause allergic skin reactions with

repeated exposure.

**Inhalation** No known acute effects of this product resulting from inhalation.

**Ingestion** May be harmful if swallowed. Aspiration hazard if swallowed. Can enter lungs and cause

damage.

**Chronic effects** No known chronic effects from exposure.

Carcinogenicity Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Product/ingredient name ACGIH IARC EPA NIOSH NTP OSHA

None.

Additional Information: See Toxicological Information (Section 11)

#### Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients % by Weight **CAS** number LOW ODOR PARAFFINIC SOLVENT; odorless base oil; dispersol 64742-47-8 <15 BLEND OF ISOBUTANE & PROPANE 74-98-6; 75-28-5 <15 0.1 S-Bioallethrin 28434-00-6 Ultratec AC; Deltamethrin; (s)-cyano-3-phenoxybenzyl-(1R, 3R)-3(2,2-dibromovinyl)-2,2-52918-63-5 0.02 dimethyl-cyclopropanecarboxylate

#### Section 4. First Aid Measures

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and

remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Skin Contact Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse.

Get medical attention if irritation develops.

**Inhalation** Move exposed person to fresh air. If irritation persists, get medical attention.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. Avoid giving the exposed person

anything to drink if possible. Get medical attention immediately.

#### Section 5. Fire Fighting Measures

Flash Point Closed cup: 79.2°C (174.6°F)

[Tagliabue.]

Flammable Limits Not applicable

**Flammability** Flammable Aerosol propellant.

Fire hazard CONTENTS UNDER PRESSURE. In a fire or if heated, a pressure increase will occur and the

container may burst. Bursting aerosol containers may be propelled from a fire at high speed.

Fire-Fighting Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam. Cool containers with flooding amounts of

**Procedures** water from as far a distance as possible.

#### Section 6. Accidental Release Measures

**Spill Clean up** Large spills are unlikely due to packaging.

## Section 7. Handling and Storage

Handling Put on appropriate personal protective equipment (see section 8). Do not use in and around electrical equipment due

to the possibility of shock hazard. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mists. Use only with adequate ventilation. Do not ingest. Wash thoroughly after handling. Apply this product only

as specified on the label.

Storage CONTENTS UNDER PRESSURE. Do not puncture, incinerate or store the container at temperatures above 49°C

(120°F) or in direct sunlight. Keep away from heat, sparks and flame. Keep away from food, drink and animal feeding

stuffs. Keep out of the reach of children.

## Section 8. Exposure Controls/Personal Protection

#### <u>Product name</u> <u>Exposure limits</u>

LOW ODOR PARAFFINIC SOLVENT; odorless base oil; OSHA PEL (United States).

TWA: 500 ppm 8 hour(s).

TWA: 500 ppm 8 hour(s).

ACGIH TLV (United States).

TWA: 500 ppm 8 hour(s).

ACGIH TLV (United States).

BLEND OF ISOBUTANE & PROPANE

ACGIH TLV (United States)
TWA: 800 ppm 8 hour(s).

OSHA PEL (United States).

TWA: 1000 ppm 8 hour(s).

ACGIH TLV (United States).

STEL: 100 mg/m³ 15 minute(s).

TWA: 45 mg/m<sup>3</sup> 8 hour(s).

## Personal Protective Equipment (PPE)

Ultratec AC; Deltamethrin; (s)-cyano-3-phenoxybenzyl-(1R, 3R)-3(2,2-dibromovinyl)-2,2-dimethyl-cyclopropanecarboxylate

Eyes Safety glasses.

**Body** For prolonged or repeated handling, use gloves. Recommended:

Rubber gloves. Nitrile gloves. Neoprene gloves.

**Respiratory** Avoid breathing vapors, spray or mists. Use with adequate ventilation. A

respirator is not needed under normal and intended conditions of product use.

#### Section 9. Physical and Chemical Properties

Physical StateLiquid. [Aerosol.]Color Clear to white.pHNot determined.Odor Detergent.Boiling PointNot available.Vapor Pressure Not determined.

Specific Gravity 0.9706 Vapor Density Not determined.

Solubility Not applicable Evaporation Rate Not determined.

VOC (Consumer) < 15%

#### Section 10. Stability and Reactivity

**Stability and Reactivity** The product is stable.

**Incompatibility** Keep away from heat, sparks and flame.

**Hazardous Polymerization** Will not occur.

**Hazardous Decomposition Products** carbon oxides (CO, CO<sub>2</sub>)

National Fire Protection Association (U.S.A.)



Product code EBMA16 Material Safety Data Sheet Product Name BugMax Insect Killer

#### Section 11. Toxicological Information

#### **Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
S-Bioallethrin	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	412.9 mg/kg	-
	LD50 Oral	Rat	574.5 mg/kg	-
Deltamethrin	LD50 Dermal	Rabbit	>5050 mg/kg	-
	LD50 Oral	Rat	>5050 mg/kg	-

#### Section 12. Ecological Information

**Environmental Effects** Highly toxic to: Fish, Aquatic invertebrates., Bees

Practically non-toxic to: Birds.

## **Aquatic Ecotoxicity**

#### Product/ingredient name

Not available.

#### Section 13. Disposal Considerations

#### **Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Classification: - [Non-hazardous waste]

#### Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification		Consumer commodity	ORM-D	-	
TDG Classification					

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\* : Packing group

## Section 15. Regulatory Information

#### **U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

#### **State Regulations**

California Prop 65 No products were found.

#### **Canada**

WHMIS (Canada) WHMIS Class A: Compressed gas.

WHMIS Class D-2B: Material causing other toxic effects (Toxic).

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.