



Revision Number: 003.0

Issue Date: 10/20/2015

## 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

**Product identifier used on the label:** Persil Proclean Power-Liquid – Original Scent, Intense Fresh, Sensitive Skin, Coldwater, Extra Fresh Linen  
Persil Proclean Power-Liquid 2in1 – Original Scent

**Other means of identification:** 1936304, 1932506 (Original); 1932509 (Intense Fresh); 1932511 (Sensitive Skin); 2047699 (Coldwater);  
2061233 (Extra Fresh Linen); 1936322 (2in1)

**Recommended use of the chemical and restrictions on use:** Universal, No restrictions on use.

**Name, address and telephone number of the chemical manufacturer:**

The Dial Corporation, a Henkel Company  
7201 E. Henkel Way  
Scottsdale, AZ 85255-9672 USA

CHEMTREC: 1-800-424-9300 (24 hours daily)  
Internet: www.henkelna.com

**Emergency telephone number:** Medical Emergencies: 1-888-689-9082

## 2. HAZARD IDENTIFICATION

The hazards described in this OSHA Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

**Signal word:** WARNING  
**Hazard Statement(s):** Causes skin irritation.  
Causes serious eye irritation.



**Symbol(s):**

**Precautionary Statements:**

**Prevention:** Wash thoroughly after handling.  
Wear eye and face protection.  
Wear protective gloves.

**Response:** IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing.  
If skin irritation occurs: Get medical attention.  
If eye irritation persists: Get medical attention.

Take off contaminated clothing.

**Storage:** Not prescribed

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

**Hazards not otherwise classified:** Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Alcohols, C10-16, ethoxylated, sulfates, sodium salts, 2EO	68585-34-2	10 – 30 %
Alcohols, C12-18, 7EO	68213-23-0	5 – 10 %
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	1 – 5 %
trisodium citrate	68-04-2	1 – 5 %
Alcohols, C12-18, 7-EO, sulfates, sodium salts	68081-91-4	1 – 5 %
Propane-1,2-diol	57-55-6	1 – 5 %
Sodium EDTA	64-02-8	1 – 5 %
Ethanol denatured	64-17-5	0 - 5 %
Boric acid / Sodium metaborate	10043-35-3 / 7775-19-1	0.1 – 1 %

\*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

### 4. FIRST AID MEASURES

#### Description of necessary measures

**Inhalation:** Remove from exposure area to fresh air. Contact physician or local poison control center.

**Skin contact:** Rinse affected area with large amounts of water until no evidence of product remains. Get medical attention if irritation persists.

**Eye contact:** Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persist.

**Ingestion:** Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

#### Most important symptoms and effects, both acute and delayed

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes). After skin contact: Temporary irritation of the skin (redness, swelling, burning). After inhalation: Breathing high vapor concentrations may produce anesthetic effects, nausea, dizziness, headache. After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting.

#### Indication of any immediate medical attention and special treatment needed

After eye contact: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. After skin contact: Rinse affected area with large amounts water until no evidence of product remains. After inhalation: Remove from exposure area to fresh air. After ingestion: Dilution by rinsing the mouth and giving water or milk to drink is generally recommended.

### 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Dry chemical, carbon dioxide, water spray or regular foam.

**Unsuitable extinguishing media:** None

#### Specific hazards arising from the chemical

Oxides of carbon and oxides of nitrogen.

#### Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Avoid breathing vapors, keep upwind. Keep unnecessary personnel away.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ensure clean-up is conducted by trained personnel only. Make sure area is slip-free before re-opening to traffic.

#### Environmental Precautions

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

#### Methods and materials for containment and cleaning up

**SMALL SPILLS:** Contain and absorb with sand or other non-combustible absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. **LARGE SPILLS:** Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Do not get in eyes or skin. Do not ingest. Use with adequate ventilation. Avoid generating aerosols and mists. Keep the containers closed when not in use.

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Persil Proclean Power-Liquid

Page 2 of 6

**Conditions for safe storage, including any incompatibilities**

Store away from incompatible substances, excessive heat, flames, sparks or other ignition sources. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.**

Hazardous Component(s)	ACGIH	OSHA PEL	AIHA WEEL	OTHER
Alcohols, C10-16, ethoxylated, sulfates, sodium salts, 2EO	None	None	None	None
Propane-1,2-diol	None	None 10 mg/m <sup>3</sup> TWA Aerosol	None	None
Sodium EDTA	None	None	None	None
Ethanol denatured	1,000 ppm STEL	1,000 ppm (1,900 mg/m <sup>3</sup> ) PEL	None	None

**Appropriate engineering controls**

Provide local exhaust or general dilution ventilation to keep potential exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

**Individual protection measures**

**Respiratory:** If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

**Eye:** Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.

**Hand/Body:** Chemical-resistant gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	liquid, colored or clear
<b>Odor:</b>	fresh, floral
<b>Odor threshold:</b>	Not available.
<b>pH:</b>	8.2 – 8.6 (25 °C)
<b>Melting point/ range:</b>	Not available.
<b>Boiling point/range:</b>	Not available.
<b>Flash point:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Flammable/Explosive limits - lower:</b>	Not available.
<b>Flammable/Explosive limits - upper:</b>	Not available.
<b>Vapor pressure:</b>	Not available.
<b>Vapor density:</b>	Not available.
<b>Solubility in water:</b>	Not available.
<b>Partition coefficient (n-octanol/water):</b>	Not available.
<b>Autoignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Viscosity:</b>	275 - 700 mPa.s
<b>VOC content:</b>	Not available.
<b>Specific gravity:</b>	1.075 - 1.095 at 20 °C (68°F)

## 10. STABILITY AND REACTIVITY

**Reactivity:** This product reacts with acids.

**Chemical stability:** Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

**Possibility of hazardous reactions:** Hazardous polymerization does not occur under normal temperatures and pressures.

**Conditions to avoid:** Avoid storing in direct sunlight and avoid extremes of temperature.

**Incompatible materials:** Strong oxidizers, acids.

**Hazardous decomposition products:** Thermal decomposition products may include oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

### Likely routes of exposure including symptoms related to characteristics

- Inhalation:** Unlikely to occur due to the physical properties of the product. Inhalation of product mist may cause irritation of the nose, throat, and respiratory tract.
- Skin contact:** Repeated or prolonged excessive exposure may cause irritation or dermatitis.
- Eye contact:** This product may cause irritation with stinging, tearing, and redness.
- Ingestion:** Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting and diarrhea.
- Physical/Chemical:** No physical/chemical hazards are anticipated for this product.

### Other relevant toxicity information:

This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use.

### Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Alcohols, C10-16, ethoxylated, sulfates, sodium salts, 2EO	None	Irritant
Alcohols, C12-18, 7EO	Oral LD50 (RAT) = 1,700 mg/kg	Central nervous system, Irritant
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Oral LD50 (RAT) = 1,080 mg/kg	Irritant
trisodium citrate	None	Irritant, Metabolic
Alcohols, C12-18, 7-EO, sulfates, sodium salts	None	No Data
Propane-1,2-diol	Oral LD50 (RABBIT) = 18 g/kg Oral LD50 (RAT) = 30 g/kg	Irritant
Sodium EDTA	Oral LD50 (RAT) = > 2.000 mg/kg	Irritant
Ethanol denatured	Oral LD50 (RAT) = 9,9 g/kg Oral LD50 (RAT) = 6,2 g/kg Oral LD50 (RAT) = 17,8 g/kg Oral LD50 (RAT) = 11,5 g/kg Oral LD50 (RAT) = 10,6 g/kg Oral LD50 (RAT) = 7.060 mg/kg Inhalation LC50 (RAT, 10 h) = 20000 ppm	Central nervous system, Irritant
Boric acid	Oral LD50 (RAT) = 2.660 mg/kg Dermal LD50 (RABBIT) = > 2.000 mg/kg Inhalation LC50 (RAT, 4 h) = > 0,002 mg/l	Behavioral, Central nervous system, Developmental, Gastrointestinal, Irritant, Kidney, Liver, Skin, Less weight gain and food intake.
Sodium metaborate, anhydrous	Oral LD50 (RAT) = 2.330 mg/kg	Cardiac, Central nervous system, Developmental, Gastrointestinal tract, Irritant, Kidney, Metabolic

### Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Alcohols, C10-16, ethoxylated, sulfates, sodium salts, 2EO	No	No	No
Alcohols, C12-18, 7EO	No	No	No
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	No	No	No
trisodium citrate	No	No	No
Alcohols, C12-18, 7-EO, sulfates, sodium salts	No	No	No
Propane-1,2-diol	No	No	No
Sodium EDTA	No	No	No
Ethanol denatured	No	No	No
Boric acid	No	No	No
Sodium metaborate, anhydrous	No	No	No

- Carcinogenicity** None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA)..
- Mutagenicity** None of the ingredients in this product are known to cause mutagenicity.
- Toxicity to reproduction** Not a Reproductive Toxicant.

## 12. ECOLOGICAL INFORMATION

### Aquatic Toxicity:

The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings. This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions.

### Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

### Toxicity to aquatic invertebrates:

The aquatic toxicity profile of this product has not been determined.

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672	
Persil Proclean Power-Liquid	Page 4 of 6

**Toxicity to algae:**

The aquatic toxicity profile of this product has not been determined.

**Persistence and degradability:**

Hazardous substances	Result value	Route of application	Species	Method
Alcohols, C10-16, ethoxylated, sulfates, sodium salts, 2EO	readily biodegradable	aerobic	80 - 83 %	OECD 301 B
Alcohols, C12-18, ethoxylated	readily biodegradable	aerobic	79 %	OECD 301 D
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	readily biodegradable	aerobic	85 %	OECD 301 B
trisodium citrate	readily biodegradable	aerobic	79 %	EU Method C.4-E
Propane-1,2-diol	readily biodegradable	aerobic	> 70 %	OECD 301 A
Ethanol denatured	readily biodegradable	aerobic	> 70 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

**Bioaccumulation Potential:** The bioaccumulation potential of this product has not been determined.

**Mobility:** The mobility of this product (in soil and water) has not been determined.

### 13. DISPOSAL CONSIDERATIONS

**Waste Number and Description:** Not applicable

**Disposal Considerations:** Not regulated

**Disposal of products:** This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

**Disposal of packages:** Do not reuse this container. Place in trash.

### 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

**U.S. Department of Transportation Ground (49 CFR)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### 15. REGULATORY INFORMATION

**Occupational safety and health act:** Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status** All components of this product are either listed on or exempt from the U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

**TSCA 12 (b) Export Notification:** None above reporting de minimis

**CERCLA/SARA Section 302:** None above reporting de minimis

**CERCLA/SARA Section 311/312:** Not available.

**CERCLA/SARA Section 313:** None above reporting de minimis

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

**California Proposition 65:** This product does not contain substances listed under California Proposition 65.

**Canada Regulatory Information:**

**Canadian Environmental Protection Act:**

Inventory Status: All components of this product are listed on either the Canadian Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL).

**16. OTHER INFORMATION**

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**This safety data sheet contains changes from the previous version in sections:** 1, 3, 9, 11, 12

**Prepared by:** R&D Support Services

**Issue date:** 10/20/2015

**Supersedes:** Rev. 2, 05/27/2015