GHS

Printing date 19.02.2016

Revision: 19.02.2016



Printing date 19.02.2016

Trade name: Sterno Ethanol Gel

Revision: 19.02.2016

(Contd. of page 1) · Signal word Danger · Hazard statements H228 Flammable solid. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P280 Wear eve/face protection. P235 Keep cool. P361 Remove/Take off immediately all contaminated clothing. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed. · Additional information: N/A · Hazard description: · WHMIS-symbols: B4 - Flammable solid NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 ³ Fire = 3 FIRE Reactivity = 0 · HMIS Long Term Health Hazard Substances 64-17-5 ethanol · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Revision: 19.02.2016

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 19.02.2016

Trade name: Sterno Ethanol Gel

		(Contd. of page 2)
 Dangerous components: 		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol FR11	>50%
CAS: 75-65-0 EINECS: 200-889-7 Index number: 603-005-00-1	2-methylpropan-2-ol Xn R20; Xi R36/37; 6 F R11	<1,0%
· Additional information: For	the wording of the listed risk phrases refer to section 16.	I
4 First aid measures		
41 list did measures		
 4.1 Description of first aid r After inhalation: Supply fres After skin contact: Generall After eye contact: Remove contact lenses if wo 	h air; consult doctor in case of complaints. y the product does not irritate the skin.	
	lill. Lasta da sua da completa contra diference da contrato da contrato de secondo de secondo de secondo de secondo	

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed Headache Dizziness Thirst Gastric or intestinal disorders Unconsciousness

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information Cool endangered receptacles with water spray.

(Contd. on page 4)

Printing date 19.02.2016

Revision: 19.02.2016

Trade name: Sterno Ethanol Gel

(Contd. of page 3)

6 Accidental release measures

\cdot 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

\cdot 7.2 Conditions for safe storage, including any incompatibilities

Storage:

- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

•	8.1	Control	parameters
---	-----	---------	------------

 Ingredients with limit values that requ 	uire monitoring at the workplace:	

64-17-5 ethanol

PEL (USA) 1900 mg/m³, 1000 ppm

REL (USA) 1900 mg/m³, 1000 ppm

TLV (USA) Short-term value: 1880 mg/m³, 1000 ppm

EL (Canada) Short-term value: 1000 ppm

EV (Canada) 1,900 mg/m³, 1,000 ppm

(Contd. on page 5)

Printing date 19.02.2016

Revision: 19.02.2016

Trade name: Sterno Ethanol Gel

75 65 0 2	(Contd. of page
	ethylpropan-2-ol
PEL (USA)	300 mg/m ³ , 100 ppm
REL (USA)	Short-term value: 450 mg/m³, 150 ppm Long-term value: 300 mg/m³, 100 ppm
TLV (USA)	303 mg/m ³ , 100 ppm
EL (Canada)	
, ,	Short-term value: 150 ppm
	Long-term value: 100 ppm
· Additional in	formation: The lists valid during the making were used as basis.
· 8.2 Exposure	e controls
	otective equipment:
General prot	ective and hygienic measures: Wash hands before breaks and at the end of work.
 Respiratory Protection o 	protection: Not required.
	aterial has to be impermeable and resistant to the product/ the substance/ the preparation.
	ing tests no recommendation to the glove material can be given for the product/ the
	he chemical mixture.
	the glove material on consideration of the penetration times, rates of diffusion and t
degradation	5
 Material of g 	loves
The selection	n of the suitable gloves does not only depend on the material, but also on further marks
	varies from manufacturer to manufacturer. As the product is a preparation of seven
	the resistance of the glove material can not be calculated in advance and has therefore to
	r to the application. time of glove material
	eak through time has to be found out by the manufacturer of the protective gloves and has
be observed.	
· Eye protecti	
Tinh	
rigni	tly sealed goggles
Physical a	nd chemical properties
-	ion on basic physical and chemical properties
· General Info	
· Appearance:	
Form:	Highly viscous
Colour:	Pink
· Odour:	Alcohol-like
Odour thres	
· pH-value at 2	20 °C: 8,0 ± 0,5
PIT TAIde dt	

(Contd. on page 6)

Printing date 19.02.2016

Revision: 19.02.2016

Trade name: Sterno Ethanol Gel

	(Contd. of page
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 169 °F / 76 °C
· Flash point:	54 F / °12 °C
· Flammability (solid, gaseous):	Highly flammable.
· Ignition temperature:	846 °F / 452 °C (745 mm Hg / 980.3 mbar)
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive a vapour mixtures are possible.
· Explosion limits:	
Lower:	3,5 Vol %
Upper:	15,0 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Density at 20 °C:	0,8 g/cm³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Partly soluble.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
 9.2 Other information 	No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidizing agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 7)

Printing date 19.02.2016

Trade name: Sterno Ethanol Gel

Revision: 19.02.2016

(Contd. of page 6)

11 Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

64-17-5 ethanol

Oral LD50 7060 mg/kg (rat)

Inhalative LC50/4 h 20000 mg/l (rat)

75-65-0 2-methylpropan-2-ol

Oral LD50 3500 mg/kg (rat)

Primary irritant effect:

• on the skin: No irritant effect.

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Vapours have narcotic effect.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability biodegradable
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 19.02.2016

Trade name: Sterno Ethanol Gel

(Contd. of page 7) · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number DOT, ADR, IMDG, IATA	UN1325
14.2 UN proper shipping name	
Limited Quantity for package pounds).	es less than 30 kg (66 lb) and inner packagings less than 1.0 kg
DOT, ADR, IMDG, IATA	1325 FLAMMABLE SOLID, ORGANIC, N.C (Ethanol)
14.3 Transport hazard class(es)	
DOT	
Class	4.1 Flammable solids, self-reactive substances solid desensitised explosives.
Label	4.1
ADR	
Class	4.1 (F1) Flammable solids, self-reactive substar and solid desensitised explosives.
Label	4.1
IMDG, IATA	
Class	4.1 Flammable solids, self-reactive substances solid desensitised explosives.
Label	4.1
· 14.4 Packing group · DOT, ADR, IMDG, IATA	II
	(Contd. on pa

Printing date 19.02.2016

Revision: 19.02.2016

Trade name: Sterno Ethanol Gel

	(Contd. of page
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Warning: Flammable solids, self-reactive substance and solid desensitised explosives.
· Danger code (Kemler):	33
· EMS Number:	F-A,S-G
 14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code Transport/Additional information: 	Not applicable.
· Limited quantities (LQ)	1 kg
· Transport category	2
· Tunnel restriction code	Ē
· UN "Model Regulation":	UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S 4.1, II

5 Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific United States (USA) SARA 	c for the substance or mixtur
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
75-65-0 2-methylpropan-2-ol	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
	(Contd. on page

Printing date 19.02.2016

Revision: 19.02.2016

Trade name: Sterno Ethanol Gel

· Carcinogenic Categories

(Contd. of page 9)

1

A3

A4

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

75-65-0 2-methylpropan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

64-17-5 ethanol

· Canadian Ingredient Disclosure list (limit 1%)

75-65-0 2-methylpropan-2-ol

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

R11 Highly flammable.

R20 Harmful by inhalation.

R36/37 Irritating to eyes and respiratory system.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

(Contd. on page 11)

Printing date 19.02.2016

Revision: 19.02.2016

Trade name: Sterno Ethanol Gel

(Contd. of page 10)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com