

M A T E R I A L S A F E T Y D A T A S H E E T

I. IDENTIFICATION

MANUFACTURED BY: Old Masters
303 19th St SE
Orange City, IA 51041

REVISED: 04/21/2011
PRINTED: 04/22/2011

24 Hour Emergency Telephone
CHEMTREC 1-800-424-9300

General Information:
Mon-Fri 8 AM - 5 PM
712-737-4993

TRADE NAME: OM Paste Wax

MFG. PRODUCT NUMBER: 30901

II. HAZARDOUS INGREDIENTS

CAS #8052-41-3	Aliphatic Hydrocarbons	WT %: 70
ACGIH TLV: 100 ppm TWA	ACGIH STEL:	
OSHA PEL: 500 ppm TWA	OSHA CEILING:	OSHA PEAK:
VAPOR PRESSURE: 2.00 mm Hg	LEL%:	
CAS #8006-64-2	Turpentine	WT %: 10
ACGIH TLV: 100 ppm TWA	ACGIH STEL:	
OSHA PEL: 100 ppm TWA	OSHA CEILING:	OSHA PEAK:
VAPOR PRESSURE: 4mmHg@20C	LEL%: .8	

III. PHYSICAL DATA

BOILING RANGE: 313-338° F

EVAPORATION RATE: * slower than ether *

PERCENT VOLATILE BY VOLUME: 80%

WEIGHT PER GALLON: 6.4 LBS

VAPOR DENSITY: * heavier than air *

ACTUAL VOC (lb/gal): N/A

EPA VOC (lb/gal): N/A

EPA VOC (g/L): N/A

IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 39° C 102° F

LEL: Refer to Section II

FLAMMABILITY CLASSIFICATION: CLASS II

HAZARD CLASSIFICATION: *Combustible Liquid*

EXTINGUISHING MEDIA: Water Fog, Dry Chemical, Foam, Carbon
Dioxide

UNUSUAL FIRE AND EXPLOSION HAZARD: None

SPECIAL FIRE FIGHTING PROCEDURES: Use water to keep closed containers cool.

V. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: See Section II.

EFFECTS OF OVEREXPOSURE:

ACUTE- Possible eye, skin and respiratory tract irritation.
CHRONIC- No Data.

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE: *None*

PRIMARY ROUTE(S) OF ENTRY: Eyes, Ingestion, Skin, Inhalation

EMERGENCY AND FIRST AID PROCEDURES: Inhalation - Remove to fresh air.

Eyes - Flush immediately with fresh
water for 15 minutes.

Call a physician.

Skin- Wash thoroughly with soap and
water

VI. REACTIVITY DATA

STABILITY: *stable*

HAZARDOUS POLYMERIZATION: *will not occur*

INCOMPATIBILITY: Material can react violently with strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: Fire, burning and welding may generate
carbon monoxide.

CONDITIONS TO AVOID: None

VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: If molten, allow
to solidify.

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and
federal regulations.

VIII. SPECIAL PROTECTION INFORMATION**RESPIRATORY PROTECTION:**

If air concentrations above the TLV are possible, wear a
NIOSH/MSHA approved respirator.

VENTILATION: Provide general dilution or local exhaust ventilation in
volume and pattern to keep TLV and LEL of most hazardous
ingredient in Section II, below acceptable limit.

PROTECTIVE GLOVES: Required for those with extreme sensitivity.

EYE PROTECTION: Safety glasses.

OTHER PROTECTIVE EQUIPMENT: *none*

HYGIENIC PRACTICES: See Section V

IX. SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Do not store near heat, sparks, or flame.

OTHER PRECAUTIONS: * none *

This product contains no reportable Hazardous Air Pollutants.
