

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PlugIns® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : **GLADE® PlugIns® Car Hawaiian Breeze®**

Recommended use : Air Freshener

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Eye irritation	Category 2A	Causes serious eye irritation.
Skin sensitisation	Category 1A	May cause an allergic skin reaction.

Labelling

Hazard symbols
Exclamation mark

Signal word
Warning

Hazard statements
Combustible liquid.
Causes serious eye irritation.
May cause an allergic skin reaction.

Precautionary statements

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Specific treatment (see supplemental first aid instructions on this label).
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/ attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved incineration plant.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Wear protective gloves.
Avoid breathing spray.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Fragrance - Trade Secret	Mixture	60.00 - 100.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

- Inhalation** : No special requirements.
- Ingestion** : No special requirements

5. FIREFIGHTING MEASURES

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Container may melt and leak in heat of fire.
- Further information** : Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Wear personal protective equipment.
Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PlugIns® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing vapours, mist or gas.
Wash thoroughly after handling.

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.

Storage

Requirements for storage areas and containers : Store in a well-ventilated place. Keep cool.

Other data : The product is chemically stable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m ³	ppm	Non-standard units	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	1,200 mg/m ³	152 ppm	-	SUPPLIER
Benzyl acetate	140-11-4	-	10 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : Wear suitable gloves.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PlugIns® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

- Eye protection** : Safety glasses with side-shields
- Skin and body protection** : No special requirements.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form** : gel
- Color** : light yellow
- Odor** : Citrus
- Odour Threshold** : Test not applicable for this product type
- pH** : Test not applicable for this product type
- Melting point/freezing point** : Test not applicable for this product type
- Initial boiling point and boiling range** : Test not applicable for this product type
- Flash point** : 69 °C
156.2 °F
Method: ASTM D3828
- Evaporation rate** : Test not applicable for this product type
- Flammability (solid, gas)** : not auto-flammable
- Upper/lower flammability or explosive limits** : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

Vapour pressure	: Calculated 0.8401 hPa at 20 °C Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 0.9800 g/cm ³ at 25 °C
Solubility(ies)	: negligible
Partition coefficient: n-octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: does not ignite
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: 84 mPa.s
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
Volatile Organic Compounds Total VOC (wt. %)*	: 78.5 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations
Other information	: None identified :

10. STABILITY AND REACTIVITY

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Conditions to avoid** : Heat, flames and sparks.
- Incompatible materials** : Strong oxidizing agents
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

- Emergency Overview** : Warning
- Acute oral toxicity** : LD50 > 5000 mg/kg
- Acute inhalation toxicity** : LC50 > 10 mg/L
- Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2A	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

Skin sensitisation	Category 1A	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			
DIETHYL MALONATE	flow-through test LC50	Pimephales promelas (fathead minnow)	10.3 - 13 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PlugIns® Car Hawaiian Breeze®**

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584

GEN_SOF Number 59497

Distillates (petroleum), hydrotreated light	static test LC50 OECD Test Guideline 203	Oncorhynchus mykiss (rainbow trout)	> 1,000 mg/l	96 h
Benzyl acetate	flow-through test LC50	Oryzias latipes	4 mg/l	96 h
	flow-through test NOEC	Oryzias latipes	0.92 mg/l	28 d
HEXYL ACETATE	LC50	Pimephales promelas (fathead minnow)	4.4 mg/l	96 h
HEXANOIC ACID, ETHYL ESTER				
2,4-DIMETHYLCYCLOHEX-3- ENE-1-CARBALDEHYDE	LC50	Oncorhynchus mykiss (rainbow trout)	7.5 mg/l	96 h
Isobornyl acetate	LC50	Pimephales promelas (fathead minnow)	9.9 mg/l	96 h
Cinnamal	LC50	Danio rerio (zebra fish)	3.9 mg/l	96 h
Eugenol	semi- static test LC50	Danio rerio (zebra fish)	13 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PlugIns® Car Hawaiian Breeze®**

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	semi-static test LC50	Oncorhynchus mykiss (rainbow trout)	4.2 mg/l	96 h
Methoxy dicyclopentadiene carboxaldehyde	semi-static test LC50 OECD Test Guideline 203	Oncorhynchus mykiss (rainbow trout)	42 mg/l	96 h
3-p-cumenyl-2-methylpropionaldehyde	LC50 QSAR	Fish	1.092 mg/l	96 h
d-Limonene	semi-static test LC50 OECD Test Guideline 203	Pimephales promelas (fathead minnow)	0.41 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			
DIETHYL MALONATE	static test EC50	Daphnia magna (Water flea)	202.3 mg/l	48 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PlugIns® Car Hawaiian Breeze®**

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

Distillates (petroleum), hydrotreated light	EC50 OECD Test Guideline 202	Daphnia (water flea)	> 1,000 mg/l	48 h
Benzyl acetate	semi- static test EC50	Daphnia magna (Water flea)	17 mg/l	48 h
HEXYL ACETATE	semi- static test EC50	Daphnia magna (Water flea)	9.1 mg/l	48 h
HEXANOIC ACID, ETHYL ESTER	No data available			
2,4-DIMETHYLCYCLOHEX-3- ENE-1-CARBALDEHYDE	EC50	Daphnia magna (Water flea)	22.4 mg/l	48 h
Isobornyl acetate	EC50	Daphnia magna (Water flea)	10.5 mg/l	48 h
Cinnamal	EC50	Daphnia magna (Water flea)	3.86 mg/l	48 h
Eugenol	static test EC50	Daphnia magna (Water flea)	1.05 mg/l	48 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PlugIns® Car Hawaiian Breeze®**

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	static test EC50	Daphnia magna (Water flea)	52 mg/l	48 h
Methoxy dicyclopentadiene carboxaldehyde	static test EC50 OECD Test Guideline 202	Daphnia magna (Water flea)	5.5 mg/l	48 h
3-p-cumenyl-2-methylpropionaldehyde	semi-static test EC50	Daphnia magna (Water flea)	1.4 mg/l	48 h
d-Limonene	static test EC50	Daphnia magna (Water flea)	0.36 mg/l	48 h
	NOEC QSAR	Daphnia magna	0.115 mg/l	16 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			
DIETHYL MALONATE	static test EC50	Desmodesmus subspicatus (green algae)	508.2 mg/l	72 h
Distillates (petroleum), hydrotreated light	ErC50 OECD Test	Pseudokirchneriella subcapitata (green algae)	> 1,000 mg/l	72 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® Plugs® Car Hawaiian Breeze®**

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

	Guideline 201			
Benzyl acetate	static test EC50	Desmodemus subspicatus (green algae)	110 mg/l	72 h
HEXYL ACETATE	static test EC50	Pseudokirchneriella subcapitata (green algae)	12 mg/l	72 h
HEXANOIC ACID, ETHYL ESTER	No data available			
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	EC50	Desmodemus subspicatus (green algae)	31 mg/l	72 h
Isobornyl acetate	Static EC50 OECD Test Guideline 201	Pseudokirchneriella subcapitata (green algae)	24 mg/l	72 h
Cinnamal	Static EC50	Selenastrum capricornutum, Skeletonema costatum	6.87 mg/l	72 h
Eugenol	static test EC50	Desmodemus subspicatus (green algae)	24 mg/l	72 h
ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	EC50	Pseudokirchneriella subcapitata (green algae)	36 mg/l	96 h
Methoxy dicyclopentadiene carboxaldehyde	ErC50	Desmodemus subspicatus (green algae)	1.7 mg/l	72 h
3-p-cumenyl-2-methylpropionaldehyde	static test EC50	Pseudokirchneriella subcapitata (green algae)	4.3 mg/l	72 h
d-Limonene	static test NOEC OECD Test Guideline 201	Pseudokirchneriella subcapitata (green algae)	0.05 mg/l	72 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® Plugs® Car Hawaiian Breeze®**

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		
DIETHYL MALONATE	99 %	28 d	Readily biodegradable
Distillates (petroleum), hydrotreated light	69 %	28 d	Readily biodegradable
Benzyl acetate	100 %	28 d	Readily biodegradable
HEXYL ACETATE	56 %	28 d	Not readily biodegradable.
HEXANOIC ACID, ETHYL ESTER	No data available		
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	3 %	28 d	Not readily biodegradable.
Isobornyl acetate	75 %	28 d	Readily biodegradable
Cinnamal	86 %	28 d	Readily biodegradable
Eugenol	82 %	28 d	Readily biodegradable
ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	53 %	28 d	Not readily biodegradable.
Methoxy dicyclopentadiene carboxaldehyde	40 %	28 d	Not readily biodegradable.
3-p-cumenyl-2-methylpropionaldehyde	65.5 %	28 d	Readily biodegradable
d-Limonene	80 %	28 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Fragrance - Trade Secret	No data available	No data available

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

DIETHYL MALONATE	No data available	0.96
Distillates (petroleum), hydrotreated light	61 - 159	No data available
Benzyl acetate	8 Calculated	1.96
HEXYL ACETATE	No data available	3.3 Measured
HEXANOIC ACID, ETHYL ESTER	No data available	No data available
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	No data available	No data available
Isobornyl acetate	No data available	4.3 Measured
Cinnamal	8.33 QSAR	1.83
Eugenol	No data available	1.83
ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	No data available	2.4 - 2.8
Methoxy dicyclopentadiene carboxaldehyde	No data available	2.63
3-p-cumenyl-2-methylpropionaldehyde	155 QSAR	4.0
d-Limonene	1,022 QSAR	4.38

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

Mobility

Component	End point	Value
Fragrance - Trade Secret	No data available	
DIETHYL MALONATE	No data available	
Distillates (petroleum), hydrotreated light	No data available	
Benzyl acetate	Koc	250 estimated
HEXYL ACETATE	Koc	293
HEXANOIC ACID, ETHYL ESTER	No data available	
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	No data available	
Isobornyl acetate	No data available	
Cinnamal	Koc	36.82 Calculated
Eugenol	log Koc	2.2
ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	log Koc	2.34
Methoxy dicyclopentadiene carboxaldehyde	No data available	
3-p-cumenyl-2-methylpropionaldehyde	log Koc	3.05
d-Limonene	Koc	6324

PBT and vPvB assessment

Component	Results
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria
DIETHYL MALONATE	Not fulfilling PBT and vPvB criteria
Distillates (petroleum), hydrotreated light	Not fulfilling PBT and vPvB criteria
Benzyl acetate	Not fulfilling PBT and vPvB criteria

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

HEXYL ACETATE	Not fulfilling PBT and vPvB criteria
HEXANOIC ACID, ETHYL ESTER	Not fulfilling PBT and vPvB criteria
2,4-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	Not fulfilling PBT and vPvB criteria
Isobornyl acetate	Not fulfilling PBT and vPvB criteria
Cinnamal	Not fulfilling PBT and vPvB criteria
Eugenol	Not fulfilling PBT and vPvB criteria
ETHYL 2,3-EPOXY-3-PHENYLBUTYRATE	Not fulfilling PBT and vPvB criteria
Methoxy dicyclopentadiene carboxaldehyde	Not fulfilling PBT and vPvB criteria
3-p-cumenyl-2-methylpropionaldehyde	Not fulfilling PBT and vPvB criteria
d-Limonene	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® Plugs® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

16. OTHER INFORMATION

HMIS Ratings

Health	-
Flammability	-
Reactivity	-

NFPA Ratings

Health	-
Fire	-
Reactivity	-
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PlugIns® Car Hawaiian Breeze®

Version 0.0

Print Date 05/22/2017

Revision Date 00/00/0000

SDS Number 350000032584
GEN_SOF Number 59497

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--