Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)

MSDS #: 10005

DATE OF PREPARATION: 4/30/01

LAST REVISION DATE: 12/15/99



MSDS #: 10005

HMIS Ratings:

HEALTH: 0

FLAMMABILITY: 0

REACTIVITY:

PROTECTION:

A STATE OF THE PROPERTY OF THE

PRODUCT NAME:

SWEDISH FORMULA HARDWOOD FLOOR CLEANER

PRODUCT DESCRIPTION: WATERBASED FLOOR CLEANER

SECUENIE HVARIOUS PINCERED DE VISA SE LE COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DE LA COMPANIO DE LA COMPANIO DE LA COMPANIO DEL COMPANIO DE LA COMPANIO DEL COMPANION DEL COMPANIO DEL COMPANION DEL COMPANION DEL COMPANIO DEL COMPANION DEL CO

Occupational

Exposure Limits

VAFOR PRESSURE-

INGREDIENT

% WEIGHT ACGIH-TLV OSHA-PEL mm Hg CAS#

NONE

THE STATE OF THE S

BOILING RANGE:

>212F (100C)

EVAPORATION RATE: Slower than n-Butyl Acetate

% VOLATILE - WT: 98

DENSITY: 8.30 LBS/GAL (1.00KG/L)

VAPOR DENSITY:

Heavier than air

SOLUBILITY IN WATER: Miscible

PRODUCT CHARACTERISTICS: Blue, water-thin liquid with mild, sweet odor

The state of the s

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: Over 200F (93C) PMCC

% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A

(Lower); N/A

EXTINGUISHING MEDIA: Foam, Carbon Dioxide, Dry Chemical

UNUSUAL FIRE

EXPLOSION

Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat. HAZARDS:

SPECIAL FIREFIGHTING PROCEDURES:

Water may be used to cool closed containers to prevent pressure build-up.

Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)



MSDS #: 10005

SECTION OF THE TOTAL CONTROL AND ANALYSIS OF THE CONTROL OF THE SECTION OF THE SE

EYE CONTACT: Non-toxic SKIN CONTACT: Non-toxic INHALATION: Non-toxic

INGESTION:

May cause gastrointestinal irritation. If swallowed, drink 1 or 2 glasses of water to dilute.

PRIMARY ROUTES OF ENTRY:

Ingestion and Dermal

REGULATORY

DATA:

Section 313 supplier notification: This product contains the following chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40CFR 372: None. This product contains the following chemical(s) which are known to the state of California to cause cancer or to cause birth defects or other reproductive harm:

TOXICITY INFO:

No ingredients in this product are listed by OSHA, IARC or NTP as a carcinogen, teratogen, mutagen, or as having toxic reproductive effects. See Section II for exposure limits. Not an eye irritant or dermal irritant; non-toxic by oral ingestion and inhalation under FHSA/CPSC guidelines.

THE RESERVE OF THE SECTION AND A SECTION ASSESSMENT OF THE SECTION ASS

STABILITY: Stable

REACTIVITY WITH WATER: Will Not Occur

HAZARDOUS DECOMPOSITION

None

PRODUCTS:

HAZARDOUS POLYMERIZATION:

Will Not Occur

INCOMPATIBILITY

None Known

(MATERIALS TO AVOID):

SECONONAL SELECTION AND SELECTION ASSETS.

IN CASE MATERIAL IS

RELEASED OR SPILLED:

No special procedures required.

WASTE DISPOSAL:

Contaminated absorbent should be disposed of in accordance with local, state and federal

regulations.

SHIPPING INFORMATION:

Not regulated as a DOT hazardous material

A CHAICHAIN ON WALLE-CARIAS IN MOUNT CONTRACTOR OF A CHAIR CARIACON OF A CHAIR CARLON OF A CHAIR CARLO

RESPIRATORY PROTECTION: Not required.

VENTILATION:

Use adequate mechanical (general and/or local) ventilation to maintain exposure below TLV.

PROTECTIVE GLOVES:

Not necessary.

EYE PROTECTION:

Not necessary.

OTHER PROTECTIVE

EQUIPMENT:

Not necessary.

Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtree)



MSDS #: 10005

HYGIENIC PRACTICES:

Wash hands with soap and water before cating or using rest rooms.

THE REPORT OF THE PROPERTY OF

Do not transfer contents to bottles or other unlabeled containers. Do not store in high temperature (above 100F or 38C) environment. Keep from freezing.

KEEP OUT OF THE REACH OF CHILDREN

KEY CODE

HMIS = Hazardous Materials Information System

- 0 = Minimal Hazard
- 1 = Slight Hazard
- 2 = Moderate Hazard
- 3 = Serious Hazard
- 4 = Severe Hazard

N/A = Not Applicable

N/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

OEL= Occupational Exposure Limits

PEL = Permissible Exposure Limit = exposure limit to an airborne contaminant in a workday set by OSHA

TLV = Threshold Limit Value = Time-weighted average concentration for a normal 8-hour workday without adverse effect.

IARC = International Agency for Research on Cancer

NTP - National Toxicology Program

OSHA = Occupational Safety and Health Administration

For additional health and safety information, call the BonaKemi Compliance Department at (303) 371-1411.

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.