

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : **GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

**Recommended use** : Air Freshener

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Eye irritation	Category 2B	Causes eye irritation.

**Labelling**

**Hazard statements**

Combustible liquid.  
Causes eye irritation.

**Precautionary statements**

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/ container to an approved incineration plant.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Wear protective gloves.  
Wash hands thoroughly after handling.  
**Other hazards** : None identified

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No.	Weight percent
Fragrance - Trade Secret	Mixture	60.00 - 100.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

**4. FIRST AID MEASURES**

- Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Container may melt and leak in heat of fire.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**Further information** : Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Remove all sources of ignition.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Wear personal protective equipment.  
Wash thoroughly after handling.

**Environmental precautions** : Outside of normal use, avoid release to the environment.

**Methods and materials for containment and cleaning up** : Use only non-sparking equipment.  
Dike large spills.  
Clean residue from spill site.

---

## 7. HANDLING AND STORAGE

**Handling**

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
Use only as directed.  
KEEP OUT OF REACH OF CHILDREN AND PETS.  
Wash thoroughly after handling.

**Advice on protection against fire and explosion** : Keep away from sources of ignition - No smoking.

**Storage**

**Requirements for storage areas and containers** : Keep container closed when not in use.  
Store in a well-ventilated place. Keep cool.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**Other data** : Stable at normal ambient temperature and pressure.  
Stable at normal ambient temperature and pressure.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
PENTYL ACETATE	628-63-7	525 mg/m3	100 ppm	-	OSHA TWA
PENTYL ACETATE	628-63-7	-	100 ppm	-	ACGIH STEL
PENTYL ACETATE	628-63-7	-	50 ppm	-	ACGIH TWA

**Personal protective equipment**

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Form** : liquid

**Color** : light yellow

**Odor** : Fruity

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**Odour Threshold** : Test not applicable for this product type

**pH** : Test not applicable for this product type

**Melting point/freezing point** : Test not applicable for this product type

**Initial boiling point and boiling range** : Test not applicable for this product type

**Flash point** : 74 °C  
165.2 °F  
Method: Tag Closed Cup (TCC)

**Evaporation rate** : Test not applicable for this product type

**Flammability (solid, gas)** : Sustains combustion

**Upper/lower flammability or explosive limits** : Test not applicable for this product type

**Vapour pressure** : 0.663 hPa  
at 20 °C

**Vapour density** : No data available

**Relative density** : 0.9830 g/cm<sup>3</sup> at 25 °C

**Solubility(ies)** : negligible

**Partition coefficient: n-octanol/water** : Test not applicable for this product type

**Auto-ignition temperature** : not auto-flammable

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**Decomposition temperature** : Test not applicable for this product type

**Viscosity, dynamic** : Test not applicable for this product type

**Viscosity, kinematic** : Test not applicable for this product type

**Oxidizing properties** : Test not applicable for this product type

**Volatile Organic Compounds** : 72.9 % - additional exemptions may apply  
**Total VOC (wt. %)\*** \*as defined by US Federal and State Consumer Product Regulations

**Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

**Possibility of hazardous reactions** : Stable under recommended storage conditions.

**Possibility of hazardous reactions** : Stable under recommended storage conditions.

**Conditions to avoid** : Heat, flames and sparks.

**Incompatible materials** : Strong oxidizing agents

**Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**11. TOXICOLOGICAL INFORMATION**

- Emergency Overview** : Warning
- Acute oral toxicity** : LD50  
estimated  
> 5,000 mg/kg
- Acute inhalation toxicity** : LC50  
estimated  
> 2 mg/l
- Acute dermal toxicity** : No data available

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

**Aggravated Medical Condition** : None known.

**12. ECOLOGICAL INFORMATION**

**Product** : The product itself has not been tested.

**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
-----------	-------------------------------	---



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

Fragrance - Trade Secret	No data available	No data available
--------------------------	-------------------	-------------------

**Mobility**

Component	End point	Value
Fragrance - Trade Secret	No data available	

**PBT and vPvB assessment**

Component	Results
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

---

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

---

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Land transport**

Not classified as dangerous in the meaning of transport regulations.

**Sea transport**

Not classified as dangerous in the meaning of transport regulations.

**Air transport**

Not classified as dangerous in the meaning of transport regulations.

---

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

listing on the U.S. Toxic Substances Control Act (TSCA)  
Chemical Substance Inventory.

**Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	2
<b>Flammability</b>	2
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	2
<b>Fire</b>	2
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/27/2015

SDS Number 350000017092

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--