

SAFETY DATA SHEET

Revision date 11-Jun-2015

Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier Product Code

147.0008087

WTRBRN POLY SEMIGLS

Product Name

Other means of identification

No information available

Recommended use of the chemical and restrictions on use Paint, Coatings

Details of the supplier of the safety data sheet See section 16 for more information

The Valspar Corporation PO Box 1461 Minneapolis, MN 55440

E-mail address

msds@valspar.com

Emergency telephone number United States of America 1-888-345-5732 American Samoa, Guam, Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands 1-800-255-3924

Section 2: HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

Label elements

Product Code 147.0008087 Page 1 / 8 AGHS - USA OSHA SDS



Signal word

DANGER

HAZARD STATEMENTS

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May damage fertility or the unborn child

PREVENTION

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

RESPONSE

IF exposed or concerned: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

STORAGE

Store locked up.

DISPOSAL

Dispose of contents/containers in accordance with local regulations.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

Not applicable.

OTHER HAZARDS

Not applicable.

UNKNOWN ACUTE TOXICITY

.0001% of the mixture consists of ingredient(s) of unknown toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
1-Methyl-2-pyrrolidone	872-50-4	5 - 10
Triethylamine	121-44-8	1 - 3
5-Decyne-4,7-diol, 2,4,7,9-tetramethyl-	126-86-3	0.1 - 0.3

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

First Aid Measures

General advice

Product Code 147.0008087 Page 2/8 AGHS - USA OSHA SDS IF exposed or concerned: Get medical advice/attention.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal. Pick up and transfer to properly labeled containers.

Product Code 147.0008087 Page 3 / 8 AGHS - USA OSHA SDS

Section 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Do not breathe dust/fume/gas/mist/vapors/spray.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Incompatible materials

None known.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

If S* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethylamine	STEL: 3 ppm	TWA: 25 ppm	IDLH: 200 ppm
121-44-8	TWA: 1 ppm S*	TWA: 100 mg/m ³	

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear suitable protective clothing.

Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal Protection

No information available

Product Code 147.0008087 Page 4/8 AGHS - USA OSHA SDS

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

ColorclearOdor ThresholdNo information availablepH valueNo information availableMelting point/freezing pointNo information availableBoiling point / boiling rangeNo information availableBoiling point / boiling rangeNo information availableFlash point96 °C / 205 °Fevaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirUpper flammability limit:Upper flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableDynamic viscosityNo information available	Physical state Appearance Odor	liquid No information available Slight
pH valueNo information availableMelting point/freezing pointNo information availableBoiling point / boiling rangeNo information availableflash point96 °C / 205 °Fevaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirVinformation availableUpper flammability limit:No information availableLower flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableNo information availableNo information available		
Melting point/freezing point Boiling point / boiling range flash point flash pointNo information available No information available No information available No information available No information available No information availableFlammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor Pressure 		
Boiling point / boiling range flash pointNo information available 96 °C / 205 °Fflash point96 °C / 205 °Fevaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirNo information availableUpper flammability limit:No information availableLower flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableNo information availableNo information available	•	
flash point96 °C / 205 °Fevaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirUpper flammability limit:Upper flammability limit:No information availableLower flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available		
evaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in AirUpper flammability limit:Upper flammability limit:No information availableLower flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	•••••••••••••••••••••••••••••••••••••••	
Flammability (solid, gas) Flammability Limit in AirNo information availableUpper flammability limit: Lower flammability limit:No information availableVapor Pressure vapor densityNo information availableDensity (lbs per US gallon) specific gravity8.64Solubility(ies)No information availablePartition coefficient Autoignition temperature Kinematic viscosityNo information available		
Flammability Limit in AirUpper flammability limit:No information availableLower flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available		No information available
Upper flammability limit: Lower flammability limit:No information availableVapor Pressure vapor densityNo information availableDensity (lbs per US gallon) specific gravity8.64Solubility(ies)No information availablePartition coefficient Autoignition temperature Kinematic viscosityNo information availableNo information available No information availableNo information available No information availableNo information available No information availableNo information available No information available	Flammability (solid, gas)	No information available
Lower flammability limit:No information availableVapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	Flammability Limit in Air	
Vapor PressureNo information availablevapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	Upper flammability limit:	No information available
vapor densityNo information availableDensity (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	Lower flammability limit:	No information available
Density (lbs per US gallon)8.64specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	Vapor Pressure	No information available
specific gravity1.04Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	vapor density	No information available
Solubility(ies)No information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	Density (Ibs per US gallon)	8.64
Partition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	specific gravity	1.04
Autoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available	Solubility(ies)	No information available
Decomposition temperatureNo information availableKinematic viscosityNo information available	Partition coefficient	No information available
Kinematic viscosity No information available	Autoignition temperature	No information available
•	Decomposition temperature	No information available
Dynamic viscosity No information available	Kinematic viscosity	No information available
	Dynamic viscosity	No information available

Other information

Section 10: STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Causes serious eye irritation Skin Contact Causes skin irritation May cause an allergic skin reaction Ingestion Not applicable Inhalation Not applicable

Numerical measures of toxicity - Component Information

Product Code 147.0008087 Page 5 / 8 AGHS - USA OSHA SDS

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Methyl-2-pyrrolidone 872-50-4	= 3598 mg/kg (Rat)	= 8 g/kg (Rabbit)	= 3.1 mg/L (Rat)4 h
Triethylamine 121-44-8	= 460 mg/kg (Rat)	= 415 mg/kg (Rabbit)	= 1250 ppm (Rat)4 h
5-Decyne-4,7-diol, 2,4,7,9-tetramethyl- 126-86-3	-	-	-

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

47679 Mg/kg
5 5
104894 Mg/kg
143 mg/l
1049 mg/l

UNKNOWN ACUTE TOXICITY .0001% of the mixture consists of ingredient(s) of unknown toxicity.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation
Serious eye damage/eye irritation	Causes serious eye irritation
Skin sensitization	May cause an allergic skin reaction
Respiratory sensitization	Not applicable
Germ cell mutagenicity	Not applicable
Carcinogenicity	Not applicable
Reproductive Toxicity	May damage fertility or the unborn child
Specific target organ toxicity (single	Not applicable
exposure) Specific target organ toxicity (repeated exposure)	Not applicable
Aspiration hazard	Not applicable

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Environmental precautions	Prevent product from entering drains.	
Persistence and degradability No information available		
Bioaccumulation No information available		
<u>Mobility</u> No information available		
Other adverse effects	No information available	
Section 13: DISPOSAL CONSIDERATIONS		
Waste treatment methods		
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal. Empty containers must be scrapped or reconditioned.	

Section 14: TRANSPORT INFORMATION

Product Code 147.0008087 Page 6 / 8 AGHS - USA OSHA SDS

	DOT
14.1 UN/ID no	Not regulated
14.2 Proper shipping name	

14.3 Hazard Class

14.4 Packing Group

14.5 Environmental hazard Not applicable

14.6 Special Provisions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Section 15: REGULATORY INFORMATION

IMDG

Not regulated

International Inventories

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

All components are listed or exempt from listing All components are listed or exempt from listing

US Federal Regulations

Chemical Name	SARA 313 - Threshold Values %	Hazardous air pollutants (HAPs) content
1-Methyl-2-pyrrolidone 872-50-4 5 - 10	1	
Triethylamine 121-44-8 1 - 3	1	Present

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Triethylamine 121-44-8	5000 lb			Х

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Triethylamine	5000 lb		RQ 5000 lb final RQ
121-44-8			RQ 2270 kg final RQ

US State Regulations

Rule 66 status of product

Not photochemically reactive.

California Proposition 65

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

U.S. EPA Label information

EPA Pesticide registration number Not applicable

U.S. State Right-to-Know Regulations

Chemical Name	
Water	
7732-18-5	

Product Code 147.0008087 Page 7 / 8 AGHS - USA OSHA SDS IATA Not regulated

No information available

Proprietary Non-Hazardous Ingredient - Proprietary CAS

1-Methyl-2-pyrrolidone

872-50-4

Triethylamine 121-44-8

Section 16: OTHER INFORMATION

HMIS

Health hazards	2*
* = Chronic Health Hazard	
Flammability	1
Physical hazards	0
Personal Protection	Х

Supplier Address

Valspar Consumer	The Valspar Corporation	Valspar Plasti-Kote
Headquarters	4999 36th St.	1636 Shawsone Dr.
8725 W. Higgins Rd. Suite	Grand Rapids, MI 49512	Mississauga, Ontario L4W 1N7
1000	800-253-3957	905-671-8333
Chicago, IL 60631		
773-628-5500		

Prepared By

Product Stewardship

Revision date Revision Note Disclaimer

11-Jun-2015 No information available

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet

Product Code 147.0008087 Page 8/8 AGHS - USA OSHA SDS