# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

#### **SECTION 1. IDENTIFICATION**

Product name : STORM GUARD 920 WHITE

Product code : 00000000004130957

Manufacturer or supplier's details

Company name of supplier : Red Devil, Inc.

Address : 4175 Webb Street

Pryor, OK 74361

Telephone : (918) 825-5744

Emergency telephone : INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Recommended use of the chemical and restrictions on use

Recommended use : Adhesive, binding agents

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ syste-

mic toxicity - repeated expo-

sure (Oral)

Category 2 (Blood)

**GHS** label elements

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Blood) through prolonged

or repeated exposure if swallowed.

Precautionary Statements : Prevention:

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P363 Wash contaminated clothing before reuse.

#### Storage:

P405 Store locked up.

to do. Continue rinsing.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Silicone elastomer

#### **Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Silicon dioxide	7631-86-9	>= 10 -< 20
Methyltri(ethylmethylketoxime)silane	22984-54-9	>= 1 -< 5
Vinyltri (methylethylketoxime) silane	2224-33-1	>= 1 -< 5
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	>= 0.1 -< 1
Titanium dioxide	13463-67-7	>= 0.1 -< 1
Methyltri(ethylmethylketoxime)silane isomers and oligomers	Not Assigned	>= 0.1 -< 1
Dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7	>= 0.1 -< 1

#### **SECTION 4. FIRST AID MEASURES**

# **STORM GUARD 920 WHITE**



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction. Causes serious eye irritation.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Carbon oxides Silicon oxides

Formaldehyde

Nitrogen oxides (NOx)

# STORM GUARD 920 WHITE



Version 1.1 Revision Date: 11/13/2016

SDS Number: 4146690-00002

Date of last issue: 07/05/2016 Date of first issue: 07/05/2016

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety

practice.

Keep away from water.
Protect from moisture.

Take care to prevent spills, waste and minimize release to the

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m³ (Silica)	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA	10 mg/m³ (Titanium dioxide)	ACGIH
Dimethylbis[(1- oxoneodecyl)oxy]stannane	68928-76-7	TWA	0.1 mg/m³ (Tin)	OSHA Z-1
		TWA	0.1 mg/m³ (Tin)	ACGIH
		STEL	0.2 mg/m³ (Tin)	ACGIH
		TWA	0.1 mg/m³ (Tin)	NIOSH REL

## Hazardous components without workplace control parameters

Ingredients	CAS-No.
Methyl-	22984-54-9
tri(ethylmethylketoxime)silane	
Vinyltri (methylethylketoxime)	2224-33-1
silane	
N-(3-	1760-24-3
(Trimethoxysi-	
lyl)propyl)ethylenediamine	
Methyl-	Not Assigned
tri(ethylmethylketoxime)silane	
isomers and oligomers	

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

Silicon dioxide

Titanium dioxide

#### Occupational exposure limits of decomposition products

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
		caposurc)	CONCONTRACTOR	
Ethyl methyl ketoxime	96-29-7	TWA	10 ppm	US WEEL

**Engineering measures** 

Processing may form hazardous compounds (see section

10).

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

## Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place.

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may

require added precautions.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Color : white

Odor : slight

Odor Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : The substance or mixture is not classified as pyrophoric. The

substance or mixture is not classified as self heating.

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : Not applicable

Relative vapor density : No data available

Relative density : 1.04

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

# STORM GUARD 920 WHITE



Date of last issue: 07/05/2016 Version Revision Date: SDS Number: 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

Viscosity

Viscosity, dynamic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

No data available Molecular weight

#### **SECTION 10. STABILITY AND REACTIVITY**

Not classified as a reactivity hazard. Reactivity

Chemical stability Stable under normal conditions.

tions

Possibility of hazardous reac- : Use at elevated temperatures may form highly hazardous

compounds.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed upon con-

tact with water or humid air.

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid Exposure to moisture.

Incompatible materials Oxidizing agents

Water

**Hazardous decomposition products** 

Contact with water or humid

: Ethyl methyl ketoxime

Thermal decomposition Formaldehyde

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

## **Acute toxicity**

Not classified based on available information.

#### **Ingredients:**

## Silicon dioxide:

Acute oral toxicity LD50 (Rat): > 3,300 mg/kg

Assessment: The substance or mixture has no acute oral tox-

Remarks: Information taken from reference works and the

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

literature.

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information taken from reference works and the

literature.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Information taken from reference works and the

literature.

#### Methyltri(ethylmethylketoxime)silane:

Acute oral toxicity : LD50 (Rat): > 2,520 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: On basis of test data.

## Vinyltri (methylethylketoxime) silane:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: On basis of test data.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: On basis of test data.

#### N-(3-(TrimethoxysilyI)propyI)ethylenediamine:

Acute oral toxicity : LD50 (Rat): 2,295 mg/kg

Remarks: On basis of test data.

Acute inhalation toxicity : LC50 (Rat): > 1.49 mg/l

Exposure time: 4 h
Test atmosphere: dust/mist

Test atmosphere: dust/mist Remarks: On basis of test data.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: On basis of test data.

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Acute oral toxicity : LD50 (Rat): 894 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

**Ingredients:** 

Silicon dioxide:

Result: No skin irritation

Remarks: Information taken from reference works and the literature.

Methyltri(ethylmethylketoxime)silane:

Species: Rabbit

Result: No skin irritation

Remarks: Based on data from similar materials

N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Species: Rabbit

Result: Mild skin irritation Remarks: On basis of test data.

Titanium dioxide:

Species: Rabbit

Result: No skin irritation

Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Ingredients:** 

Silicon dioxide:

Result: No eye irritation

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

Remarks: Information taken from reference works and the literature.

## Methyltri(ethylmethylketoxime)silane:

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

Remarks: On basis of test data.

## Vinyltri (methylethylketoxime) silane:

Species: Rabbit

Result: Irreversible effects on the eye Remarks: On basis of test data.

## N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Species: Rabbit

Result: Irreversible effects on the eye Remarks: On basis of test data.

#### Titanium dioxide:

Species: Rabbit

Result: No eye irritation

## Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days Remarks: Based on data from similar materials

# Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

Not classified based on available information.

### **Ingredients:**

## Silicon dioxide:

Assessment: Does not cause skin sensitization.

Test Type: Skin: test type not specified

Species: Guinea pig Result: negative

Remarks: Information taken from reference works and the literature.

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

## Methyltri(ethylmethylketoxime)silane:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test

Species: Guinea pig

Remarks: On basis of test data.

#### Vinyltri (methylethylketoxime) silane:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test

Species: Guinea pig

Remarks: Based on data from similar materials

## N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test

Species: Guinea pig

Remarks: Information taken from reference works and the literature.

#### Titanium dioxide:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

## Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test

Species: Guinea pig

Remarks: Based on data from similar materials

#### Germ cell mutagenicity

Not classified based on available information.

## **Ingredients:**

## Silicon dioxide:

Genotoxicity in vitro : Result: negative

Remarks: Information taken from reference works and the

literature.

Genotoxicity in vivo : Application Route: Ingestion

Result: negative

Remarks: Information taken from reference works and the

literature.

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

# **STORM GUARD 920 WHITE**



Version 1.1

Revision Date: 11/13/2016

SDS Number: 4146690-00002

Date of last issue: 07/05/2016 Date of first issue: 07/05/2016

Assessment

Methyltri(ethylmethylketoxime)silane:

Genotoxicity in vitro : Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Result: negative

Remarks: On basis of test data.

Vinyltri (methylethylketoxime) silane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: On basis of test data.

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: On basis of test data.

Germ cell mutagenicity -

Assessment

: Animal testing did not show any mutagenic effects.

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Not classified based on available information.

**Ingredients:** 

Titanium dioxide:

Species: Rat

Application Route: inhalation (dust/mist/fume)

Exposure time: 24 Months

Method: OECD Test Guideline 453

Result: positive

Remarks: The mechanism or mode of action may not be relevant in humans.

These substance(s) are inextricably bound in the product and therefore do not contribute to a

dust inhalation hazard.

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in inhalation studies with

# **STORM GUARD 920 WHITE**



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

ment animals.

IARC Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

**OSHA** No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

## Reproductive toxicity

Suspected of damaging the unborn child.

#### **Ingredients:**

## Methyltri(ethylmethylketoxime)silane:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: Ingestion Symptoms: No effects on fertility. Remarks: On basis of test data.

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: Ingestion

Symptoms: No effects on fetal development.

Remarks: On basis of test data.

Reproductive toxicity - As-

sessment

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

## N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Application Route: Ingestion Symptoms: No effects on fertility. Remarks: On basis of test data.

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Application Route: Ingestion

Symptoms: No effects on fetal development.

Remarks: On basis of test data.

Reproductive toxicity - As-

sessment

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

## Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Reproductive toxicity - As- : Some evidence of adverse effects on development, based on

sessment animal experiments.

#### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.

#### **Ingredients:**

## Methyltri(ethylmethylketoxime)silane:

Routes of exposure: Ingestion

Target Organs: Blood

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to

100 mg/kg bw.

### Vinyltri (methylethylketoxime) silane:

Routes of exposure: Ingestion

Target Organs: Blood

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to

100 mg/kg bw.

### N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Routes of exposure: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg

bw or less.

# Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Routes of exposure: Ingestion

Target Organs: Blood

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to

100 mg/kg bw.

### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Routes of exposure: Ingestion

Target Organs: Immune system, Central nervous system

Assessment: Shown to produce significant health effects in animals at concentrations of 10

mg/kg bw or less.

## Repeated dose toxicity

#### **Ingredients:**

### Methyltri(ethylmethylketoxime)silane:

Species: Rat

Application Route: Ingestion Target Organs: Blood

Remarks: On basis of test data.

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

## Vinyltri (methylethylketoxime) silane:

Species: Rat

Application Route: Ingestion Target Organs: Blood

Remarks: Based on data from similar materials

## N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Application Route: Ingestion Remarks: On basis of test data.

### Titanium dioxide:

Species: Rat

NOAEL: 24,000 mg/kg Application Route: Ingestion Exposure time: 28 Days

Species: Rat NOAEL: 10 mg/m³

Application Route: inhalation (dust/mist/fume)

Exposure time: 2 y

Remarks: These substance(s) are inextricably bound in the product and therefore do not

contribute to a dust inhalation hazard.

#### Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Species: Rat

Application Route: Ingestion Target Organs: Blood

Remarks: Based on data from similar materials

#### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species: Rat

NOAEL: < 1.6 mg/kg Application Route: Ingestion Exposure time: 90 Days

Remarks: Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks: During use of the material, small amounts of methylethylketoxime (MEKO) will be released. Rodents exposed to chronic MEKO inhalation throughout their lifetimes showed significant increases in liver tumor rates.

# STORM GUARD 920 WHITE



Version 1.1 Revision Date: 11/13/2016

SDS Number: 4146690-00002

Date of last issue: 07/05/2016 Date of first issue: 07/05/2016

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### **Ingredients:**

## Methyltri(ethylmethylketoxime)silane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 94 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Vinyltri (methylethylketoxime) silane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 597 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia sp. (Water flea)): 81 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 8.8 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 3.1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

Toxicity to daphnia and other: aquatic invertebrates (Chron-

NOEC (Daphnia sp. (Water flea)): > 1 mg/l Exposure time: 21 d

ic toxicity)

EC50 (Pseudomonas putida): 67 mg/l Toxicity to microorganisms

Exposure time: 16 h

Method: DIN 38 412 Part 8

Titanium dioxide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to microorganisms

: EC50: > 1,000 mg/lExposure time: 3 h

Method: OECD Test Guideline 209

Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 17 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

ErC50 (Desmodesmus subspicatus (green algae)): 37 mg/l Toxicity to algae

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Desmodesmus subspicatus (green algae)): 5.7 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Persistence and degradability

**Ingredients:** 

Methyltri(ethylmethylketoxime)silane:

Biodegradability Result: Not readily biodegradable.

Biodegradation: 14.5 % Exposure time: 21 d

# **STORM GUARD 920 WHITE**



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

Method: OECD Test Guideline 302B

Remarks: Based on data from similar materials

Vinyltri (methylethylketoxime) silane:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301A

Stability in water : Degradation half life: < 1 min (2 °C)

Method: OECD Test Guideline 111

N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 39 %

Method: OECD Test Guideline 301A

Stability in water : Degradation half life: 0.025 h (24.7 °C) pH: 7

Method: OECD Test Guideline 111

Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 3 % Exposure time: 35 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

**Bioaccumulative potential** 

**Ingredients:** 

Methyltri(ethylmethylketoxime)silane:

Partition coefficient: n- :

octanol/water

: log Pow: 11.2

N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Partition coefficient: n-

octanol/water

: log Pow: -0.3

Mobility in soil

No data available

Other adverse effects

No data available

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Resource Conservation and

Recovery Act (RCRA)

This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded

in its purchased form.

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

### **49 CFR**

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
n-Hexane	110-54-3	5000	*
Methanol	67-56-1	5000	*
Ethylenediamine	107-15-3	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No.	•	Calculated product RQ
		(lbs)	(lbs)
Ethylenediamine	107-15-3	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

# **STORM GUARD 920 WHITE**



Version Revision Date: SDS Number: Date of last issue: 07/05/2016 1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

## SAR A 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SAR A 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations** 

Pennsylvania Right To Know

Dimethyl siloxane, hydroxy-terminated 70131-67-8
Silicon dioxide 7631-86-9
Methyltri(ethylmethylketoxime)silane 22984-54-9

**California Prop. 65** WARNING: This product contains a chemical known in the

State of California to cause birth defects or other reproductive

harm.

Methanol 67-56-1

**California List of Hazardous Substances** 

Silicon dioxide 7631-86-9

California Permissible Exposure Limits for Chemical Contaminants

Silicon dioxide 7631-86-9

The ingredients of this product are reported in the following inventories:

TSCA : All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

AICS : All ingredients listed or exempt.

IECSC : All ingredients listed or exempt.

PICCS : All ingredients listed or exempt.

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

REACH : For purchases from Dow Corning EU legal entities, all

ingredients are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses. For purchases from non-EU Dow Corning legal entities with the

intention to export into EEA please contact your DC

representative/local office.

TCSI : All ingredients listed or exempt.

# **STORM GUARD 920 WHITE**




Version Revision Date: SDS Number: Date of last issue: 07/05/2016
1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Ko-

# STORM GUARD 920 WHITE



Version Revision Date: SDS Number: Date of last issue: 07/05/2016
1.1 11/13/2016 4146690-00002 Date of first issue: 07/05/2016

rea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR -No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 11/13/2016

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8