



Pony Testing International Group

Report No.: MMIYAHDW35983716

# MSDS Report

Sample Description  
& Model

3V Lithium Manganese Button Battery CR2032

Applicant

Dongguan Dongzan Lithium Energy Technology Co.,Ltd./  
Multire Warditd Lithium Power Technology Ltd.(Dongguan)

Address

Tingshan Industrial Park,Houjie Town,Dongguan City,China

No.: MMIYAHDW35983716

Code: fbebx390r





## Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.7 (GHS)

### Section 1 - Chemical Product and Company Identification

**Chemical product identification****Sample Description:** 3V Lithium Manganese Button Battery**Sample Model:** CR2032**Recommended Uses:** N/A**Restrictions on use:** N/A**Supplier name:** Dongguan Dongzan Lithium Energy Technology Co.,Ltd./

Multire Warditd Lithium Power Technology Ltd.(Dongguan)

**Address:** Tingshan Industrial Park,Houjie Town,Dongguan City,China**Phone number:** 076985880399**FAX:** 076985839503**E-mail:** 2880142511@qq.com**Emergency phone number:** 076985880399

### Section 2 - Hazards Identification

**Emergency overview:** This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

**CAS# 1313-13-9****Classification according to GHS**

Germ cell mutagenicity (2)

Specific target organ toxicity, repeated exposure (1) (respiratory system, nervous system)

**Label elements****Hazard pictogram(s):****Signal word:**

Danger

**Hazard statement(s):**

H341 Suspected of causing genetic defects





H372 Causes damage to organs through prolonged or repeated exposure (respiratory system, nervous system, cardiovascular system)

### Precautionary statement(s):

#### Prevention:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves, protective clothing, eye protection and face protection.
- P260 Do not breathe dust, fume.
- P264 Wash skin and clothing thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.

#### Response:

- P308 + P313 IF exposed or concerned: Get medical advice.
- P314 Get medical advice if you feel unwell.

#### Storage

- P405 Store locked up.

#### Disposal:

- P501 Contents handling to approved waste treatment plants.

### CAS# 7439-93-2

#### Classification according to GHS

Substances and mixtures, which in contact with water, emit flammable gases (1)

Skin corrosion/irritation (1A-1C)

Serious eye damage/eye irritation (1)

Specific target organ toxicity, single exposure (2) (respiratory system)

#### Label elements

Hazard pictogram(s):



Signal word: Danger

#### Hazard statement(s):

- H260 In contact with water releases flammable gases which may ignite spontaneously
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H371 May cause damage to organs(respiratory system)

### Precautionary statement(s):

#### Prevention:

- P223 Do not allow contact with water.





Pony Testing International Group

P231 + P232 Handle and store contents under inert gas, Protect from moisture.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P260 Do not breathe dusts or mists.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

#### Response:

P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin and immerse in cool water.

P370 + P378 In case of fire: Use the appropriate media put out the fire.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER.

P321 Specific treatment (See additional emergency instructions).

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

P402 + P404 Store in a dry place. Store in a closed container.

P405 Store locked up.

#### Disposal:

P501 Contents handling to approved waste treatment plants.

#### CAS# 108-32-7

#### Classification according to GHS

Serious eye damage/eye irritation (2A)

#### Label elements

Hazard pictogram(s):



Signal word:

Warning

Hazard statement(s):

H319 Causes serious eye irritation

Precautionary statement(s):

Prevention:

P264 Wash skin and clothing thoroughly after handling.





Pony Testing International Group

P280 Wear eye protection and face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

**Storage**

None

**Disposal:**

None

**CAS# 646-06-0**
**Classification according to GHS**

Flammable liquids (2)

Acute toxicity, oral (5)

Skin corrosion/irritation (3)

Serious eye damage/eye irritation (2A)

Germ cell mutagenicity (2)

Reproductive toxicity (2)

**Label elements**

Hazard pictogram(s):



Signal word: Danger

**Hazard statement(s):**

H225 Highly flammable liquid and vapour

H303 May be harmful if swallowed

H316 Causes mild skin irritation

H319 Causes serious eye irritation

H341 Suspected of causing genetic defects

H361 Suspected of damaging fertility or the unborn child

**Precautionary statement(s):**
**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.





Pony Testing International Group

- P241 Use explosion-proof equipment.
- P242 Use non-sparking tools.
- P243 Take action to prevent static discharges.
- P280 Wear protective gloves, protective clothing, eye protection and face protection.
- P264 Wash skin and clothing thoroughly after handling.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.

**Response:**

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
Rinse skin with water.
- P370 + P378 In case of fire: Use the appropriate media put out the fire.
- P312 Call a POISON CENTER or doctor, if you feel unwell.
- P332 + P313 If skin irritation occurs: Get medical advice.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice.
- P308 + P313 IF exposed or concerned: Get medical advice.

**Storage**

- P403 + P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

**Disposal:**

- P501 Contents handling to approved waste treatment plants.

**Other hazards**

**Physical and chemical hazards:** See Section 10

**Human health hazards:** See Section 11

**Environmental hazards:** See Section 12

## Section 3 – Composition/Information on Ingredients

**Chemical characterization:** Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Manganese dioxide	1313-13-9	215-202-6	41.1
Lithium	7439-93-2	231-102-5	2.31
Iron	7439-89-6	231-096-4	45.23





1,2-Propanediolcyclic carbonate	108-32-7	203-572-1	3.8
1,3-Dioxolane	646-06-0	211-463-5	3.7
Lithium Perchlorate	7791-03-9	232-237-2	3.8

## Section 4 - First Aid Measures

### Description of first aid measures

**General information** No special measures required.

#### After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

#### After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

#### After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

#### After swallowing

Do not induce vomiting. Get medical attention.

**Personal protective equipment for first-aid responders:** No data available.

**Most important symptoms/effects, acute and delayed:** No data available.

**Indication of immediate medical attention and special treatment needed:** No data available.

## Section 5 - Fire Fighting Measures

### Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry chemical, soda ash, lime or sand.

### Unsuitable extinguishing media:

Water or foam.

### Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Produce flammable gases on contact with water. May ignite on contact with water





Pony Testing International Group

or moist air. Some react vigorously or explosively on contact with water. May be ignited by heat, sparks or flames. May re-ignite after fire is extinguished. Runoff may create fire or explosion hazard.

**Specific protective actions for fire-fighters:**

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

## Section 6 - Accidental Release Measures

**Personal precautions:**

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

**Protective equipment:**

No data available.

**Emergency procedures:**

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

**Environmental precautions:**

Do not allow material to be released to the environment without proper governmental permits.

**Methods and materials for containment and cleaning up:**

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7 - Handling and Storage

**Precautions for safe handling:**

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

**Information about fire and explosion protection**

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

**Conditions for safe storage, including any incompatibilities:**

**Requirements to be met by storerooms and receptacles**

Store in a cool, dry, well-ventilated place.





### Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

### Further information about storage conditions

Keep container tightly sealed.

### Specific and use

No data available.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

CAS No.	ACGIH	NIOSH	OSHA
1313-13-9	N/A	N/A	N/A
7439-93-2	N/A	N/A	N/A
7439-89-6	N/A	N/A	N/A
108-32-7	N/A	N/A	N/A
646-06-0	N/A	N/A	N/A
7791-03-9	N/A	N/A	N/A

### Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

### Personal Protective Equipment

**Respiratory protection:** Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

**Hand Protection:** Wear appropriate protective gloves to reduce skin contact.

**Eyes Protection:** Wear safety goggles or eye protection combined with respiratory protection.

**Skin and Body Protection:** Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

## Section 9 - Physical and Chemical Properties




**Information on basic physical and chemical properties**

Colour:	Silver.
Physical State:	Button.
Odour:	Not available.
Odour threshold:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Evaporation rate:	Not available.
Flammability (solid, gas):	Not available.
Explosion Limits (vol% in air):	Not available.
Vapour pressure, kPa at 20°C:	Not available.
Vapor density:	Not available.
Density/Relative density (water = 1):	Not available.
Solubility(ies):	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
Other information:	
Voltage	3 V
Electric capacity	210mAh
Lithium metal content	0.058g

**Section 10 - Stability and Reactivity**

**Reactivity:** No data available.

**Chemical stability:** Stable.

**Possibility of hazardous reactions:** No data available.

**Conditions to Avoid:** Flames, sparks, and other sources of ignition, incompatible materials.

**Incompatibilities materials:** Oxidizing agents, acid, base.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide, lithium oxide fumes.





## Section 11 - Toxicological Information

### Acute Toxicity:

CAS No.	LC50/LD50
1313-13-9	No data available.
7439-93-2	No data available.
7439-89-6	No data available.
108-32-7	LD50 Rat (oral): $\geq 29000$ mg/kg; LD50 Rabbit (Dermal): $> 20000$ mg/kg
646-06-0	LD50 Rat (oral): 3000mg/kg, LD50 Rabbit (Dermal): 9074mg/kg
7791-03-9	No data available.

**Skin corrosion/irritation:** No data available.

**Serious eye damage/irritation:** No data available.

**Respiratory or Skin sensitization:** No data available.

**Germ Cell mutagenicity:** No data available.

**Carcinogenicity:** No data available.

**Reproductive toxicity:** No data available.

**Specific target organ toxicity-Single exposure:** No data available.

**Specific target organ toxicity-Repeated exposure:** No data available.

**Aspiration hazard:** No data available.

**Information on the likely routes of exposure:** No data available.

**Eye:** No data available.

**Skin:** No data available.

**Ingestion:** No data available.

**Inhalation:** No data available.

## Section 12 - Ecological Information

### Ecological Toxicity:

CAS# 108-32-7

LC50:  $> 1000$  mg/L- Fish (Carp)-96h;

EC50:  $> 1000$  mg/L- Crustaceans (Daphnia magna)-48h;

EC50:  $> 900$  mg/L- Algae (Scenedesmus subspicatus) -72h

CAS# 646-06-0

EC50: 6950000mg/L-Crustacea (Daphnia magna)-48h





**Persistence and degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other adverse effects:** No data available.

## Section 13 - Disposal Considerations

**Disposal methods:**

**Recommendation:**

Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

## Section 14 - Transport Information

<b>UN Number</b>	
IATA	UN3090
IMDG	UN3090
<b>UN Proper shipping name</b>	
IATA	Lithium metal batteries
IMDG	LITHIUM METAL BATTERIES
<b>Transport hazard class(es)</b>	
IATA	9
IMDG	9
<b>Packing group</b>	
IATA	N/A
IMDG	N/A
<b>Packaging Sign</b>	
IATA	N/A
IMDG	N/A
<b>Environmental hazards</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	No information available.

**Transport information:** The 3V Lithium Manganese Button Battery CR2032 has passed the test UN38.3, according to the report ID: MLIDCMXU77392521.





Pony Testing International Group

According to the Packing Instruction 968 section II of IATA DGR 59<sup>th</sup> Edition for transportation, Cargo aircraft only.

According to the special provision 188 of IMDG (38-16). The goods are not subject to other provision of this code.

Separate batteries to prevent short-circuiting. and they should be packed in strong package during transport. Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions. Keep away from high temperature and open flames.

**Transport Fashion:** By air, by sea.

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
1313-13-9	Listed	Listed	Listed DSL	Listed
7439-93-2	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed
108-32-7	Listed	Listed	Listed DSL	Listed
646-06-0	Listed	Listed	Listed DSL	Listed
7791-03-9	Listed	Listed	Listed DSL	Listed

### Section 16 - Other Information

Issue Time: 2018-01-16

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain





Pony Testing International Group

hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);

PC-TWA: (Permissible concentration-short time exposure limit);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

\*\*\*End of report\*\*\*