



FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

**PRODUCT NAME: HTH 6-WAY TEST KIT - PHENOL RED SOLUTION**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Arch Chemicals, Inc.</b> 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004	REVISION DATE:	06/17/2015
	SUPERCEDES:	01/12/2004
	MSDS Number:	000000023416
	SYNONYMS:	None
	CHEMICAL FAMILY:	Aqueous solution
	DESCRIPTION / USE	Water Testing Applications
	FORMULA:	NOT APPLICABLE/MIXTURE

## **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture according to US Regulation 29 CFR 1910.1200 (HazCom2012).

### **GHS Label element**

Not a hazardous substance or mixture according to US Regulation 29 CFR 1910.1200 (HazCom2012). Based on available data, the classification criteria are not met. Handle in accordance with good industrial hygiene and safety practice.

Precautionary statements

**Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P280 Wear protective gloves/ protective clothing/ eye protection/  
face protection.  
P270 Do not eat, drink or smoke when using this product.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

**Storage:**

P410 + P403 Protect from sunlight. Store in a well-ventilated place.  
P402 + P404 Store in a dry place. Store in a closed container.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.



**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Phenol Red	143-74-8	0 - 1
Sodium hydroxide	1310-73-2	0 - 1
Water	7732-18-5	98 - 100

---

**SECTION 4. FIRST AID MEASURES**

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation develops.
Ingestion:	IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

---

**SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

Flammable Properties

Flash Point:	Not applicable
Autoignition Temperature:	Not applicable
Fire / Explosion Hazards:	Material will not ignite or burn.
Extinguishing Media:	Choose extinguishing media suitable for surrounding materials.
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Hazardous Combustion Products:	Carbon monoxide, Carbon dioxide, Oxides of sulfur
Upper Flammable / Explosive Limit, % in air:	Not applicable
Lower Flammable / Explosive Limit, % in air:	Not applicable



---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release:

Contain all liquids for treatment or disposal.

Water Release:

This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquids for treatment or disposal.

Land Release:

Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Contain all liquids for treatment or disposal.

Additional Spill Information :

Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling: Do not take internally. Avoid contact with skin, eyes and clothing by wearing proper protective equipment. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.

Storage: Store in a cool, dry and well ventilated place. Do not expose to direct light.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

Do Not Store At temperatures Above: Ambient is satisfactory.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Not normally required. If spraying or misting occurs use a NIOSH approved respirator.

Respirator Type : Wear a NIOSH approved N95 respirator.

Skin Protection : Wear impervious gloves to avoid skin contact.

Eye Protection: Use safety glasses with side shields.

Protective Clothing Type: Impervious

### **Components with workplace control parameters**



Components (CAS-No.)	Value	Control parameters	Basis (Update)
Sodium hydroxide (1310-73-2)		2 mg/m3	ACGIH (02 2014)

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	clear
Color:	Red, orange
Odor:	Sulfidic
Molecular Weight:	Not applicable/Mixture
pH :	7.6 (@ 25 Deg. C)
Boiling Point:	212 °F (100 °C)
Melting point/freezing point	No data
Density:	1.0000g/cc
Vapor Pressure:	17.00000000 mmHg
Vapor Density:	0.6000 (Air=1)
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	Soluble
Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	LONZA-S10000000007700 1.00
Oxidizing:	No data
Volatiles, % by vol.:	98.000%
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	No data

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization.
Conditions to Avoid:	High temperatures
Chemical Incompatibility:	water reactive materials
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide, Oxides of sulfur
Decomposition Temperature:	No data

## SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology  
Oral LD50 value:

HTH 6-WAY TEST KIT

REVISION DATE : 06/17/2015

Page 4 of 63



Phenol Red                      LD50 > 600.0 mg/kg    Rat  
Sodium hydroxide              LD50 Believed to be 300 - 500 mg/kg    Rat

Component Animal Toxicology

Dermal LD50 value:

Phenol Red                      No data  
Sodium hydroxide              no data available

Component Animal Toxicology

Inhalation LC50 value:

Phenol Red                      No data  
Sodium hydroxide              No data

Product Animal Toxicity

Oral LD50 value:              LD50 Believed to be > 5,000 mg/kg    Rat  
Dermal LD50 value:            LD50 Believed to be > 2,000 mg/kg    Rabbit  
Inhalation LC50  
value:                              No data

Skin Irritation:                      Contact would be expected to cause transient redness if not washed off and left on the skin for an extended period of time., Not considered to be a primary skin irritant.

Eye Irritation:                      Contact would be expected to cause transient redness if not washed out and left in the eye for an extended period of time., Not considered to be a primary eye irritant.

Skin Sensitization:                      This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity:                      There are no known or reported target organ effects from acute exposure.  
Subchronic / Chronic Toxicity:                      Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity:                      Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity:                      Not known or reported to be mutagenic.

Phenol Red                              This product was determined to be mutagenic in the Ames assay. It was also tested in the EPA Genetox program using the Bacillus subtilis rec-assay (bacterial DNA repair). The results of this assay were inconclusive.

Sodium hydroxide                      This chemical has been shown to be non-mutagenic based on a battery of assays.

Carcinogenicity:                      This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Sodium hydroxide                      This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.



---

## SECTION 12. ECOLOGICAL INFORMATION

Overview: No data for product. Individual constituents are as follows:

Ecological Toxicity Values for: Sodium hydroxide

	Mosquito fish	-	96 h LC50 = 125 mg/l
Bluegill		-	48 h LC50 = 99 mg/l

---

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

Disposal Methods : As a nonhazardous waste, it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : Not applicable

---

## SECTION 14. TRANSPORT INFORMATION

**DOT**

Not dangerous goods

**TDG**

Not dangerous goods

**IATA**

Not dangerous goods



**IMDG-CODE**

Not dangerous goods

---

## **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium hydroxide 1310-73-2

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium hydroxide 1310-73-2



This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

Sodium hydroxide 1310-73-2

**Pennsylvania Right To Know**

Sodium hydroxide 1310-73-2

**New Jersey Right To Know**

Sodium hydroxide 1310-73-2  
Phenol red 143-74-8

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: 4  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .





PRODUCT NAME: **HTH 6-WAY TEST KIT - OTO SOLUTION**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

REVISION DATE: 06/17/2015  
SUPERCEDES: 03/01/2012

MSDS Number: 000000023415  
SYNONYMS: None  
CHEMICAL FAMILY: Aqueous solution  
DESCRIPTION / USE: Water Testing Applications  
FORMULA: NOT APPLICABLE/MIXTURE

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Acute toxicity (Oral) : Category 4  
Carcinogenicity : Category 1B  
Serious eye damage : Category 1  
Skin corrosion/irritation : Category 1  
Specific target organ toxicity -  
single exposure : Category 3

### GHS Label element

Hazard pictograms : 

Signal word : Danger

Hazard statements : H350 May cause cancer.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
and understood.  
P260 Do not breathe vapours.  
P271 Use only outdoors or in a well-ventilated area.  
P264 Wash skin thoroughly after handling.



P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P270 Do not eat, drink or smoke when using this product.

P234 Keep only in original container.

**Response:**

P390 Absorb spillage to prevent material damage.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P311 Call a POISON CENTER or doctor/ physician.

P303 IF ON SKIN (or hair):

P362 + P364 Take off contaminated clothing and wash it before reuse.

P353 Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
HYDROCHLORIC ACID	7647-01-0	0 - 10
Orthotolidine dihydrochloride	612-82-8	0 - 1
Water	7732-18-5	89 - 100

---

**SECTION 4. FIRST AID MEASURES**



Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.

Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

### Flammable Properties

Flash Point: Not applicable

Autoignition Temperature: Not applicable

Fire / Explosion Hazards: Material will not ignite or burn. Reacts with most metals to form flammable hydrogen gas.

Extinguishing Media: Not Applicable. - Choose extinguishing media suitable for surrounding materials.

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water to cool containers.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Upper Flammable / Explosive Limit, % in air: Not applicable

Lower Flammable / Explosive Limit, % in air: Not applicable

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release: Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.

Water Release: This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.



Land Release: Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.

Additional Spill Information : Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

## SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.

Storage: Store in a cool, dry and well ventilated place. Do not expose to direct light.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."  
Do Not Store At temperatures Above: Ambient is satisfactory.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible. A NIOSH approved full-face or half-face respirator in combination with chemical goggles.

Respirator Type : A NIOSH approved full-face air purifying respirator with acid gas cartridge. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves to avoid skin contact.

Eye Protection: Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type: Butyl rubber, Neoprene, Viton™

### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
HYDROCHLORIC ACID (7647-01-0)		2 ppm	ACGIH (02 2014)



---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	clear
Color:	Slight yellow
Odor:	None
Molecular Weight:	Not applicable/Mixture
pH :	< 1.0
Boiling Point:	212 °F (100 °C )
Melting point/freezing point	No data
Density:	1.0000 - 1.0300g/cc
Vapor Pressure:	17.00000000 mmHg Approximately (@ 25 Deg. C)
Vapor Density:	0.6000
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	Soluble
Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	No data
Oxidizing:	No data
Volatiles, % by vol.:	99.000%
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	No data

---

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization.
Conditions to Avoid:	High temperatures
Chemical Incompatibility:	Strong oxidizing agents, alkalis, metals, cyanides, sulfides, water reactive materials
Hazardous Decomposition Products:	After loss of water., Carbon monoxide, Carbon dioxide, Oxides of nitrogen, Chlorine, Hydrogen chloride
Decomposition Temperature:	No data

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

HYDROCHLORIC ACID LD50 900 mg/kg Rabbit



Component Animal Toxicology

Dermal LD50 value:

HYDROCHLORIC ACID No data

Component Animal Toxicology

Inhalation LC50 value:

HYDROCHLORIC ACID Inhalation LC50 1 h 3124 ppm Rat

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be approximately 3,000 mg/kg Rabbit

Dermal LD50 value: No data

Inhalation LC50 No data

value:

Skin Irritation: This material is expected to be corrosive.

Eye Irritation: This material is expected to be corrosive.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Not known or reported to be mutagenic.

HYDROCHLORIC ACID This chemical has been shown to be non-mutagenic based on a battery of assays.

Orthotolidine dihydrochloride This product has been tested for mutagenicity. Tests revealed both positive and negative results.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. However, based on the orthotolidine dihydrochloride content and structurally related compounds which have been found to cause cancer in laboratory animals and are classified as possible human carcinogens, this product should also be considered to be a possible human carcinogen. Caution should be used when handling this product and exposures should be minimized.

HYDROCHLORIC ACID The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

Orthotolidine dihydrochloride Orthotolidine dihydrochloride has been evaluated for carcinogenicity by NTP. In drinking water studies, o-tolidine dihydrochloride gave clear evidence for carcinogenicity in both male and female rats and in male mice. o-Tolidine, a structurally related compound, is classified by IARC as a 2B Carcinogen (possibly carcinogenic to humans), by NTP as a Group 2 Carcinogen (reasonably anticipated to be a carcinogen-



sufficient evidence from studies in experimental animals), by ACGIH as an A2 Carcinogen (suspected human carcinogen), and by NIOSH as a carcinogen defined with no further categorization.

## SECTION 12. ECOLOGICAL INFORMATION

Overview: No data for product. Individual constituents are as follows:

### Ecological Toxicity Values for: HYDROCHLORIC ACID

	Mosquito fish	-	96 h LC50 = 282 mg/l
Bluegill		-	48 h LC50 = 3.6 mg/l
Pimephales promelas (fathead minnow)		-	96 h LC50 = 21.9 mg/l
	Common shrimp (Crangon crangon)	-	(nominal, renewal). 48 h LC50= 260 mg/l
Daphnia magna,		-	48 h EC50= 0.492 mg/l

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.

Disposal Methods : As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D002

## SECTION 14. TRANSPORT INFORMATION

### DOT

UN number : 3264  
Description of the goods : Corrosive liquid, acidic, inorganic, n.o.s.



Class : (hydrochloric acid)  
 : 8  
 Packing group : III  
 Labels : 8  
 Emergency Response : 154  
 Guidebook Number

**TDG**

UN number : 3264  
 Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
 (hydrochloric acid)  
 Class : 8  
 Packing group : III  
 Labels : 8

**IATA**

UN number : 3264  
 Description of the goods : Corrosive liquid, acidic, inorganic, n.o.s.  
 (hydrochloric acid)  
 Class : 8  
 Packing group : III  
 Labels : 8  
 Packing instruction (cargo aircraft) : 856  
 Packing instruction (passenger aircraft) : 852  
 Packing instruction (passenger aircraft) : Y841

**IMDG-CODE**

UN number : 3264  
 Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
 (hydrochloric acid)  
 Class : 8  
 Packing group : III  
 Labels : 8  
 EmS Number 1 : F-A  
 EmS Number 2 : S-B

**SECTION 15. REGULATORY INFORMATION**

**WHMIS Classification** : D2B: Toxic Material Causing Other Toxic Effects  
 D2A: Very Toxic Material Causing Other Toxic Effects

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
------------	---------	--------------------	-----------------------





			(lbs)
hydrochloric acid	7647-01-0	5000	

**SARA 302**

The following components are subject to reporting levels established by SARA Title III, Section 302:

hydrochloric acid 7647-01-0

**SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

hydrochloric acid 7647-01-0  
salts of o-tolidine 612-82-8

**Clean Air Act**

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

hydrochloric acid 7647-01-0  
salts of o-tolidine 612-82-8

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

hydrochloric acid 7647-01-0

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

hydrochloric acid 7647-01-0

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

hydrochloric acid 7647-01-0

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

hydrochloric acid 7647-01-0



**Pennsylvania Right To Know**

hydrochloric acid 7647-01-0

**New Jersey Right To Know**

hydrochloric acid 7647-01-0  
salts of o-tolidine 612-82-8

**California Prop 65**

WARNING! This product contains a chemical known to the State of California to cause cancer.

salts of o-tolidine 612-82-8

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: 14  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .



PRODUCT NAME: **HTH 6-WAY TEST KIT - HARDNESS INDICATOR**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

REVISION DATE: 06/17/2015  
SUPERCEDES: 03/26/2008

MSDS Number: 000000023520  
SYNONYMS: None  
CHEMICAL FAMILY: Not Applicable/Mixture  
DESCRIPTION / USE: Water Testing Applications  
FORMULA: NOT APPLICABLE/MIXTURE

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Flammable liquids : Category 2  
Eye irritation : Category 2  
Specific target organ toxicity -  
single exposure (Oral, Inhalation) : Category 3

### GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.



P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/  
face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Triethanolamine	102-71-6	77
ISOPROPYL ALCOHOL	67-63-0	23
Eriochrome black TA	1787-61-7	0 - 1.0



---

## SECTION 4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Flammable.

### Flammable Properties

Flash Point:	66 °F
Autoignition Temperature:	No data
Fire / Explosion Hazards:	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a flash fire. Vapors are heavier than air and may travel to a source of ignition and flash back.
Extinguishing Media:	Use alcohol foam, carbon dioxide, dry chemical or water spray when fighting fires.
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water to cool containers.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Upper Flammable / Explosive Limit, % in air:	12 %(V)
Lower Flammable / Explosive Limit, % in air:	2 %(V)

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release:	Contain all liquids for treatment or disposal.
Water Release:	This material is soluble in water. Notify all downstream users of possible contamination. Retain all contaminated water for removal and treatment. Contain all liquids for treatment or disposal.



Land Release: Create a dike or trench to contain materials. Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Contain all liquids for treatment or disposal.

Additional Spill Information : Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

## SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.

Storage: Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed. Avoid direct exposure to sunlight or ultraviolet (UV) light sources.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."  
Do Not Store At temperatures Above: Ambient is satisfactory.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Respirator Type : A NIOSH approved air purifying respirator with organic vapor cartridge and P95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves to avoid skin contact.

Eye Protection: Use safety glasses with side shields.

Protective Clothing Type: Butyl rubber

General Protective Measures: Emergency eyewash should be provided in the immediate work area.

### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Triethanolamine (102-71-6)	TWA	5 mg/m3	ACGIH (02 2014)



ISOPROPYL ALCOHOL (67-63-0)	TWA	200 ppm	ACGIH (02 2014)
	STEL	400 ppm	ACGIH (02 2014)

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	liquid
Form	liquid
Color:	Dark blue
Odor:	ammoniacal
Molecular Weight:	Not applicable/Mixture
pH :	10.3
Boiling Point:	500 °F (260 °C )
Melting point/freezing point	No data
Density:	No data
Vapor Pressure:	No data
Vapor Density:	2 (Air=1)
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	Soluble
Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	No data
Oxidizing:	No data
Volatiles, % by vol.:	No data
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	No data

**SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:	Stable under normal conditions. Static discharge may cause ignition at temperatures at or above the flash point. Not sensitive to mechanical shock. Product will not undergo hazardous polymerization.
Conditions to Avoid:	Sparks, open flame, other ignition sources, and elevated temperatures., Avoid direct exposure to sunlight or ultraviolet (UV) light sources.
Chemical Incompatibility:	Strong oxidizing agents
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide, Oxides of nitrogen
Decomposition Temperature:	No data



## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

Triethanolamine            LD50 = 7,390 mg/kg    Rat  
ISOPROPYL                LD50 = 5,045 mg/kg    Rat  
ALCOHOL

### Component Animal Toxicology

#### Dermal LD50 value:

Triethanolamine            LD50 > 2,000 mg/kg    Rabbit  
ISOPROPYL                LD50 = 13,000 mg/kg    Rabbit  
ALCOHOL

### Component Animal Toxicology

#### Inhalation LC50 value:

Triethanolamine            A saturated vapor concentration for 8 hours (rats) did not produce any deaths.  
  
ISOPROPYL                Inhalation LC50 8 h = 16000 ppm    Rat  
ALCOHOL

### Product Animal Toxicity

Oral LD50 value:    LD50 Believed to be > 5,000 mg/kg    Rat  
Dermal LD50 value:    LD50 Believed to be > 2,000 mg/kg    Rabbit  
Inhalation LC50 value:    No data

Skin Irritation:            May cause mild skin irritation.  
Eye Irritation:             May cause mild eye irritation.  
Skin Sensitization:        This material is not known or reported to be a skin or respiratory sensitizer.

Triethanolamine            This material tested negative for skin sensitization in animals.

Acute Toxicity:            May cause mild skin and eye irritation. Inhalation of mist/vapors may cause mild mucous membrane irritation (includes upper respiratory tract). Ingestion may cause gastrointestinal discomfort.

Subchronic / Chronic Toxicity:    Not known or reported to cause subchronic or chronic toxicity.

Triethanolamine            Animal studies suggest that chronic (repeated) overexposure may result in damage to the liver and kidney.

Reproductive and Developmental Toxicity:    Not known or reported to cause reproductive or developmental toxicity.

Triethanolamine            This product has been tested and was shown not to produce any adverse effects on reproductive function or





fetal development when administered to laboratory animals.

ISOPROPYL ALCOHOL

This material at concentrations above the occupational exposure limits has caused developmental effects in animals. However, these effects were observed only at those doses that resulted in maternal toxicity.

Mutagenicity: Not known or reported to be mutagenic.

Triethanolamine

This chemical has been shown to be non-mutagenic based on a battery of assays.

ISOPROPYL ALCOHOL

This material has been shown not to be mutagenic based on a battery of assays.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Triethanolamine

The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

ISOPROPYL ALCOHOL

The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

---

## SECTION 12. ECOLOGICAL INFORMATION

Overview: No data for product. Individual constituents are as follows:

### Ecological Toxicity Values for: Triethanolamine

Pimephales promelas (fathead minnow)	-	(measured, flow-through) 96 h LC50 = 11,800 mg/l
Daphnia magna,	-	(nominal, static). 24 h EC50= 1,850 mg/l
Common shrimp (Crangon crangon)	-	(nominal, renewal). 48 h LC50> 100 mg/l
Green algae (Scenedesmus subspicatus)	-	(nominal, static). 48 h EC50 = 750 mg/l

### Ecological Toxicity Values for: ISOPROPYL ALCOHOL

Bluegill	-	(nominal, static). 96 h LC50 > 1,400 mg/l
Pimephales promelas (fathead minnow)	-	(measured, flow-through) 96 h LC50 10,400 mg/l
Mosquito fish	-	(nominal, static). 96 h LC50 > 1,400 mg/l
Daphnia magna,	-	(nominal, static). 24 h EC50 9,714 mg/l
Common shrimp (Crangon crangon)	-	(nominal, renewal). 48 h LC50 1,400 mg/l



---

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.

Disposal Methods : As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D001

---

## SECTION 14. TRANSPORT INFORMATION

### DOT

UN number : 1993  
Description of the goods : Flammable liquids, n.o.s.  
(Isopropanol)  
Class : 3  
Packing group : II  
Labels : 3  
Emergency Response : 128  
Guidebook Number

### TDG

UN number : 1993  
Description of the goods : FLAMMABLE LIQUID, N.O.S.  
(Isopropanol)  
Class : 3  
Packing group : II  
Labels : 3

### IATA

UN number : 1993  
Description of the goods : Flammable liquid, n.o.s.  
(Isopropanol)  
Class : 3  
Packing group : II

---



Labels : 3  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353  
Packing instruction (passenger aircraft) : Y341

**IMDG-CODE**

UN number : 1993  
Description of the goods : FLAMMABLE LIQUID, N.O.S.  
(Isopropanol)  
Class : 3  
Packing group : II  
Labels : 3  
EmS Number 1 : F-E  
EmS Number 2 : S-E

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act



This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### US State Regulations

#### Massachusetts Right To Know

2,2',2''-Nitrilotriethanol	102-71-6
Isopropanol	67-63-0

#### Pennsylvania Right To Know

2,2',2''-Nitrilotriethanol	102-71-6
Isopropanol	67-63-0

#### New Jersey Right To Know

2,2',2''-Nitrilotriethanol	102-71-6
Isopropanol	67-63-0
Eriochrome black TA	1787-61-7

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

## SECTION 16. OTHER INFORMATION

SECTIONS REVISED: 15  
Major References : Available upon request.



**Arch  
Chemicals,  
Inc.**

## SAFETY DATA SHEET

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .



PRODUCT NAME: **HTH 6-WAY TEST KIT - HARDNESS TITRANT**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

REVISION DATE: 06/17/2015  
SUPERCEDES: 01/13/2004

MSDS Number: 000000023531  
SYNONYMS: None  
CHEMICAL FAMILY: Not Applicable/Mixture  
DESCRIPTION / USE: Water Testing Applications  
FORMULA: NOT APPLICABLE MIXTURE

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin irritation : Category 2

Eye irritation : Category 2

### GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
**Storage:**



P402 + P404 Store in a dry place. Store in a closed container.  
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**Other hazards**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
EDTA	60-00-4	0.1 - 5
Water	7732-18-5	95 - 99

---

### SECTION 4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation develops.
Ingestion:	IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

---

### SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

Flammable Properties

Flash Point:	Not applicable
Autoignition Temperature:	Not applicable
Fire / Explosion Hazards:	This material is not expected to burn unless all the water is boiled away. The remaining compounds may be ignitable.
Extinguishing Media:	Use dry chemical, water fog, carbon dioxide (CO <sub>2</sub> ), or foam.



Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Upper Flammable / Explosive Limit, % in air: Not applicable

Lower Flammable / Explosive Limit, % in air: Not applicable

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release:

Contain all liquids for treatment or disposal.

Water Release:

This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquids for treatment or disposal.

Land Release:

Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container.

Additional Spill Information :

Contain all liquids for treatment or disposal.

Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

---

## SECTION 7. HANDLING AND STORAGE

Handling:

Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.

Storage:

Store in a cool, dry and well ventilated place. Avoid direct exposure to sunlight.

Incompatible Materials for Storage:

Refer to Section 10, "Incompatible Materials."

Do Not Store At temperatures

Ambient is satisfactory.

Above:





---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Respiratory protection not normally needed. If spraying or misting occurs use a NIOSH approved respirator.  
Respirator Type : Wear a NIOSH approved N95 respirator.  
Skin Protection : Wear impervious gloves to avoid skin contact.  
Eye Protection: Use safety glasses with side shields.  
Protective Clothing Type: Impervious

### **Components with workplace control parameters**

no data available

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	clear
Color:	Colorless
Odor:	None
Molecular Weight:	Not applicable/Mixture
pH :	8.1
Boiling Point:	212 °F (100 °C )
Melting point/freezing point	No data
Density:	No data
Vapor Pressure:	No data
Vapor Density:	0.6
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	Soluble
Partition coefficient n-octanol/water:	No data
Evaporation Rate:	No data
Oxidizing:	No data
Volatiles, % by vol.:	> 93%
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	No data

---

## SECTION 10. STABILITY AND REACTIVITY



Stability and Reactivity Summary: Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization.

Conditions to Avoid: High temperatures

Chemical Incompatibility: Strong oxidizing agents

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen

Decomposition Temperature: No data

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

EDTA LD50 > 2,000 mg/kg Rat

### Component Animal Toxicology

#### Dermal LD50 value:

EDTA no data available

### Component Animal Toxicology

#### Inhalation LC50 value:

EDTA no data available

### Product Animal Toxicity

Oral LD50 value: LD50 Believed to be > 5,000 mg/kg Rat

Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg Rabbit

Inhalation LC50 No data

#### value:

Skin Irritation: Contact would be expected to cause transient redness if not washed off and left on the skin for an extended period of time., Not considered to be a primary skin irritant.

Eye Irritation: Contact would be expected to cause transient redness if not washed out and left in the eye for an extended period of time., Not considered to be a primary eye irritant.

Acute Toxicity: There are no known or reported target organ effects from acute exposure.

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Not known or reported to be mutagenic.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.



---

## **SECTION 12. ECOLOGICAL INFORMATION**

Overview: No data for product. Individual constituents are as follows:

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it will be a nonhazardous waste according to U.S. RCRA regulations. Dispose of in accordance with all Local, State, Federal, and Provincial Environmental Regulations.

Disposal Methods : As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : Not applicable

---

## **SECTION 14. TRANSPORT INFORMATION**

**DOT**  
Not dangerous goods

**TDG**  
Not dangerous goods

**IATA**  
Not dangerous goods

**IMDG-CODE**  
Not dangerous goods

---

## **SECTION 15. REGULATORY INFORMATION**



**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Edetic acid	60-00-4	5000	

**SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Edetic acid 60-00-4

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Edetic acid 60-00-4

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

Edetic acid 60-00-4

**Pennsylvania Right To Know**



**New Jersey Right To Know**  
Edetic acid 60-00-4

Edetic acid 60-00-4

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

## **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .



PRODUCT NAME: **HTH 6-WAY TEST KIT - ALKALINITY INDICATOR**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

REVISION DATE: 06/17/2015  
SUPERCEDES: 01/12/2004

MSDS Number: 000000023661  
SYNONYMS: None  
CHEMICAL FAMILY: Not Applicable/Mixture  
DESCRIPTION / USE: Water Testing Applications  
FORMULA: None established

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin irritation : Category 2

Eye irritation : Category 2

### GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
**Storage:**



P402 + P404 Store in a dry place. Store in a closed container.  
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**Other hazards**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Bromocresol green	76-60-8	0 - 1
2-[[4-(Dimethylamino)phenyl]azo]benzoic acid (methyl red)	493-52-7	0 - 1
Sodium carbonate	497-19-8	0 - 1
Sodium hydroxide	1310-73-2	0 - 1
Sodium Thiosulfate	7772-98-7	0 - 1
Water	7732-18-5	95 - 100

---

### SECTION 4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation develops.
Ingestion:	IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

---

### SECTION 5. FIREFIGHTING MEASURES



Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

Flammable Properties

Flash Point: Not applicable  
Autoignition Temperature: Not applicable  
Fire / Explosion Hazards: This material is not expected to burn unless all the water is boiled away. The remaining compounds may be ignitable.  
Extinguishing Media: Not Applicable. - Choose extinguishing media suitable for surrounding materials.  
Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.  
Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.  
Upper Flammable / Explosive Limit, % in air: Not applicable  
Lower Flammable / Explosive Limit, % in air: Not applicable

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release: Contain all liquids for treatment or disposal.  
Water Release: This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquids for treatment or disposal.  
Land Release: Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Contain all liquids for treatment or disposal.  
Additional Spill Information : Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

---

## SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.  
Storage: Store in a cool, dry and well ventilated place. Avoid direct exposure to sunlight.  
Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."





Do Not Store At temperatures Above: Ambient is satisfactory.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.

Protective Equipment for Routine Use of Product

Respiratory Protection : Respiratory protection not normally needed. If spraying or misting occurs use a NIOSH approved respirator.  
Respirator Type : Wear a NIOSH approved N95 respirator.  
Skin Protection : Wear impervious gloves to avoid skin contact.  
Eye Protection: Use safety glasses with side shields.  
Protective Clothing Type: Impervious

**Components with workplace control parameters**

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Sodium hydroxide (1310-73-2)		2 mg/m3	ACGIH (02 2014)

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: liquid  
Form: liquid  
Color: Dark Green  
Odor: None  
Molecular Weight: Not applicable/Mixture  
pH : 10  
Boiling Point: 212 °F (100 °C )  
Melting point/freezing point: No data  
Density: 1.0

Vapor Pressure: 17  
Vapor Density: No data  
Viscosity: No data  
Fat Solubility: No data  
Solubility in Water: Soluble  
Partition coefficient n-octanol/water: No data  
Evaporation Rate: No data  
Oxidizing: No data  
Volatiles, % by vol.: < 99%



VOC Content                      This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content                      No data

---

## **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:      Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization.

Conditions to Avoid:                      High temperatures

Chemical Incompatibility:                Strong oxidizing agents, acids

Hazardous Decomposition Products:    Carbon monoxide, Carbon dioxide, Sulfur oxides, Hydrogen sulfide

Decomposition Temperature:            No data

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### Component Animal Toxicology

#### Oral LD50 value:

Sodium carbonate                      LD50 = 4,090 mg/kg    Rat

Sodium hydroxide                      LD50 Believed to be 300 - 500 mg/kg    Rat

### Component Animal Toxicology

#### Dermal LD50 value:

Sodium carbonate                      LD50 Believed to be > 2,000 mg/kg    Rabbit

Sodium hydroxide                      no data available

### Component Animal Toxicology

#### Inhalation LC50 value:

Sodium carbonate                      LC50 1 h = 4.6 mg/l    Rat

Sodium hydroxide                      No data

### Product Animal Toxicity

Oral LD50 value:                      LD50 Believed to be > 5,000 mg/kg    Rat

Dermal LD50 value:                    LD50 Believed to be > 2,000 mg/kg    Rabbit

Inhalation LC50 value:                    No data

Skin Irritation:                      Contact would be expected to cause transient redness if not washed off and left on the skin for an extended period of time., Not considered to be a primary skin irritant.

Eye Irritation:                      Contact would be expected to cause transient redness if not washed out and left in the eye for an extended period of time., Not considered to be a primary eye irritant.



Acute Toxicity: There are no known or reported target organ effects from acute exposure.  
Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Sodium carbonate Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1/2 months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter weight gain was decreased and the lungs showed thickening of the intra-alveolar walls, hyperemia, and lymphoid infiltration., Repeated or prolonged skin contact with this product may cause dermatitis and blistering.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Sodium carbonate This chemical has been tested in laboratory animals and no evidence of teratogenicity was seen.

Mutagenicity: Not known or reported to be mutagenic.

Sodium carbonate This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non-clastogenic in the chromosomal aberration test.

Sodium hydroxide This chemical has been shown to be non-mutagenic based on a battery of assays.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

2-[[4-(Dimethylamino)phenyl]azo]benzoic acid (methyl red) The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

Sodium hydroxide This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

---

## SECTION 12. ECOLOGICAL INFORMATION

Overview: No data for product. Individual constituents are as follows:

### Ecological Toxicity Values for: Sodium carbonate

- Pimephales promelas (fathead minnow) - (nominal, static). 96 h LC50 < 850 mg/l
- Bluegill - (nominal, static). 96 h LC50 = 320 mg/l
- Mosquito fish - (nominal, static). 96 h LC50 = 740 mg/l
- Daphnia magna, - (nominal, static). 48 h LC50= 265 mg/l
- Ceriodaphnia dubia - (nominal) 48 h EC50= 199.82 mg/l



Navicula seminulum (diatom) - (nominal, static). 96 h EC50 = 242 mg/l

Ecological Toxicity Values for: Sodium hydroxide

Bluegill Mosquito fish - 96 h LC50 = 125 mg/l  
- 48 h LC50 = 99 mg/l

---

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it will be a nonhazardous waste.

Disposal Methods : As a nonhazardous waste, it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : Not applicable

---

## SECTION 14. TRANSPORT INFORMATION

**DOT**

Not dangerous goods

**TDG**

Not dangerous goods

**IATA**

Not dangerous goods

**IMDG-CODE**

Not dangerous goods

---

## SECTION 15. REGULATORY INFORMATION

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

---

HTH 6-WAY TEST KIT

REVISION DATE : 06/17/2015

Page 44 of 63



Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	

**SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium hydroxide 1310-73-2

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium hydroxide 1310-73-2

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

Sodium hydroxide 1310-73-2

**Pennsylvania Right To Know**

Sodium hydroxide 1310-73-2

**New Jersey Right To Know**



Sodium hydroxide 1310-73-2  
2-(4- 493-52-7  
Dimethylaminophenylazo)benzoic acid

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .



PRODUCT NAME: **HTH 6-WAY TEST KIT - ALKALINITY TITRANT**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

REVISION DATE: 06/17/2015  
SUPERCEDES: 01/12/2004

MSDS Number: 000000023662  
SYNONYMS: None  
CHEMICAL FAMILY: Not Applicable/Mixture  
DESCRIPTION / USE: Water Testing Applications  
FORMULA: None established

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin irritation : Category 2

Eye irritation : Category 2

### GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
**Storage:**



P402 + P404 Store in a dry place. Store in a closed container.  
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**Other hazards**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
SULFURIC ACID	7664-93-9	0.1 - 5
Water	7732-18-5	95 - 99

---

### SECTION 4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

---

### SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

Flammable Properties

Flash Point:	Not applicable
Autoignition Temperature:	Not applicable
Fire / Explosion Hazards:	Material will not ignite or burn. Reacts with most metals to form flammable hydrogen gas.





Extinguishing Media: Not Applicable. - Choose extinguishing media suitable for surrounding materials.

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water to cool containers.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Upper Flammable / Explosive Limit, % in air: Not applicable

Lower Flammable / Explosive Limit, % in air: Not applicable

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release:

Contain all liquids for treatment or disposal.

Water Release:

This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so.

Land Release:

Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Contain all liquids for treatment or disposal.

Additional Spill Information :

Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

---

## SECTION 7. HANDLING AND STORAGE

Handling:

Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.

Storage:

Store in a cool, dry and well ventilated place. Avoid direct exposure to sunlight.

Incompatible Materials for Storage:

Refer to Section 10, "Incompatible Materials."

Do Not Store At temperatures

Ambient is satisfactory.

Above:



## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Respiratory protection not normally needed. If spraying or misting occurs use a NIOSH approved respirator.

Respirator Type : NIOSH approved full-face air purifying respirator with an N95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves to avoid skin contact.

Eye Protection: Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type: Butyl rubber, Neoprene, Viton<sup>TM</sup>, Natural rubber

### **Components with workplace control parameters**

Components (CAS-No.)	Value	Control parameters	Basis (Update)
SULFURIC ACID (7664-93-9)	TWA	0.2 mg/m <sup>3</sup>	ACGIH (02 2014)

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid  
Form: clear  
Color: Colorless  
Odor: None  
Molecular Weight: Not applicable/Mixture  
pH : 1.3  
Boiling Point: 212 °F (100 °C )  
Melting point/freezing point: No data  
Density: 1.0g/cc

Vapor Pressure: 17 mmHg  
Vapor Density: 0.6  
Viscosity: No data  
Fat Solubility: No data  
Solubility in Water: Soluble  
Partition coefficient n-octanol/water: Not applicable  
Evaporation Rate: No data  
Oxidizing: No data  
Volatiles, % by vol.: > 99.0



VOC Content                      This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content                      No data

---

## **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:      Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization.

Conditions to Avoid:                      High temperatures, Avoid direct exposure to sunlight or ultraviolet (UV) light sources.

Chemical Incompatibility:                Metals, strong alkalis

Hazardous Decomposition Products:    Oxides of sulfur

Decomposition Temperature:            No data

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### Component Animal Toxicology

#### Oral LD50 value:

SULFURIC ACID                      LD50 = 2,140 mg/kg    Rat

### Component Animal Toxicology

#### Dermal LD50 value:

SULFURIC ACID                      LD50 > 2,000 mg/kg    Rabbit

### Component Animal Toxicology

#### Inhalation LC50 value:

SULFURIC ACID                      LC50 1 h (aerosol) =    1.02 mg/l    Rat

### Product Animal Toxicity

Oral LD50 value:                      LD50 Believed to be > 5,000 mg/kg    Rat

Dermal LD50 value:                    LD50 Believed to be > 2,000 mg/kg    Rabbit

Inhalation LC50 value:                LC50 1 h Believed to be > 100 mg/l    Rat

Skin Irritation:                      This material is expected to be moderately irritating.

Eye Irritation:                      This material is expected to be corrosive.

Skin Sensitization:                    This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity:                      This product is corrosive to the eyes, moderately irritating to the skin and upon inhalation, may cause irritation to mucous membranes and respiratory tract.

Subchronic / Chronic Toxicity:      Not known or reported to cause subchronic or chronic toxicity.



Reproductive and Developmental Toxicity: SULFURIC ACID	Not known or reported to cause reproductive or developmental toxicity., The following data is available for sulfuric acid:  This product did not cause reproductive or developmental effects in a study with laboratory animals.
Mutagenicity: SULFURIC ACID	Not known or reported to be mutagenic., The following data is available for sulfuric acid:  This product has been tested for mutagenicity. Tests revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be a mutagenic hazard.
Carcinogenicity: SULFURIC ACID	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA., The following data is available for sulfuric acid:  This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA. IARC evaluated several epidemiology studies where workers from a variety of industries had been exposed to a mixture of strong inorganic acid mists. IARC has concluded that there is sufficient evidence that occupational exposure to a mixture of strong inorganic-acid mists containing sulfuric acid is carcinogenic to humans (Group I carcinogen). Because cancer has not been observed in animals when they are exposed only to sulfuric acid mists, exposure to sulfuric acid by itself was not determined to be carcinogenic to humans.

---

## SECTION 12. ECOLOGICAL INFORMATION

Overview: No data for product. Individual constituents are as follows:

### Ecological Toxicity Values for: SULFURIC ACID

Mosquito fish	- (nominal, static). 96 h LC50 42 mg/l
Bluegill sunfish	- 96 h LC50 10.5 mg/l
Common shrimp (Crangon crangon)	- (nominal, renewal). 48 h LC50 70-80 mg/l
Daphnia magna,	- 24 h EC50 29 mg/l

---

## SECTION 13. DISPOSAL CONSIDERATIONS



**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.

Disposal Methods : As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D002

## SECTION 14. TRANSPORT INFORMATION

**DOT**

Not dangerous goods

**TDG**

Not dangerous goods

**IATA**

Not dangerous goods

**IMDG-CODE**

Not dangerous goods

## SECTION 15. REGULATORY INFORMATION

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	



**SARA 302**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulphuric acid 7664-93-9

**SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulphuric acid 7664-93-9

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

Sulphuric acid 7664-93-9

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sulphuric acid 7664-93-9

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sulphuric acid 7664-93-9

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

Sulphuric acid 7664-93-9

**Pennsylvania Right To Know**

Sulphuric acid 7664-93-9

**New Jersey Right To Know**

Sulphuric acid 7664-93-9



**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .



**PRODUCT NAME: HTH 6-WAY TEST KIT - CYANURIC ACID REAGENT**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004**

REVISION DATE: 06/17/2015  
SUPERCEDES: 01/12/2004

MSDS Number: 000000023663  
SYNONYMS: None  
CHEMICAL FAMILY: Not Applicable/Mixture  
DESCRIPTION / USE: Water Testing Applications  
FORMULA: None established

## **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a dangerous substance according to GHS.

### **GHS Label element**

Not a dangerous substance according to GHS.

### **Other hazards**

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Melamine	108-78-1	0.1 - 5
Sodium acetate	127-09-3	0.1 - 5
Acetic Acid	64-19-7	0.1 - 5
Water	7732-18-5	90 - 99

## **SECTION 4. FIRST AID MEASURES**





Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.

Skin Contact: IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation develops.

Ingestion: IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

### Flammable Properties

Flash Point: Not applicable

Autoignition Temperature: Not applicable

Fire / Explosion Hazards: This material is not expected to burn unless all the water is boiled away. The remaining compounds may be ignitable.

Extinguishing Media: Not Applicable. - Choose extinguishing media suitable for surrounding materials.

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Upper Flammable / Explosive Limit, % in air: Not applicable

Lower Flammable / Explosive Limit, % in air: Not applicable

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release: Contain all liquids for treatment or disposal.

Water Release: This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquids for treatment or disposal.

Land Release: Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Contain all liquids for treatment or disposal.



Additional Spill Information : Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

## SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.  
Storage: Store in a cool, dry and well ventilated place. Avoid direct exposure to sunlight.  
Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."  
Do Not Store At temperatures Above: Ambient is satisfactory.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Respiratory protection not normally needed. If spraying or misting occurs use a NIOSH approved respirator.  
Respirator Type : A NIOSH approved air purifying respirator with organic vapor cartridge and N95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.  
Skin Protection : Wear impervious gloves to avoid skin contact.  
Eye Protection: Use safety glasses with side shields.  
Protective Clothing Type: Impervious

### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Melamine (108-78-1)	TWA	10 mg/m3	WEEL (2012)
	TWA	5 mg/m3	WEEL (2012)
Acetic Acid (64-19-7)	TWA	10 ppm	ACGIH (02 2014)
	STEL	15 ppm	ACGIH (02 2014)



---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	clear
Color:	colorless
Odor:	None
Molecular Weight:	Not applicable/Mixture
pH :	5.8
Boiling Point:	212 °F (100 °C )
Melting point/freezing point	No data
Density:	No data
Vapor Pressure:	17
Vapor Density:	No data
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	Soluble
Partition coefficient n-octanol/water:	No data
Evaporation Rate:	No data
Oxidizing:	No data
Volatiles, % by vol.:	< 99%
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	No data

---

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization.
Conditions to Avoid:	High temperatures
Chemical Incompatibility:	Strong oxidizing agents, Fluorine
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide, nitrogen oxides, cyanides
Decomposition Temperature:	No data

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

Melamine	LD50 = 3,161 mg/kg	Rat
Acetic Acid	LD50 3,310 mg/kg	Rat



Component Animal Toxicology

Dermal LD50 value:

Melamine LD50 > 1,000 mg/kg Rabbit  
Acetic Acid LD50 1,060 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

Melamine LC50 3,248.0 mg/l Rat  
Acetic Acid Inhalation LC50 1 h 5620 ppm Mouse

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be > 5,000 mg/kg Rat  
Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg Rabbit  
Inhalation LC50 value: No data

Skin Irritation: Contact would be expected to cause transient redness if not washed off and left on the skin for an extended period of time., Not considered to be a primary skin irritant.

Eye Irritation: Contact would be expected to cause transient redness if not washed out and left in the eye for an extended period of time., Not considered to be a primary eye irritant.

Acute Toxicity: There are no known or reported target organ effects from acute exposure.

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Melamine This chemical has been tested in laboratory animals and no evidence of teratogenicity was seen.

Mutagenicity: Not known or reported to be mutagenic.

Melamine This chemical has been tested in a battery of mutagenicity/genotoxicity assays and the results were negative.

Acetic Acid This product has been tested for mutagenicity. Tests revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be a mutagenic hazard.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Melamine The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

Acetic Acid This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.



---

## SECTION 12. ECOLOGICAL INFORMATION

Overview: No ecological information available.

### Ecological Toxicity Values for: Acetic Acid

- Pimephales promelas (fathead minnow) - static test 96 h LC50 = 79 mg/l
- static test 96 h LC50 = 251 mg/l
- Daphnia magna (Water flea) - static test 48 h EC50= 65 mg/l

---

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it will be a nonhazardous waste according to U.S. RCRA regulations. Dispose of in accordance with all Local, State, Federal, and Provincial Environmental Regulations.

Disposal Methods : As a nonhazardous waste, it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : Not applicable

---

## SECTION 14. TRANSPORT INFORMATION

**DOT**  
Not dangerous goods

**TDG**  
Not dangerous goods

**IATA**  
Not dangerous goods



**IMDG-CODE**

Not dangerous goods

**SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic acid	64-19-7	5000	

**SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Acetic acid	64-19-7
-------------	---------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Acetic acid	64-19-7
-------------	---------



This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

Acetic acid	64-19-7
Melamine	108-78-1

**Pennsylvania Right To Know**

Acetic acid	64-19-7
Sodium acetate	127-09-3
Melamine	108-78-1

**New Jersey Right To Know**

Acetic acid	64-19-7
Sodium acetate	127-09-3
Melamine	108-78-1

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .