

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

PRODUCT NAME: FORTIFY QUICK COAT
PRODUCT USE: AUTOMOTIVE CLEANING AND DETAILING

MANUFACTURER/SUPPLIER:
SHINE PRODUCTS, LLC
6800 LONG LEAF DRIVE
PARKLAND FL 33076
T: 561-239-2239
UNITED STATES



SECTION 2: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION: HEALTH

ENVIRONMENTAL

PHYSICAL

EYE EFFECTS – CATEGORY 2B (MILD IRRITATION) SKIN CORROSION – N/A
ACUTE TOXICITY – CATEGORY 5 (ORAL) N/A (INHALATION),
N/A (ORAL/DERMAL)
SKIN SENSITIZATION – N/A
MUTAGENICITY – N/A
CARCINOGENICITY – N/A
REPRODUCTIVE/DEVELOPMENTAL – N/A
TARGET ORGAN TOXICITY – N/A
TOXICITY – N/A
ASPIRATION HAZARD – N/A
ENVIRONMENTAL HAZARDS – N/A
HAZARDOUS TO THE AQUATIC ENVIRONMENT – N/A

FLAMMABLE LIQUID – N/A
EXPLOSIVES – N/A
FLAMMABLE GASES – N/A
FLAMMABLE AEROSOLS – N/A
OXIDIZING GASES – N/A
GASES UNDER PRESSURE – N/A
FLAMMABLE SOLID – N/A
SELF-REACTIVE SUBSTANCES – N/A
PYROPHORIC SOLIDS – N/A
SELF-HEATING SUBSTANCES – N/A
OXIDIZING LIQUIDS – N/A
OXIDIZING SOLIDS – N/A
ORGANIC PEROXIDES – N/A
CORROSIVE TO METAL – N/A
SUBSTANCES WHICH, IN CONTACT WITH WATER EMIT FLAMMABLE GASES – N/A

PICTOGRAM: N/A HAZARD
STATEMENTS

WARNING!

PRECAUTIONARY STATEMENTS

GENERAL:

P101 IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT OR LABEL AT HAND. P102 KEEP OUT OF REACH OF CHILDREN
P103 READ LABEL BEFORE USE.

H303 MAY BE HARMFUL IF SWALLOWED
H320 CAUSES EYE IRRITATION



PREVENTION:

P264 WASH THOROUGHLY AFTER HANDLING.

RESPONSE:

P301 + P312 IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH.

P305 + P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P337+313 IF EYE IRRITATION PERSISTS GET MEDICAL ADVICE/ ATTENTION.

STORAGE: N/A

DISPOSAL:

P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	WEIGHT %
WATER	7732-18-5	60 – 100
ISOPROPYL ALCOHOL	67-63-0	≤ 1
POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER 60828-78-6		≤ 8
POLYDIMETHYL SILOXANE	63148-62-9	≤ 5
SILICON DIOXIDE SIO2	7631-86-9	≤ 12
FRAGRANCE	PROPRIETARY MIXTURE	< 1
COLORANT	PROPRIETARY MIXTURE	< 1

SECTION 4: FIRST AID MEASURES

EYE CONTACT: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF CLEAN WATER FOR AT LEAST 15 MINUTES, EYELIDS SHOULD BE HELD AWAY FROM THE EYEBALL TO ENSURE THOROUGH RINSING. IF ANY IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: RINSE AREA WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF ANY REDNESS OR IRRITATION PERSISTS

INHALATION: IF BREATHING IS DIFFICULT OR IRRITATING, MOVE TO FRESH AIR IMMEDIATELY. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.

INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL PERSONNEL.

SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: USE DRY CHEMICAL, FOAM, OR CARBON DIOXIDE TO EXTINGUISH FIRE. WATER MAY BE INEFFECTIVE BUT SHOULD BE USED TO COOL FIRE-EXPOSED CONTAINERS, STRUCTURES AND TO PROTECT PERSONNEL. USE WATER TO DILUTE SPILLS AND TO FLUSH THEM AWAY FROM SOURCES OF IGNITION.

FIRE FIGHTING PROCEDURES: NO SPECIAL PROTECTIVE ACTION FOR FIRE FIGHTERS ARE ANTICIPATED.

UNUSUAL FIRE AND EXPLOSION: N/A

COMBUSTION PRODUCTS: N/A



SECTION 6: ACCIDENTAL RELEASE MEASURES

CONTAIN LARGE SPILLS WITH DIKES TO PREVENT ENTRY TO WATERWAYS AND SANITARY SEWERS AND TRANSFER THE MATERIAL TO APPROPRIATE CONTAINERS FOR RECLAMATION OR DISPOSAL. ABSORB/TRAP REMAINING MATERIAL OR SMALL SPILLS WITH INERT MATERIAL (DIRT, SAND, INDUSTRIAL ABSORBENT) AND THEN PLACE IN CHEMICAL WASTE CONTAINERS. FLUSH RESIDUAL SPILL AREA WITH LARGE AMOUNTS OF WATER. DISPOSE OF ALL CLEAN UP MATERIALS IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL HEALTH AND ENVIRONMENTAL REGULATIONS.

SECTION 7: HANDLING AND STORAGE

HANDLING: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE VAPOR OR MISTS. KEEP CONTAINER CLOSED. USE ONLY WITH ADEQUATE VENTILATION. USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING. REMOVE CONTAMINATED CLOTHING AND CLEAN BEFORE RE-USE. KEEP AWAY FROM HEAT AND FLAME. KEEP OPERATING TEMPERATURES BELOW IGNITION TEMPERATURES AT ALL TIMES. USE NON-SPARKING TOOLS. CHEMICAL RESISTANT SPLASH GOGGLES AND CHEMICAL RESISTANT GLOVES ARE ALWAYS RECOMMENDED WHEN USING CHEMICALS.

STORAGE: KEEP CONTAINER TIGHTLY CLOSED IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM HEAT, SOURCE OF IGNITION AND INCOMPATIBLES.
DO NOT STORE BELOW 32 DEGREES F OR ABOVE 100 DEGREES F.
DO NOT STORE IN DIRECT SUNLIGHT. KEEP AWAY FROM CHILDREN.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

EXPOSURE LIMITS: ISOPROPYL ALCOHOL 67-63-O

ACGIH	PEL	400 PPM
ACGIH	TWA	200 PPM
OSHA Z1	PEL	400 PPM – 980 MG/M3
OSHA Z1A	TWA	400 PPM – 980 MG/M3
OSHA Z1A	STEL	500 PPM – 1,225 MG/M3

ENGINEERING CONTROLS: LOCAL EXHAUST VENTILATION MAY BE NECESSARY TO CONTROL AIR CONTAMINANTS TO THEIR EXPOSURE LIMITS.
THE USE OF LOCAL VENTILATION IS RECOMMENDED TO CONTROL EMISSIONS NEAR THE SOURCE. PROVIDE MECHANICAL VENTILATION FOR CONFINED SPACES. USE EXPLOSION-PROOF VENTILATION EQUIPMENT.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

EYE PROTECTION: WEAR CHEMICAL SAFETY GOGGLES AND FACE SHIELD. HAVE EYE-WASH STATIONS AVAILABLE WHERE EYE CONTACT CAN OCCUR.
SKIN PROTECTION: AVOID PROLONGED SKIN CONTACT. WEAR GLOVES IMPERVIOUS TO CONDITIONS OF USE. ADDITIONAL PROTECTION MAY BE NECESSARY TO PREVENT SKIN CONTACT INCLUDING USE OF APRON. A SAFETY SHOWER SHOULD BE LOCATED IN THE WORK AREA.
RESPIRATORY PROTECTION: IF EXPOSURE LIMITS ARE EXCEEDED, NIOSH APPROVED RESPIRATORY PROTECTION SHOULD BE WORN. A NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS IS GENERALLY ACCEPTABLE.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

FLASHPOINT: NO FLASH POINT

LOWER FLAMMABILITY LIMIT: NO DATA AVAILABLE

AUTO-IGNITION
TEMPERATURE: BOILING
POINT:
MELTING POINT:
VAPOR PRESSURE:
VAPOR DENSITY (AIR = 1):
SOLUBILITY:
POUR POINT:
MOLECULAR FORMULA:
ODOR/APPEARANCE:

NO DATA AVAILABLE
≥ 95°C

NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE
SOLUBLE IN WATER
NOT AVAILABLE
MIXTURE
PURPLE / GRAPE

UPPER FLAMMABILITY LIMIT: NO DATA AVAILABLE
VOLATILE ORGANIC COMPOUND: .5% WEIGHT [CARB]
VOLATILE ORGANIC COMPOUND: 5 G/L [SCAQMD 443.1]
EVAPORATION RATE (WATER=1): NO DATA AVAILABLE

VISCOSITY:
PH:

MOLECULAR WEIGHT:
SPEC. GRAV. / DENSITY:

NO DATA
8 ± .5

MIXTURE 8.182 LBS. /
GAL.



Section 10: STABILITY AND REACTIVITY

REACTIVITY:
CHEMICAL STABILITY:
POSSIBILITY OF HAZARDOUS REACTIONS:
CONDITIONS TO AVOID:
INCOMPATIBLE MATERIALS:
HAZARDOUS DECOMPOSITION:

THIS MATERIAL MAY BE REACTIVE WITH CERTAIN AGENTS UNDER CERTAIN CONDITIONS. STABLE
HAZARDOUS POLYMERIZATION WILL NOT OCCUR.
KEEP AWAY FROM IGNITION SOURCES, HEAT, SPARKS OR FLAMES.
STRONG ACIDS AND OXIDIZERS.
NONE KNOW.

SECTION 11: TOXICOLOGICAL INFORMATION

SIGNS AND SYSTEMS OF EXPOSURE: BASED ON THE TEST DATA AND/OR INFORMATION ON THE COMPONENTS, THIS MATERIAL MAY PRODUCE THE FOLLOWING HEALTH EFFECTS:

INHALATION: RESPIRATORY TRACT IRRITATION: SIGNS/SYMPTOMS MAY INCLUDE COUGH, SNEEZING, NASAL DISCHARGE, HEADACHE, HOARSENESS, AND NOSE AND THROAT PAIN.

SKIN CONTACT: MILD SKIN IRRITATION: SIGNS/SYMPTOMS MAY INCLUDE LOCALIZED REDNESS, SWELLING, ITCHING, AND DRYNESS. ALLERGIC SKIN REACTION (NON-PHOTO INDUCED) IN SENSITIVE PEOPLE: SIGNS/SYMPTOMS MAY INCLUDE REDNESS, SWELLING, BLISTERING, AND ITCHING.

EYE CONTACT: MODERATE EYE IRRITATION: SIGNS/SYMPTOMS MAY INCLUDE REDNESS, SWELLING, PAIN, TEARING, AND BLURRED OR HAZY VISION.

INGESTION: GASTROINTESTINAL IRRITATION: SIGNS/SYMPTOMS MAY INCLUDE ABDOMINAL PAIN, STOMACH UPSET, NAUSEA, VOMITING AND DIARRHEA.

TARGET ORGAN EFFECTS: ALLERGIC SKIN REACTION (NON-PHOTO INDUCED) IN SENSITIVE PEOPLE. SIGNS/SYMPTOMS MAY INCLUDE REDNESS, SWELLING, BLISTERING, AND ITCHING.

TOXICOLOGICAL DATA: IF A COMPONENT IS DISCLOSED IN SECTION 3 BUT DOES NOT APPEAR IN A TABLE BELOW, EITHER NO DATA ARE AVAILABLE FOR THAT ENDPOINT OR THE DATA ARE NOT SUFFICIENT FOR CLASSIFICATION.

ACUTE TOXICITY

NAME	ROUTE	SPECIES	VALUE
POLYETHYLENE GLYCOL TRIM	ORAL	RAT	LD 50 3,300 MG/KG
POLYETHYLENE GLYCOL TRIM	INHALATION	-	NO DATA AVAILABLE
POLYETHYLENE GLYCOL TRIM	DERMAL	RABBIT	LD 50 : 8,874 MG/KG
CARNAUBA	ORAL	-	NOT AVAILABLE
CARNAUBA	INHALATION	-	NOT AVAILABLE
CARNAUBA	DERMAL	-	NOT AVAILABLE

POLYDIMETHYL SILOXANE	ORAL	RAT	LD 50 >5000 MG/KG
POLYDIMETHYL SILOXANE	INHALATION	-	NO DATA AVAILABLE
POLYDIMETHYL SILOXANE	DERMAL	RAT	LD 50 >2008 MG/KG
ISOPROPYL ALCOHOL	ORAL	RAT	LD50 > 2000 MG/KG
ISOPROPYL ALCOHOL	INHALATION	RAT	LC 50 > 5000 MG/KG
ISOPROPYL ALCOHOL	DERMAL	RABBIT	LD50 > 2000 MG/KG
ALUMINUM OXIDE	ORAL	-	CONCLUSIVE BUT NOT SUFFICIENT FOR CLASSIFICATION
ALUMINUM OXIDE	INHALATION	-	CONCLUSIVE BUT NOT SUFFICIENT FOR CLASSIFICATION
ALUMINUM OXIDE	DERMAL	-	CONCLUSIVE BUT NOT SUFFICIENT FOR CLASSIFICATION

SKIN CORROSION/IRRITATION

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------



SERIOUS EYE DAMAGE/IRRITATION

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

SKIN SENSITIZATION

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

RESPIRATORY SENSITIZATION

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

GERM CELL MUTAGENICITY

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

CARCINOGENICITY

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

REPRODUCTIVE TOXICITY

REPRODUCTIVE AND/OR DEVELOPMENTAL

EFFECTS NAME	ROUTE	SPECIES	VALUE
-----------------	-------	---------	-------

TARGET ORGAN (S)

SPECIFIC TARGET ORGAN TOXICITY – SINGLE

EXPOSURE NAME	ROUTE	SPECIES	VALUE
------------------	-------	---------	-------

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

ASPIRATION HAZARD

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

SECTION 12: ECOLOGICAL INFORMATION

AQUATIC TOXICITY

ACUTE AND PROLONGED TOXICITY TO FISH: NO DATA

ACUTE TOXICITY TO AQUATIC INVERTEBRATES: NO DATA

ENVIRONMENTAL FATE AND PATHWAYS

NO DATA

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.



SECTION 14: TRANSPORT INFORMATION

BECAUSE THIS IS PRODUCED AND SHIPPED IN SEVERAL DIFFERENT SIZES AS WELL AS DOMESTICALLY AND INTERNATIONALLY, PLEASE CONSULT YOUR TRANSPORTATION SPECIALIST FOR THE PROPER SHIPPING NAME AND CLASS.

TRANSPORT INFORMATION PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR TRANSPORT.

UN NUMBER: NOT APPLICABLE.

UN PROPER SHIPPING NAME: NOT APPLICABLE.

TRANSPORT HAZARD CLASS: NOT APPLICABLE.

PACKING GROUP: NOT APPLICABLE.

ENVIRONMENTAL HAZARDS ENVIRONMENTALLY HAZARDOUS AND/OR MARINE POLLUTANT: NO

SPECIAL PRECAUTIONS FOR USER: NOT APPLICABLE.

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

SECTION 15: REGULATORY INFORMATION

HAZARD CATEGORIES:

FIRE HAZARD – NO, PRESSURE HAZARD – NO, REACTIVITY HAZARD – NO, IMMEDIATE HAZARD – NO, DELAYED HAZARD – NO

THIS SDS HAS BEEN PREPARED TO MEET THE U.S. OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200
--

SECTION 16: OTHER INFORMATION

NFPA HAZARDOUS CLASSIFICATION

HEALTH: 1 FLAMMABILITY: 0 INSTABILITY: 0 SPECIAL HAZARD: NONE

REVISION INDICATOR: SDS REVISION # 5 / ISSUED JUNE 8, 2017

LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR

