

SAFETY DATA SHEET

1. Identification

Product identifier Flex Paste Black Not available. Other means of identification Paste. Sealant Recommended use None known. Recommended restrictions Manufacturer information

Swift Response LLC 2690 Weston Road Weston, FL 33331 US

Supplier See above. **CHEMTREC** 800-424-9300

2. Hazard identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2

> Sensitization, skin Category 1 Reproductive toxicity Category 1B Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Not classified. WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement Causes serious eye irritation.

May cause an allergic skin reaction. May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist or vapor. Wash thoroughly after handling.

Do not breathe vapors.

Wear protective gloves, protective clothing, eye protection and face protection. Contaminated work clothing should not be allowed out of the workplace.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Response

Specific treatment (see information on this label). Take off contaminated clothing and wash it

before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF exposed or concerned: Get medical attention.

Storage Store locked up.

Dispose of container in accordance with local, regional, national and international regulations. Disposal

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise

classified (PHNOC)

None known

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

Flex Paste Black Page: 1 of 9 Issue date 26-February-2020

3. Composition/Information on ingredients			
Mixture			
Chemical name	Common name and synonyms	CAS number	%
1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-		1760-24-3	0.5 - 1.5 *
Decanedioic acid, bis (2,2,6,6-tetramethyl-4-piperiding ester	yl)	52829-07-9	0.1 - 1 *
Silane, ethenyltrimethoxy-		2768-02-7	1 - 5 *
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)-		22673-19-4	0.1 - 1 *
All concentrations are in percent b Composition comments	y weight unless ingredient is a gas. Gas conce *CANADA GHS: The exact percentage (con- trade secret. US GHS: The exact percentage (concentrati secret in accordance with paragraph (i) of §	centration) of composition has	been withheld as a
	4. First-aid measure:		
Inhalation	If symptoms develop move victim to fresh air	* :	
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label).		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.		
Most important	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred		
symptoms/effects, acute and delayed	vision. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.		
General information	IF exposed or concerned: Get medical advice attendance. Ensure that medical personnel aprecautions to protect themselves. Wash coeyes and skin. Keep out of reach of children	are aware of the material(s) in ntaminated clothing before rea	volved and take
	5. Fire-fighting measu	res	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Car	bon dioxide.	
Unsuitable extinguishing media	Not available.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		
Hazardous combustion products	May include and are not limited to: Oxides o	f carbon.	
	6. Accidental release mea	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per damaged containers or spilled material unlea- breathe mist or vapor. Ensure adequate ven significant spillages cannot be contained. For	ss wearing appropriate protectilation. Local authorities shou	tive clothing. Do not ld be advised if

Flex Paste Black Page: 2 of 9 Issue date 26-February-2020

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood.

Do not breathe mist or vapor.

Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Provide adequate ventilation.

Pregnant or breastfeeding women must not handle this product.

Avoid prolonged exposure. Wash thoroughly after handling.

When handling, do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Store locked up.

Store in original tightly closed container.

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	

0.1 mg/m3

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

TWA

Components	Туре	Value	
Silane, ethenyltrimethoxy- (CAS 2768-02-7)	STEL	60 mg/m3	
		10 ppm	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	TWA	0.1 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Туре	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3

Flex Paste Black Page: 3 of 9 Issue date 26-February-2020

Canada. Saskatchewan Ole Components	ELs (Occupational Health and E Type	Safety Regulations, 1996, Table 21) Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	15 minute	0.2 mg/m3
	8 hour	0.1 mg/m3
	s for Air Contaminants (29 CFF	· · · · · · · · · · · · · · · · · · ·
Components	Туре	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	PEL	0.1 mg/m3
US. ACGIH Threshold Limit		Value
Components	Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3
	TWA	0.1 mg/m3
US. NIOSH: Pocket Guide Components	to Chemical Hazards Type	Value
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	TWA	0.1 mg/m3
logical limit values	No biological exposure limits	noted for the ingredient(s).
osure guidelines		
Canada - Alberta OELs: Sk		
Tin, dibutylbis (2,4-pent (CAS 22673-19-4) Canada - British Columbia	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
Canada - Manitoba OELs:	Skin designation	
(CAS 22673-19-4)	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
Canada - Ontario OELs: SI	<u> </u>	
(CAS 22673-19-4) Canada - Quebec OELs: S	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
Canada - Saskatchewan O	ELs: Skin designation	
Tin, dibutylbis (2,4-pent (CAS 22673-19-4)	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
US ACGIH Threshold Limit	t Values: Skin designation	
(CAS 22673-19-4)	anedionato-0,0')-, (OC-6-11)-	Can be absorbed through the skin.
Tin, dibutylbis (2,4-pent	o Chemical Hazards: Skin designated on the control of the control	gnation Can be absorbed through the skin.
(CAS 22673-19-4) propriate engineering	Ensure adequate ventilation.	
trols	a.ro adoquato vontilation.	
vidual protection measures	s, such as personal protective	
Eye/face protection	Wear safety glasses with sid-	e shields.
Skin protection	Manager and the state of the st	ocietant glovos. Confirm with a reputable supplier first
	.w.cor.oppropriate obomical r	

Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first. **Hand protection**

Other As required by employer code. **Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. Physical and chemical properties

AppearancePaste.Physical stateLiquid.FormPaste.ColorBlackOdorOdorlessOdor thresholdNot available.

pH 8 - 9

Melting point/freezing point Initial boiling point and boiling

range

Not available. Not available.

Pour point Not available.

Specific gravity 1.75

Partition coefficient (n-octanol/water)

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Vapor pressure

Vapor density

Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

3 - 3.5 McP

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity May react with incompatible materials.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Material is stable under normal conditions.

Conditions to avoidDo not mix with other chemicals.

Incompatible materials

Hazardous decomposition

products

Acids. Oxidizers.

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Flex Paste Black Page: 5 of 9 Issue date 26-February-2020

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Symptoms related to the

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

physical, chemical and vision

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components Species Test Results

1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]- (CAS 1760-24-3)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

> 16 ml/kg, 24 Hours, ECHA

Rat > 2009 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat 1.5 - 2.4 mg/L, 4 Hours, ECHA

Oral

LD50 Rat 2574 mg/kg, ECHA

2413 mg/kg, ECHA 2295 mg/kg, ECHA 1897 mg/kg, ECHA 7.5 ml/kg, ECHA

Decanedioic acid, bis (2,2,6,6-tetramethyl-4-piperidinyl) ester (CAS 52829-07-9)

Acute

Dermal

LD50 Rat > 3170 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat 500 mg/m3, 4 Hours, ECHA, National

Technical Information Service. Vol.

OTS0539874,

0.5 mg/l/4h, OECD SIDS

Oral

LD50 Rat 3700 mg/kg, ECHA

Silane, ethenyltrimethoxy- (CAS 2768-02-7)

Acute

Dermal

LD50 Rabbit 3.5 ml/kg, 24 Hours, ECHA

3.4 - 4 ml/kg, 24 Hours, ECHA

Inhalation

LC50 Rat 2773 ppm, 4 Hours, ECHA

Oral

LD50 Mouse 3750 mg/kg, ECHA

2000 mg/kg, ECHA 1600 mg/kg, ECHA 500 mg/kg, ECHA

Rat 300 - 2000 mg/kg, ECHA

11.3 ml/kg, ECHA 8.2 ml/kg, ECHA 7.3 - 7.5 ml/kg, ECHA Components Species Test Results

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)

Acute

Dermai

LD50 Rabbit 3000 mg/kg, ACIMA

Rat > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Not available

Oral

LD50 Rat 2431 mg/kg, ACIMA

1864 mg/kg, ECHA

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available.
Erythema value Not available.
Oedema value Not available.

Serious eye damage/eye

irritation

value

Causes serious eye irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Mutagenicity Not classified.

Carcinogenicity Not classifiable as a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity May damage fertility or the unborn child.

Teratogenicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity - May caus

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unusedproducts
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Flex Paste Black Page: 7 of 9 Issue date 26-February-2020

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Controlled

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

SARA 302 Extremely

hazardous substance

categories

Classified hazard

Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed. (CAS 22673-19-4)

US - Minnesota Haz Subs: Listed substance

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed. (CAS 22673-19-4)

US - Texas Effects Screening Levels: Listed substance

1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-Listed.

(CAS 1760-24-3)

Decanedioic acid, bis Listed.

(2,2,6,6-tetramethyl-4-piperidinyl) ester (CAS

52829-07-9)

Silane, ethenyltrimethoxy- (CAS 2768-02-7) Listed.

Flex Paste Black Page: 8 of 9 Issue date 26-February-2020 Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed. (CAS 22673-19-4)

US. Rhode Island RTK

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.