

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

1. Identification		
Product identifier used on the label: Product Code:	MAG SYN 2CYC 63119 12/2.6 MAG63119	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and res Recommended use:	<b>strictions on use:</b> Two Cycle Engine Oil	
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:	Warren Distribution, Inc.	
	950 S. 10th St., Suite 300 Omaha, NE 68108-3296	
Phone number:	+01 (800) 825-1235 +01 (402) 341-9397	
E-mail address:	sds@wd-wpp.com	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887	

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:

**GHS** Classification:



Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2B
Germ Cell Mutagenicity Category 1B
Carcinogenicity Category 1A
Reproductive Toxicity Category 2
Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1
Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 1

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119

Revision Date: 04-13-2021

<b>Replaces:</b> 03-08-2021	
	Hazardous to the aquatic environment - Acute Category 1
	Hazardous to the aquatic environment - Chronic Category 1
Signal Word:	Danger
Hazard Statements:	Causes skin and eye irritation; May cause genetic defects; May cause cancer.; Suspected of damaging fertility or the unborn child.; Causes damage to organs; Causes damage to organs through prolonged or repeated exposure; Very toxic to aquatic life with long lasting effects
Precautionary Statements:	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed: Call a poison center/doctor/ If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.
Storage:	Store locked up.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazards not otherwise classified:	Repeated exposure may cause skin dryness or cracking. Flammable vapors can accumulate in head space of closed systems.

Chemical Name	Common name and synonyms	CAS #	%
Distillates, petroleum, straight- run middle	No data available	64741-44-2	10 - 30
Distillates, petroleum, hydrodesulfurized middle	No data available	64742-80-9	10 - 30
Distillates, petroleum, hydrodesulfurized light catalytic	No data available	68333-25-5	10 - 30

#### 3. ocition /info nation on ingradiants

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

cracked			
Highly refined synthetic base	No data available	64742-54-7	10 - 30
stocks			
Kerosene	No data available	8008-20-6	10 - 30
Kerosine, petroleum,	No data available	64742-81-0	7 - 13
hydrodesulfurized			
Light hydrocracked distillate	No data available	64741-77-1	5 - 10
Distillates, petroleum, solvent-	No data available	64742-65-0	0.5 - 1.5
dewaxed heavy paraffinic			
Naphthalene	No data available	91-20-3	0.1 - 1
Petroleum distillates,	No data available	64742-54-7	0.1 - 1
hydrotreated heavy paraffinic			
Toluene	No data available	108-88-3	0.1 - 1
Ethylbenzene	No data available	100-41-4	0.1 - 1
Benzene	No data available	71-43-2	0.1 - 1
Petroleum distillates, solvent-	No data available	64741-88-4	0.1 - 1
refined heavy paraffinic			
Biphenyl	No data available	92-52-4	0.1 - 1
Long chain alkyl phenol	No data available		0.1 - 1
5 51 5			

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.
Eye Contact:	If eye irritation persists: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact:	Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If on skin: Wash with plenty of water.
Ingestion:	Seek medical attention immediately or call the Poison control center. Do not induce vomiting. If patient is fully conscious, give up to two glasses of water. Provide medical care provider with this SDS.

### Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021

**Revision Date:** 04-13-2021 **Replaces:** 03-08-2021

Most important symptoms/effects, acute and delayed:

Indication of immediate medical attention and special treatment needed, if necessary:

Causes damage to organs through prolonged or repeated exposure. Causes damage to organs. Causes skin and eye irritation If exposed or concerned: Get medical advice/attention.

### 5. Fire-fighting measures

### Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous combustion products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide
Special protective equipment and precautions for fire-fighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Avoid release to the environment.
Methods and materials for containment and cleaning up:	Collect spillage.
7	]

### 7. Handling and storage

Precautions for safe handling:	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store locked up.

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents

### 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Highly refined synthetic base stocks	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Kerosene	No PEL	200 mg/m3 TWA (application restricted to conditions in which there are negligible aerosol exposures, total hydrocarbon vapor, listed under Kerosene/Jet fuels)	No STEL	No data available
Kerosine, petroleum, hydrodesulfurized	No PEL	200 mg/m3 TWA (application restricted to conditions in which there are negligible aerosol exposures, total hydrocarbon vapor, listed under Kerosene/Jet fuels)	No STEL	No data available
Distillates, petroleum, solvent-dewaxed heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Naphthalene	10 ppm TWA; 50 mg/m3 TWA	10 ppm TWA	No STEL	250 ppm IDLH
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Toluene	200 ppm TWA	20 ppm TWA	No STEL	500 ppm IDLH
Benzene	10 ppm TWA (applies to industry segments exempt	0.5 ppm TWA	2.5 ppm STEL	500 ppm IDLH

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

	from the benzene standard at 29 CFR 1910.1028); 1 ppm TWA			
Ethylbenzene	100 ppm TWA; 435	20 ppm TWA	No STEL	800 ppm IDLH (10%
	mg/m3 TWA			LEL)
Biphenyl	0.2 ppm TWA; 1	0.2 ppm TWA	No STEL	100 mg/m3 IDLH
	mg/m3 TWA			

Appropriate engineering controls:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
Individual protection measures, such as p	personal protective equipment:
Respiratory Protection:	Do not breathe dust/fume/gas/mist/vapors/spray.
Respirator Type(s):	If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Eye protection:	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.
Skin protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Nitrile, Neoprene
General hygiene conditions:	Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling.

### 9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Blue
Odor:	Mild
Odor Threshold:	Not determined
pH:	No data available

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	No data available
Flash Point (°C):	125
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapor pressure:	= 10 - 210 MMHG > 3 MMHG
Vapor density:	No data available
Relative density:	0.85
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	38.47

### 10. Stability and reactivity **Reactivity:** There are no known reactivity hazards associated with this product. **Chemical stability:** Stable under normal conditions. Possibility of hazardous reactions: None expected under standard conditions of storage. Conditions to avoid (e.g., static Temperatures above the high flash point of this combustible material in discharge, shock, or vibration): combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation). Incompatible materials: Strong oxidizing agents Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

11. Toxicological information				
Description of the various toxicological	(health) effects and the available data used to identify those effects:			
Information on the likely routes of Inhalation, Ingestion, Skin contact, Eye contact exposure (inhalation, ingestion, skin and eye contact):				
Symptoms related to the physical, chemical and toxicological characteristics:	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs. Causes skin and eye irritation			
Delayed and immediate effects and also	chronic effects from short- and long-term exposure:			
Ingestion:	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.			
Skin Contact:	Causes skin and eye irritation			
Absorption:	Estimated to be > 5.0 g/kg; practically non-toxic			
Inhalation:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.			
Eye Contact:	The material is likely to be moderately irritating to eyes based on animal data. Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.			
Sensitization:	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.			
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.			
Carcinogenicity:	Classification has been based on toxicological information of the components in Section 3.			
Reproductive toxicity	Contains a substance that is a possible reproductive system hazard based on animal studies at doses that could be encountered in the workplace. Possible reproductive hazard.			
STOT-single exposure:	Classification has been based on toxicological information of the components in Section 3.			
STOT-repeated exposure:	Classification has been based on toxicological information of the components in Section 3.			
Aspiration hazard:	Based on available data, the classification criteria are not met.			
Other information:	None known.			

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

### Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Biphenyl	Oral LD50 Rat > 1900 mg/kg	Dermal LD50 Rabbit > 2500 mg/kg	Inhalation LC50 (4h) Mouse > 0.275 mg/L
Petroleum distillates, solvent-refined heavy paraffinic	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5530 MG/M3
Toluene	Oral LD50 Rat 2600 mg/kg	Dermal LD50 Rabbit 12000 mg/kg	Inhalation LC50 (4h) Rat 12.5 mg/L
Ethylbenzene	Oral LD50 Rat 3500 mg/kg	Dermal LD50 Rabbit 15400 mg/kg	Inhalation LC50 (4h) Rat 17.4 mg/L
Benzene	Oral LD50 Rat > 930 mg/kg	Dermal LD50 Rabbit > 8200 mg/kg	Inhalation LC50 (4h) Rat 13050 - 14380 ppm
Petroleum distillates, hydrotreated heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	
Naphthalene	Oral LD50 Rat 490 mg/kg	Dermal LD50 Rabbit 1120 mg/kg	Inhalation LC50 (1h) Rat > 340 MG/M3
Distillates, petroleum, solvent-dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2400 MG/M3
Light hydrocracked distillate	Oral LD50 Rat 3200 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.65 mg/L
Kerosine, petroleum, hydrodesulfurized	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5200 MG/M3
Kerosene	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5.28 mg/L
Highly refined synthetic base stocks	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	
Distillates, petroleum, straight-run middle	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 1.78 mg/L
Distillates, petroleum, hydrodesulfurized middle	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.6 mg/L
Distillates, petroleum, hydrodesulfurized light catalytic cracked	Oral LD50 Rat 3200 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 4.65 mg/L

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
Benzene	Y	Y	Y
Ethylbenzene	Y	Y	Ν
Naphthalene	Y	Y	Y

### 12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

**Ecological Toxicity Data:** 

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Biphenyl	92-52-4	EC50 (48h) Daphnia magna 0.63 - 0.85 mg/L	No data available	LC50 (96h) Rainbow Trout 1.4 - 1.6 mg/L LC50 (96h) Lepomis macrochirus (Bluegill) 4.3 - 5.1 mg/L LC50 (96h) Pimephales promelas (Fathead Minnow) 1.17 - 1.81 mg/L LC50 (96h) Pimephales promelas (Fathead Minnow) 1.65 - 2.29 mg/L
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Toluene	108-88-3	LC50 (48h) Daphnia magna 5.46 - 9.83 mg/L	Aquatic ERC50 (96h) > 433 mg/L	LC50 (96h) 15.22 - 19.05 mg/L
Benzene	71-43-2	EC50 (48h) Daphnia magna 8.76 - 15.6 mg/L	Aquatic ERC50 (72h) 29 mg/L	LC50 (96h) Rainbow Trout 5.3 mg/L

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

Ethylbenzene	100-41-4	EC50 (48h) Daphnia magna 1.8 - 2.4 mg/L	Aquatic ERC50 (72h) 4.6 mg/L	LC50 (96h) Rainbow Trout 11 - 18 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Naphthalene	91-20-3	EC50 (48h) Daphnia magna 2.16 mg/L	No data available	LC50 (96h) Rainbow Trout 1.6 mg/L
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Light hydrocracked distillate	64741-77-1	No data available	No data available	LC50 (96h) BRACHYDANIO RERIO 7.3 mg/L
Kerosine, petroleum, hydrodesulfurized	64742-81-0	EC50 (48h) 4720 mg/L	No data available	LC50 (96h) 45 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No data available	No data available	LC50 (96h) BRACHYDANIO RERIO 7.3 mg/L
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No data available	No data available	LC50 (96h) Pimephales promelas (Fathead Minnow) 35 mg/L
Persistence and degradability:	Biodeg	rades slowly.		
Bioaccumulative potential:	Bioconcentration may occur.			

Mobility in soil:

Other adverse effects (such as hazardous to the ozone layer): strongly to most soil types.

None known.

### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the

Dispose of contents and container in accordance with local/regional/national/international regulations.

This material is expected to have essentially no mobility in soil. It absorbs

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

disposal of any contaminated packaging:	
Contaminated packaging:	Recycle containers whenever possible.
14. Transport information	
Carriage of dangerous goods by road (DC	)T), rail or inland waterways:
DOT Basic Description:	Not regulated for road transport
International carriage of dangerous good	
UN number:	Not regulated by IMDG
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
International carriage of dangerous good	s by air (IATA):
UN number:	Not regulated by IATA
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
Environmental hazards (e.g., Marine pollutant (Yes/No)):	Yes
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** 

All components of this material are on the Active US TSCA Inventory or are exempt.

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

### **Regulated Components:**

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Distillates,					
petroleum, straight-	64741-44-2	Ν	N	N	N
run middle					
Distillates,					
petroleum,	68333-25-5	Ν	N	N	N
hydrodesulfurized	00000 20 0				
light catalytic cracked					
Distillates,					
petroleum,	64742-80-9	Ν	N	N	N
hydrodesulfurized					
middle					
Highly refined	64742-54-7	Ν	N	N	N
synthetic base stocks	0000.00 (	NI	NI	N	NI
Kerosene	8008-20-6	N	N	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	Ν	N	N	N
Light hydrocracked					
distillate	64741-77-1	Ν	N	N	N
Distillates,					
petroleum, solvent-					
dewaxed heavy	64742-65-0	Ν	N	N	N
paraffinic					
Naphthalene	91-20-3	Y	N	Y	Y
Petroleum distillates,					
hydrotreated heavy	64742-54-7	Ν	N	N	N
paraffinic					
Toluene	108-88-3	γ	N	Y	Y
Benzene	71-43-2	Y	N	Y	Y
Ethylbenzene	100-41-4	Y	N	Y	Y
Petroleum distillates,					
solvent-refined	64741-88-4	Ν	N	N	N
heavy paraffinic					
Biphenyl	92-52-4	Y	N	Y	Y

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Distillates, petroleum, straight-	64741-44-2	Ν	Ν	Ν	Ν

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

run middle					
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	N	Ν	N	Ν
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	N	Ν	N	N
Highly refined synthetic base stocks	64742-54-7	Ν	Ν	N	Ν
Kerosene	8008-20-6	Ν	Ν	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	Ν	Ν	N	Ν
Light hydrocracked distillate	64741-77-1	Ν	Ν	N	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	N	Ν	N	Ν
Naphthalene	91-20-3	Y	Ν	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	Ν	N	Ν
Toluene	108-88-3	Ν	Y	N	N
Benzene	71-43-2	Y	Y	N	Y
Ethylbenzene	100-41-4	Y	Ν	N	N
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	N	Ν	N	Ν
Biphenyl	92-52-4	Ν	Ν	N	N

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Distillates, petroleum, straight- run middle	64741-44-2	Ν	N	Ν	N	Ν
Distillates,	68333-25-5	N	N	N	N	N

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

petroleum,						
hydrodesulfurized						
light catalytic cracked						
Distillates,						
petroleum,	64742-80-9	N	N	N	N	N
hydrodesulfurized	04/42-00-9	IN		IN		IN
middle						
Highly refined	64742-54-7	Ν	Ν	N	Ν	N
synthetic base stocks						
Kerosene	8008-20-6	Y	Y	Y	N	N
Kerosine, petroleum,	64742-81-0	Ν	N	N	N	N
hydrodesulfurized						
Light hydrocracked	64741-77-1	Ν	N	Ν	N	N
distillate						
Distillates,						
petroleum, solvent-	64742-65-0	Ν	N	N	N	N
dewaxed heavy						
paraffinic						
Naphthalene	91-20-3	Y	Y	Y	N	Y
Petroleum distillates,						
hydrotreated heavy	64742-54-7	Ν	N	N	N	N
paraffinic						
Toluene	108-88-3	Y	Y	Y	N	Y
Benzene	71-43-2	Y	Y	Y	N	Y
Ethylbenzene	100-41-4	Y	Y	Y	N	Y
Petroleum distillates,						
solvent-refined	64741-88-4	Ν	N	Ν	N	N
heavy paraffinic						
Biphenyl	92-52-4	Y	Y	Y	N	Y

16. Other information, including date of preparation or last revision.				
SDS Prepared by:	DB_HAZOX			
Revision Date:	04-13-2021			
Revision Number:	26			
Reason for revision: References: Other Info:	Activated by Document Formulation Generation No data available No data available			
Disclaimer:	This safety data sheet and the information it contains is offered to you in			
	Page 15 of 16			

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6 Product Code: MAG63119 Revision Date: 04-13-2021 Replaces: 03-08-2021

> good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.