

# SAFFTY DATA SHEET

#### Identification

Product identifier Clorox Bathroom Foamer Concentrate

Other means of identification Document Number: USA002056

Recommended use Cleaner Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Telephone

E-mail

The Clorox Company Company name 1221 Broadway Address Oakland, CA 94612

> **United States** 1-510-271-7000 Not available.

Medical Emergency: 1-800-446-1014 Emergency phone number

Transportation Emergency: 1-800-424-9300 (Chemtrec)

## 2. Hazards Identification

Not classified. Physical hazards

Health hazards Acute toxicity, oral Category 4

> Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 1 Category 1 Serious eye damage/eye irritation

Specific target organ toxicity, single exposure Category 3 respiratory tractirritation

Environmental hazards Not classified. OSHA defined hazards Not classified.

Label elements



Signal word Danger

Causes severe skin burns and eye damage. Harmful if swallowed. Harmful if inhaled. May cause Hazard statement

respiratory irritation.

Precautionary statement

Do not breathe mist. Wash thoroughly after handling. Wear protective gloves, protective clothing Prevention

and eye protection. Do not eat, drink or smoke when using this product. Use only outdoors or in a

well-ventilated area.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off Response

immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Storage

Dispose of container in accordance with local, regional, national and international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This SDS is designed for workplace employees, emergency personnel and for other conditions

> and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid

language is provided on the product label in accordance with the applicable government

regulations.

Page: 1 of 8 #33954 Issue date 09-September-2021

	3. Composition/Information on	Ingredients			
Mixtures					
Chemical name	Common name and synonyms	CAS number	%		
1-Dodecanamine, N,N-dimethyl-,N-oxide		1643-20-5	30-60*		
Alkyl benzyl dimethyl ammonium chloride		68424-85-1	5-10*		
Ethylenediaminetetraacetic aci potassium salt	d,	5964-35-2	1-5*		
Monoethanolamine		141-43-5	5-10*		
All concentrations are in percent be Composition comments	by weight unless ingredient is a gas. Gas conce US GHS: The exact percentage (concentrati secret in accordance with paragraph (i) of §1	ion) of composition has been w			
	4. First Aid Measures	S			
Inhalation	IF INHALED: Remove person to fresh air and POISON CENTER or doctor.	d keep comfortable for breathir	g. Immediately call a		
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label).				
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.				
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT ind doctor.	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or			
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Burning pain and severe corrosive skin damage.				
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre	eat symptomatically. Symptom	s may be delayed.		
General information	If you feel unwell, seek medical advice (showsheet to the doctor in attendance. Avoid con CHILDREN AND PETS.	w the label where possible). Sh tact with eyes and skin. KEEP (	ow this safety data DUT OF REACH OF		
	5. Fire Fighting Measur	res			
Suitable extinguishing media	Treat for surrounding material.				
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as the	his will spread the fire.			
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.				
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wor	n in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.			
Specific methods	Use standard firefighting procedures and co	nsider the hazards of other invo	olved materials.		
General fire hazards	No unusual fire or explosion hazards noted.				
	6. Accidental Release Mea	asures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.				
Methods and materials for	Prevent entry into basements or confined are	eas.			
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.				
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.				
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.				

#33954 Page: 2 of 8 Issue date 09-September-2021

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

## Handling and Storage

Precautions for safe handling

Avoid contact with eyes and skin. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage. including any incompatibilities Keep container tightly closed in a cool, dry and well-ventilated place. KEEP OUT OF REACH OF CHILDREN AND PETS.

## 8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Components	Type	Value	
Monoethanolamine (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
US. ACGIH Threshold Limit Value	S		
Components	Type	Value	
Monoethanolamine (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
US. NIOSH: Pocket Guide to Cher	nical Hazards		
Components	Type	Value	
Monoethanolamine (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8 mg/m3 3 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields.

TWA

Skin protection

Hand protection

Impervious gloves. Confirm with reputable supplier first.

Other

Thermal hazards

Wear appropriate chemical resistant clothing. As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/orsmoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling

the product. When using do not eat or drink.

## 9. Physical and Chemical Properties

Clear Appearance Physical state Liquid. Not available. Form Color Dark blue / Green

Odor Citrus

Not available. Odor threshold 11 - 12.5 pН Not available. Melting point/freezing point

#33954 Page: 3 of 8 Issue date 09-September-2021 Initial boiling point and boiling

Not available.

Not available. Pour point Specific gravity Not available.

Partition coefficient (n-octanol/water)

Not available.

> 199.4 °F (> 93.0 °C) Pensky-Martens Closed Cup Flash point

Not available. Evaporation rate Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit -lower (%) Not available. Explosive limit -upper (%) Not available.

Vapor pressure Not available. Vapor density

0.993 Relative density Complete Solubility(ies) Auto-ignition temperature Not available. Not available. Decomposition temperature Not available. Viscosity

> 10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Material is stable under normal conditions. Chemical stability

Do not mix with other chemicals. DO NOT MIX WITH BLEACH or use in conjunction with other Conditions to avoid

household products.

Oxidizers. Caustics. Acids.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride.

#### 11. Toxicological Information

Information on likely routes of exposure

Harmful if inhaled. May cause respiratory tract irritation. Inhalation

Causes severe skin burns. Skin contact Causes serious eye damage. Eye contact

Harmful if swallowed. May cause stomach distress, nausea or vomiting. Causes digestive tract Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause redness and pain.

Information on toxicological effects

Acute toxicity See below.

Components Species Test Results

1-Dodecanamine, N,N-dimethyl-,N-oxide (CAS 1643-20-5)

Acute Dermal

LD50 Rat > 2000 mg/kg, ECHA

Inhalation

LC50 Not available

Oral

1064 mg/kg, ECHA LD50 Rat

#33954 Page: 4 of 8 Issue date 09-September-2021

Components	Species	Test Results	
Alkyl benzyl dimethyl ammonium o	moride (CAS 68424-85-1)		
Dermal			
LD50	Rabbit	3412 mg/kg, ECHA	
Inhalation LC50	Rat	0.3 mg/l/4h, ECHA	
Oral LD50	Rat	795 mg/kg, ECHA	
Ethylenediaminetetraacetic acid, p	otassium salt (CAS 5964-35-2)		
Acute			
Dermal LD50	Not available		
Inhalation LC50	Not available		
Oral LD50		1780 - 2000 mg/kg, ECHA	
Monoethanolamine (CAS 141-43-5	5)		
Acute			
Dermal LD50	Rabbit	2504 mg/kg, 24 Hours, ECHA	
Inhalation		4407/22 4112 FOLIA	
LC50	Rat	> 1487 mg/m³, 4 Hours, ECHA	
		> 1.3 mg/L, 6 Hours, ECHA	
Oral LD50	Rat	1089 mg/kg, ECHA	
Skin corrosion/irritation	Causes severe burns.		
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization Germ cell mutagenicity	This product is not expected to cause skin sensitization.  No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	See below.		
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulated Not regulated.	d Substances (29 CFR 1910.1001-1052)		
US. National Toxicology Pro	gram (NTP) Report on Carcinogens		
Not listed. Reproductive toxicity	This product is not expected to cause reprodu	active or developmental effects	
Specific target organ toxicity - single exposure	This product is not expected to cause reproductive or developmental effects.  May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		

Not available. Chronic effects Not available. Further information

12. Ecological Information

See below Ecotoxicity

Ecotoxicological data

Components Species Test Results

Alkyl benzyl dimethyl ammonium chloride (CAS 68424-85-1)

Aquatic

Fish LC50 Striped bass (Morone saxatilis) 10.4 - 19.1 mg/L, 96 hours

Monoethanolamine (CAS 141-43-5)

IC50 Algae 15 mg/L, 72 Hours Algae Crustacea EC50 Daphnia 65 mg/L, 48 Hours

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/L, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability Not available. Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

1-Dodecanamine, N,N-dimethyl-,N-oxide 4.67 Monoethanolamine -1 31

Mobility in soil Not available. Mobility in general Not available. Not available. Other adverse effects

13. Disposal Considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal instructions

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Canada: TDG Proof of Classification: General

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN1760

Proper shipping name Corrosive liquids, n.o.s.

Technical name Alkyl benzyl dimethyl ammonium chloride

Hazard class Limited Quantity - US

Packing group 154 Packaging exceptions

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN1760

Proper shipping name CORROSIVE LIQUID, N.O.S.

Technical name Alkyl benzyl dimethyl ammonium chloride

Hazard class Limited Quantity - Canada

Ш Packing group 16 Special provisions

IATA/ICAO (Air)

Basic shipping requirements:

UN1760 UN number

Page: 6 of 8 #33954 Issue date 09-September-2021

Corrosive liquid, n.o.s. Proper shipping name

Alkyl benzyl dimethyl ammonium chloride Technical name

Limited Quantity - IATA Hazard class

Packing group

IMDG (Marine Transport)

Basic shipping requirements:

UN number UN1760


Proper shipping name CORROSIVE LIQUID, N.O.S.

Technical name Alkyl benzyl dimethyl ammonium chloride

Limited Quantity - IMDG Hazard class

Packing group

DOT: IMDG: TDG



# 15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous Yes

chemical

Acute toxicity (any route of exposure)

Classified hazard Skin corrosion or irritation categories

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

See below US state regulations

US - Minnesota Haz Subs: Listed substance

Monoethanolamine (CAS 141-43-5) 2-AMINOETHANOL (SEE ETHANOLAMINE)

**ETHANOLAMINE** 

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Monoethanolamine (CAS 141-43-5)

US. New Jersey Worker and Community Right-to-Know Act

Monoethanolamine (CAS 141-43-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Monoethanolamine (CAS 141-43-5)

US. Rhode Island RTK

Monoethanolamine (CAS 141-43-5)

California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

On inventory (yes/no)\* Country(s) or region Inventory name


United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

#### Other Information







Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

09-September-2021 Issue date

Version # 01

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Reference Item: 513063-001

Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000