



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

SECTION 1: Identification

1.1 Product identifier

Trade name **Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol**
Alternative number(s) 070612191397

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <http://data.energizer.com>

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
B.3	flammable aerosol	1	Flam. Aerosol 1	H222
B.5	gases under pressure	C	Press. Gas C	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

- Pictograms

GHS02, GHS04



- Hazard statements

H222 Extremely flammable aerosol.
H280 Contains gas under pressure; may explode if heated.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P410+P403 Protect from sunlight. Store in a well-ventilated place.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards

Hazards not otherwise classified

May be harmful if inhaled (GHS category 5: acutely toxic - inhalation).





SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
isobutane	CAS No 75-28-5	1 – < 5	Flam. Gas 1 / H220 Press. Gas C / H280	
Diethylene glycol monobutyl ether	CAS No 112-34-5	1 – < 5	Eye Irrit. 2 / H319	
Sodium Borate	CAS No 12179-04-3 1330-43-4 1303-96-4	< 1	Acute Tox. 4 / H332 Eye Irrit. 2 / H319 Repr. 1B / H360	
Sodium Lauroyl Sarcosinate	CAS No 137-16-6	< 1	Acute Tox. 2 / H330	






Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
morpholine	CAS No 110-91-8	< 1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Flam. Liq. 3 / H226	  

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Control of the effects

Protect against external exposure, such as frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	morpholine	110-91-8	REL	20 (10 h)	70 (10 h)	30	105				NIOSH REL
US	morpholine	110-91-8	PEL	20	70						29 CFR 1910.1000
US	morpholine	110-91-8	TLV®	20						H	ACGIH® 2022
US	morpholine (tetrahydro-2H-1,4-oxazine)	110-91-8	PEL (CA)	20	70	30	105				Ca/OSHA PEL
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	ACGIH® 2022
US	disodium tetraborate pentahydrate	12179-04-3	PEL (CA)		5						Ca/OSHA PEL
US	disodium tetraborate pentahydrate	12179-04-3	REL		1 (10 h)						NIOSH REL



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	sodium tetraborate pentahydrate	12179-04-3	TLV®		2		6			i	AC-GIH® 2022
US	disodium tetraborate decahydrate	1303-96-4	PEL (CA)		5						Cal/OSHA PEL
US	disodium tetraborate decahydrate	1303-96-4	REL		5 (10 h)						NIOSH REL
US	sodium borate decahydrate	1303-96-4	TLV®		2		6			i	AC-GIH® 2022
US	disodium tetraborate, anhydrous	1330-43-4	PEL (CA)		5						Cal/OSHA PEL
US	disodium tetraborate, anhydrous	1330-43-4	REL		1 (10 h)						NIOSH REL
US	sodium tetraborate, anhydrous	1330-43-4	TLV®		2		6			i	AC-GIH® 2022
US	isobutane	75-28-5	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	isobutane	75-28-5	TLV®			1,000				E	AC-GIH® 2022

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
E	explosive
H	absorbed through the skin
i	inhalable fraction
iv	inhalable fraction and vapor
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	101.2 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	DNEL	6.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	DNEL	316.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium Lauroyl Sarcosinate	137-16-6	DNEL	70.53 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium Lauroyl Sarcosinate	137-16-6	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
morpholine	110-91-8	DNEL	91 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
morpholine	110-91-8	DNEL	36 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
morpholine	110-91-8	DNEL	72 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
morpholine	110-91-8	DNEL	1.04 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monobutyl ether	112-34-5	PNEC	1.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.11 mg/l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	200 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monobutyl ether	112-34-5	PNEC	4.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.44 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.32 mg/kg	terrestrial organisms	soil	short-term (single instance)
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	PNEC	2.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	PNEC	2.9 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	PNEC	5.7 mg/kg	terrestrial organisms	soil	short-term (single instance)
Sodium Lauroyl Sarcosinate	137-16-6	PNEC	0.009 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium Lauroyl Sarcosinate	137-16-6	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium Lauroyl Sarcosinate	137-16-6	PNEC	3 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium Lauroyl Sarcosinate	137-16-6	PNEC	0.064 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sodium Lauroyl Sarcosinate	137-16-6	PNEC	0.006 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sodium Lauroyl Sarcosinate	137-16-6	PNEC	0.008 mg/kg	terrestrial organisms	soil	short-term (single instance)
morpholine	110-91-8	PNEC	0.163 mg/l	aquatic organisms	freshwater	short-term (single instance)
morpholine	110-91-8	PNEC	0.016 mg/l	aquatic organisms	marine water	short-term (single instance)
morpholine	110-91-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
morpholine	110-91-8	PNEC	1.83 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
morpholine	110-91-8	PNEC	0.183 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
morpholine	110-91-8	PNEC	0.269 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	aerosol (foam aerosol)
Color	not determined
Particle	not relevant (aerosol)
Odor	characteristic



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-187.6 °C at 1,013 hPa
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point	-83 °C
Evaporation rate	Not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria

Explosive limits

- Lower explosion limit (LEL)	5 vol%
- Upper explosion limit (UEL)	15 vol%
Vapor pressure	0.022 mmHg at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

Auto-ignition temperature

Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Propellant content	3.872 %
--------------------	---------



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Sodium Borate	12179-04-3 1330-43-4 1303-96-4	inhalation: dust/mist	>2.04 mg _i /4h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Sodium Lauroyl Sarcosinate	137-16-6	inhalation: dust/mist	>0.05 mg/l/4h
morpholine	110-91-8	oral	1,900 mg/kg
morpholine	110-91-8	dermal	500 mg/kg
morpholine	110-91-8	inhalation: vapor	11 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
morpholine	110-91-8	3	

Legend

3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 1950
IMDG-Code	UN 1950
ICAO-TI	UN 1950

14.2 UN proper shipping name

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

DOT	Aerosols
IMDG-Code	AEROSOLS
ICAO-TI	Aerosols, flammable
14.3 Transport hazard class(es)	
DOT	2.1
IMDG-Code	2.1
ICAO-TI	2.1
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	
There is no additional information.	
14.7 Transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN1950, Aerosols, 2.1
Reportable quantity (RQ)	1,449,275,362 lbs (657,971,014 kg) (ethylenediamine)
Danger label(s)	2.1



Special provisions (SP)	N82
ERG No	126

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN1950, AEROSOLS, 2.1, -83°C c.c.
Marine pollutant	-
Danger label(s)	2.1



Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
Excepted quantities (EQ)	E0



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Limited quantities (LQ) 1 L
EmS F-D, S-U
Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN1950, Aerosols, flammable, 2.1
Danger label(s) 2.1



Special provisions (SP) A145, A167
Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Clean Air Act

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
isobutane	75-28-5	Flammable substance	f	10000

Legend

f Flammable gas.

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
isobutane	75-28-5	propellant	EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
Diethylene glycol monobutyl ether		solvents	CA TACs
Sodium Borate	12179-04-3	cleaning agent	EC Annex VI CMRs - Cat. 1B
Sodium Lauroyl Sarcosinate	137-16-6	surfactant	
polymer	Proprietary	polymer	



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Name of substance	CAS No	Functionality	Authoritative Lists
morpholine	110-91-8	corrosion inhibitor	
Patchouli ethanone	54464-57-2	fragrance	
Sodium Laurate	629-25-4	surfactant	
Ethylene brassylate	105-95-3	fragrance	
Hedione	24851-98-7	fragrance	
Florosol	63500-71-0	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Diethylene glycol monobutyl ether		1022			1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
isobutane		N	

Legend

N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Sodium Borate			
morpholine	110-91-8		CO F3 R1
Diethylene glycol monobutyl ether			
isobutane	75-28-5		F4

Legend

CO Corrosive
F3 Flammable - Third Degree
F4 Flammable - Fourth Degree
R1 Reactive - First Degree



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
GLYCOL ETHERS		E
PROPANE, 2-METHYL-	75-28-5	

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Sodium Borate	1303-96-4	T
morpholine	110-91-8	T, F
isobutane	106-97-8	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
ethylene glycol monomethyl ether	109-86-4		developmental, male

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Category	Rating	Description
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: isobutane		yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
11.1	Germ cell mutagenicity: May cause genetic defects.	Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	yes
11.1	Carcinogenicity: May cause cancer.	Carcinogenicity: Shall not be classified as carcinogenic.	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2022	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All FreshFX Carpet and Upholstery Cleaner New Car - Aerosol

Version number: 7.1
Replaces version of: 2021-09-14 (6)

Revision: 2022-06-28

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H226	Flammable liquid and vapor.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H360	May damage fertility or the unborn child.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.