

Page 1 of 6 **GG-051**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

		4								NI				
1.1	Product Name:									N				
		-		ORCELA	IN CL	EAN	ER							
1.2		Aqueous Solut	ion											
1.3	Synonyms:	GG00158												
1.4	Trade Names:	Granite Gold F	orcelain Clear	ner										
1.5		Cleaner												
1.6		Granite Gold,												
1.7				n Diego CA 921										
1.8	Emergency Phone: CHEMTREC +1 (703) 527-3887 / +1 (800) 424-9300													
1.9 Business Phone / Fax: Tel: +1 (858) 499-8933														
			2 4/	ZARDS										
2.1	Hazard Identification:	Due a sure of time of							نام مامدر					
2.1				alian Work Hea			indards	s. Inte	naea	to com	ipiy w	ith US	HA 29 (CFR 1910.1200.
							ES SK		ΙΤΔΤΙά			SERI		E IRRITATION.
				al) 5; Skin Irrit.			L0 0K			JN. 07	UUUL			
2.2				3 – May be har			ed. H3	315 – 0	auses	skin i	rritatio	n. H3	19	
		 Causes serie 	ous eye irritatio	n.										
): P264 – Was										
				uct. P280 – W										
				P352 – IF C										
				YES: Rinse cau										
				o do. Continue 316 - If skin in										
		irritation persi	sts: Get medic	al advice/atten	tion P36	2+P36	$4 - T_{2}$		contar	r JJ <i>I</i> + ninate	d cloth	- II ey nina ar	nd l	
				Dispose of co										
		(TSDF).												
2.3	Other Warnings:	In the event of	f an exposure	or medical inq	uiry invol	ving th	nis pro	duct, p	lease	contac	t a ph	iysiciar	n or loca	al poison control
				from the U.S.	manufac	urer, a	and sho	ow the	m this	SDS.				
		KEEP OUT O	F REACH OF (CHILDREN.										
		<u> </u>	MPOSITI	ON & INC	REDI	ENI	INF	ORI	NAI	ION				
								1			URE LIMITS IN AIR (mg/m ³)			1
							GIH		NOHSC	;	OSHA			-
						p	pm	ES-	ppm ES-	ES-		ppm	1	-
CHEMIC	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
WATE	R	7732-18-5	ZC0110000	231-191-2	NA	NE	NE	NF	NF	NF	NE	NE	NE	
				Tere et	1		1.	1.						1
GLYC	OL ETHER DB	112-34-5	KJ910000	203-961-6	NA	NA	NA	NF	NF	NF	NA	NA	NA	
		Eye Irrit. 2; H3	19 VV9275000	229-912-9	NIA	NIA	NIA				NIA	NIA	NIA	
SODIU	JM METASILICATE	6834-92-0		rious Eye Dam. 1			NA 02 H31	NF	NF	NF	NA	NA	NA	
		141-43-5	KJ5775000	205-483-3	NA	3	02, H3	3	NF	NF	3	NA	30	3 NIOSH
MONO	DETHANOLAMINE			xicity-Dermal 4; \$										
		68439-46-3	NA	614-482-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	
ALCOP	HOLS C ₉₋₁₁ , ETHOXYLATED		al) 4, Eye Dam. 1											
ALCOHOLS C10-16, ETHOXYLATED		68002-97-1	NA	500-182-6	NA	NA	NA	NF	NF	NF	NA	NA	NA	
ALCO	· · · · · · · · · · · · · · · · · · ·	Acute Tox. (or	al) 4, Skin Irrit. 2,	Eye Dam. 1, Aq.	. Acute 1; I	1302, H	<u>1315, H</u>							
ALCO			NIA	NIA	NIA	NIA	NIA				NIA.	NI A	NIA	
	IS FRAGRANCE (PARFUM)	RR-38512-6	NA	NA	NA	NÁ	NA	NF	NF	NF	NA	NA	NA	
CITRU	()		NA	NA	NA	NĂ	NA	NF	NF	NF	NA	NA	NA	
CITRU CONT/	AINS	RR-38512-6	CS8100000	205-341-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
CITRU CONT/	()	RR-38512-6 138-86-3 Flam. Liq. 3; S	CS8100000 kin Irrit. 2; Skin S	205-341-0 Sens. 1; Aq. Acute	NA e 1; Aq. Cł	NA Ironic 1	NA ; H226,	NF H315,	NF H317, H	NF 1400, H	NA 410	NA	NA	
CITRU CONT/	AINS	RR-38512-6 138-86-3 Flam. Liq. 3; S 5392-40-5	CS8100000	205-341-0 Sens. 1; Aq. Acute 226-394-6	NA	NA	NA	NF	NF	NF	NA			ALLERGEN



Page 2 of 6 **GG-051**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0 SDS Revision Date: 5/17/2022

		4. FIRST AID MEASURES						
4.1	First Aid: Ingestion: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Eyes: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.							
		Skin: Remove contaminated clothing and wash affected area prompt medical attention. Do not wear contaminated clo	as with soap	and water.				
		Inhalation: Remove victim to fresh air at once. If breathing is di immediate medical attention. If breathing stops, perform	ifficult, admir	nister suppler				
4.2	Effects of Exposure:	Ingestion: If product is swallowed, may cause nausea, vomiting and Eyes: Moderately irritating to the eyes.						
		Skin: This product can cause mild, transient skin irritation with s skin reactions (e.g., rashes, welts, dermatitis) upon prolo	onged or repe	ated exposu	re.			
4.3	Symptoms of Overexposure:	Inhalation: Vapors of this product may be irritating to the nose, throad Symptoms of skin overexposure may include redness, itching, and irritation cause redness, itching and watering. The product can dermatitis) upon prolonged or repeated exposure.	tation of affec	ted areas. O	verexposure			
4.4	Acute Health Effects:	Moderate irritation to eyes and skin near affected areas. Additionally, hi dizziness, headaches and nausea.	igh concentra	itions of vapo	ors can cause	drowsiness,		
4.5	Chronic Health Effects:	The material may accentuate any pre-existing dermatitis condition.						
4.6	Target Organs:	Eyes, skin & respiratory system.						
4.7	Medical Conditions Aggravated by Exposure:	Persons with pre-existing skin disorders, eye problems, or impaired kidney function may be more susceptible to the effects of the substance.	HEALTH FLAMMA	BILITY		2		
		Substance.				0		
						B		
			EYES	SKIN				
		5. FIREFIGHTING MEASURES						
5.1	Fire & Explosion Hazards:	This product is a non-flammable liquid. When involved in a fire, the decompose to form toxic gases (e.g., CO_2 , NO_x).	this product	may ignite	and			
5.2	Extinguishing Methods:	CO ₂ , Halon (if permitted), Dry Chemical, Foam.						
5.3	Firefighting Procedures:	When involved in a fire, this product may and decompose to produce composed first responders should wear eye protection. Structural firefighters protective equipment. Use a water spray or fog to reduce or direct effective in actually extinguishing a fire involving this product.	s must wear	SCBAs and				
		6. ACCIDENTAL RELEASE MEASU	RES					
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup mus CAUTION – may be slippery if spilled.		•				
		For <u>small spills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate personal prote ventilation (open doors and windows) and secure all sources of ignition and place into appropriate closed container(s) for disposal. Dispose of regulations. Wash all affected areas and outside of container with contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected in (e.g., sand or earth). Use ONLY non-sparking tools for recovery and or disposal and solid diking material to separate containers for proper	n. Remove s properly in a plenty of w ndividuals. D cleanup. Tra	pilled materia ccordance wi varm water a ike and conta ansfer liquid t	al with absorb ith local, state and soap. F ain spill with it to containers	ent material and federal Remove any nert material for recovery		
		and wash affected skin areas with soap and water. Keep spills and o bodies of water.						
		7. HANDLING & STORAGE INFORMA						
7.1	Work & Hygiene Practices:	Use normal hygiene practices. Avoid direct skin contact. Wash han eating, drinking, or smoking. Good personal hygiene practices, such contaminated clothing, are recommended.	nds thorough					
7.1 7.2 7.3	Work & Hygiene Practices: Storage & Handling: Special Precautions:	Use normal hygiene practices. Avoid direct skin contact. Wash han eating, drinking, or smoking. Good personal hygiene practices, such	nds thorough as washing	any skin cor	itact areas a	nd removing		



Page 3 of 6 **GG-051**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0 SDS

8.1	Exposure Limits:	8. EXPOSURE CONT		GIH		NOHSC			OSHA		OTHER
0	ppm (mg/m ³)					ES-	ES-				
		CHEMICAL NAME(S) MONOETHANOLAMINE	TLV 3	STEL NA	ES-TWA 3	STEL NF	PEAK NF	PEL 3	STEL NA	IDLH 30	3 NIOSH
		D-LIMONENE	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		CITRAL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fans) or ventilation to effectively remove ar that an eyewash station, sink or wa	d preven	nt buildup	of vapors	or mist g	enerated	from the			
8.3	Respiratory Protection:	Not required under normal conditi generated, and respiratory protect applicable U.S. State regulations, Canadian Provinces, EC member	ons of u tion is ne or the Ca	se. In in eded, us anadian (stances w e only pro CAS Stanc	here vap tection a	ors or spi uthorized	ays of th by 29 Cl	-R §1910).134,	
8.4	Eye Protection:	Avoid eye contact. Protective eye standards) should be used when h	wear that	t conform	s to ANSI		r other app	olicable a	nd appro	priate	0
8.5	Hand Protection:	Use gloves constructed of chemica or prolonged contact is expected.	l resistar	nt materia	ls such as	neopren	e or heavy	nitrile ru	bber if fre	quent	
8.6	Body Protection:	Not required under normal condit necessary to prevent or reduce ex							e.g., apro	n) as	
			0.011								
0.1	Annee	9. PHYSICAL	αUΗ			JYEK	IIE2				
9.1 9.2	Appearance: Odor:	Clear to slightly hazy liquid									
9.2	Odor: Odor Threshold:	Citrus scent									
9.3 9.4	pH:	NA									
9.4 9.5	рп. Melting Point/Freezing Point:	10									
9.5	Initial Boiling Point/Boiling	NA									
9.0	Range:	110 °C (230 °F)									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability Limits:	ND									
9.9	Vapor Pressure:	ND									
9.10	Vapor Density:	NA									
9.11	Relative Density:	1.01									
9.12	Solubility:	1.000 @ 25°C (77 °F)									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	0% VOC									
		10. STA									
10.1	Stability:			Ιακ	LACH						
10.1	Hazardous Decomposition	Stable under normal conditions of	use.								
	Products:	None known.									
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Strong oxidizers and reducing age									
10.5	Incompatible Substances:	Strong oxidizing agents, strong ac	ids, and I	oases.							
		11. TOXICO	LOGI	CALI	NFOR		ON				
11.1	Routes of Entry:	Inhalation: YES			Absorption:	YES			Ingest	on: N	2
11.2	Toxicity Data:	This product has NOT been tested available for some of the compone				logy dat					-
11.3	Acute Toxicity:	See Section 4.4									
11.4	Chronic Toxicity:	See Section 4.5									
11.5	Suspected Carcinogen:	No									
	Reproductive Toxicity:	This product is not reported to pro-	duce repi	roductive	toxicity in	humans.					
11.6											
11.6	Mutagenicity:	This product is not reported to pro-	<u>duce m</u> ut	agenic el	fects in hu	imans.					
11.6	Mutagenicity: Embryotoxicity:	This product is not reported to prod This product is not reported to prod		Ū							



Page 4 of 6 **GG-051**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

1.7	Irritancy of Product:	See Section 4.2
1.8	Biological Exposure Indices:	NE
1.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
2.1	Environmental Stability:	
2.2	Effects on Plants & Animals:	There are no specific data available for this product.
2.2	Effects on Aquatic Life:	There are no specific data available for this product.
2.0	Elicola on Aquallo Elic.	There are no specific data available for this product; however, very large releases of this product may be harmful or fa to overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS
3.1	Waste Disposal:	
5.1	Wasie Disposal.	Review current local, state, and federal laws, codes, statutes, and regulations to determine current status and appropria disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations.
3.2	Special Considerations:	NA
		14. TRANSPORTATION INFORMATION
- he	basic description (ID Nur	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additiona
		e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
4.1	49 CFR (GND):	NOT REGULATED
4.2	IATA (AIR):	NOT REGULATED
4.3	IMDG (OCN):	NOT REGULATED
4.4	TDGR (Canadian GND):	NOT REGULATED
4.5	ADR/RID (EU):	NOT REGULATED
4.6	SCT (MEXICO):	NOT REGULATED
4.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
5.1	SARA Reporting	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
5.2	Requirements: SARA TPQ:	
5.2		There are no specific Threshold Planning Quantities for the components of this product.
5.3 5.4	TSCA Inventory Status: CERCLA Reportable	The components of this product are listed on the TSCA Inventory.
5.4	Quantity:	NA
5.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as prior pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
5.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
5.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criter lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (F Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvai Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or oth reproductive harm. For more information go to www.P65Warnings.ca.gov .
5.8	Other Requirements:	This product is found on the following inventory lists: Australia - AICS, China – IECSC, Europe – ELINCS/EINEC, Japa – ENCS; Korea – KECI; New Zealand – NZIoC; {Philippines – PICCS; USA – TSCA



Page 5 of 6 **GG-051**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

	16. OTHER INFORMATION						
16.1	Other Information:	WARNING! MAY BE HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Wash exposed skin areas thoroughly with soap and water after handling. Do not eat, drink, or smoke when using this product. Avoid eye contact. Wear eye protection/face protection. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical help. IF ON SKIN: Wash with soap and water. If skin irritation or a rash occurs: Get medical help. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Get medical help. CAUTION – MAY BE SPILLERY IF SPILLED. KEEP OUT OF REACH OF CHILDREN.					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Granite Gold's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for:	Granite Gold, Inc. 9170 Chesapeake Drive San Diego, CA 92123 USA Tel: +1 (858) 499-8933 http://www.granitegold.com/					
16.5	Prepared by:	ShipMate, Inc.P.O. Box 787Sisters, Oregon 97759-0787 USATel: +1 (310) 370-3600Fax: +1 (310) 370-5700http://www.shipmate.com					



Page 6 of 6 **GG-051**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0 SD

SDS Revision Date: 5/17/2022

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
IDLH Immediately Dangerous to Life and Health			
NOHSC	National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
STEL	Short Term Exposure Limit		
TLV	Threshold Limit Value		
TWA	Time Weighted Average		

FIRST AID MEASURES:


ulmonary resuscitation - method in which a person whose heart has receives manual chest compressions and breathing to circulate blood vide oxygen to the body.
hae oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:




OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

FLAMMABILI	TY LIMITS IN AIR:
Autoignition	Minimum temperature required to initiate combustion in air with no other source
Temperature	of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard	FLAMMA
1	Slight Hazard	FLAMMA
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/
W	Use No Water	HEALTH
ОХ	Oxidizer	
TREFOIL	Radioactive	



TOXICOLOGICAL INFORMATION:

LD ₅₀	LD ₅₀ Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
LC ₅₀ Lethal concentration (gases) which kills 50% of the exposed			
ppm	ppm Concentration expressed in parts of material per million parts		
TD _{Io}	TD _{Io} Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TDIo, LDIo, & LDo or	Do or Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC _o , LC _{io} , & LC _o			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
тс	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	L Canadian Priority Substances List			
TSCA	SCA U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨		Ð	(
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment