

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

NOT APPLICABLE/MIXTURE

PRODUCT NAME: Pool Breeze Metal Removing Agent

1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc.REVISION DATE:09/28/2009501 Merritt 7 PO Box 5204SUPERCEDES:02/26/2005Norwalk, CT 06856-5204MSDS Number:10000002205SYNONYMS:NoneCHEMICAL FAMILY:PhosphonateDESCRIPTION / USE:Swimming pool water treatment

FORMULA:

2. HAZARDS IDENTIFICATION

OSHA Hazard Classification:	Corrosive to eyes., Moderate skin irritant, Possible respiratory irritant

Routes of Entry: Chemical Interactions: Medical Conditions Aggravated: Inhalation, skin, eyes, ingestion No known or reported interactions. None known or reported

Human Threshold Response Data

Odor Threshold Not established for product.

Irritation Threshold Not established for product.

Hazardous Materials Identification System / N	National Fire Protection Association Classifications

Hazard Ratings :	<u>Health</u>	Flammability	Physical / Instability	<u>PPI / Special</u> hazard.
HMIS	3	0	0	nazarai
NFPA	3	0	0	



Immediate (Acute) Health Effects

Inhalation Toxicity:	Not expected to be toxic by inhalation. Inhalation of mist or vapor may
Skin Toxicity:	cause irritation to the mucous membranes of the respiratory tract. Skin contact may cause moderate irritation consisting of transient redness and swelling. This irritant effect would not be expected to result
	in permanent damage. Not expected to be toxic from dermal contact.
Eye Toxicity:	Corrosive. Burns can occur following exposure. Direct contact may
	cause impairment of vision, corneal damage and/or blindness. Rinsing of the eye should take place immediately.
Ingestion Toxicity:	Slightly toxic if swallowed. Ingestion may cause irritation of the
	gastrointestinal tract and gastrointestinal discomfort with any or all of the following symptoms: nausea, vomiting or diarrhea.
Acute Target Organ Toxicity:	This product is corrosive to the eyes, moderately irritating to the skin
	and upon inhalation, may cause irritation to mucous membranes and
	respiratory tract.
Prolonged (Chronic) Health Effect	rts
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of
	similar structure have been shown not to cause cancer in laboratory
	animals.
Reproductive and	This product has been tested and was shown not to produce any
Developmental Toxicity:	adverse effects on reproductive function or fetal development when administered to laboratory animals.
Inhalation:	There are no known or reported effects from chronic exposure.
Skin Contact:	Prolonged or repeated exposure may cause severe irritation.
Skin Absorption:	There are no known or reported effects from chronic exposure.
Ingestion:	There are no known or reported effects from chronic ingestion except for
	effects similar to those experienced from single exposure.
Eye Contact:	Prolonged contact may result in permanent damage.
Sensitization:	This material tested negative for skin sensitization in animals.
Chronic Target Organ Toxicity:	There are no known or reported effects to humans from repeated exposure to this product.
Supplemental Health Hazard Information :	No additional health information available.

3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME	CAS#	<u>% RANGE</u>
Water	7732-18-5	
ETIDRONIC ACID	2809-21-4	



Phosphonic Acid

13598-36-2

4. FIRST AID MEASURES


Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing
Skin Contact:	becomes difficult or if respiratory irritation develops. IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing
	comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA):	Product is not known to be flammable, combustible or pyrophoric.
Flammable Properties	
Flash Point:	Not applicable
Autoignition Temperature:	No data
Fire / Explosion Hazards:	This material is not expected to burn unless all the water is boiled
	away. The remaining compounds may be ignitable.
Extinguishing Media:	Not Applicable Choose extinguishing media suitable for
	surrounding materials.
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal
	protective equipment recommended in Section 8 to include a NIOSH
	approved self-contained breathing apparatus.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by
	thermal decomposition or combustion.
Upper Flammable / Explosive Limit, 9	% in air: No data
Lower Flammable / Explosive Limit, 9	% in air: No data

6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.
Spill Mitigation Procedures Air Release:	Hazardous concentrations in air may be found in local spill area and immediately downwind. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Pool Breeze Metal Removing Agent	



7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.
Storage:	Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed. Avoid freezing.
Incompatible Materials for Storage: Empty Container Warning:	Refer to Section 10, "Incompatible Materials." Empty containers retain hazardous residue, dispose of accordingly.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:	Local exhaust ventilation is recommended if vapors, mists, aerosols or dusts are generated. Otherwise, use general exhaust ventilation.
Protective Equipment for Ro	outine Use of Product
Respiratory Protection :	Respiratory protection not normally needed. If vapors, mists, aerosols or dusts are generated, wear a NIOSH approved respirator. A NIOSH approved full-face or half-face respirator in combination with chemical goggles. A NIOSH approved air purifying respirator with P100 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection : Eye Protection: Protective Clothing Type: General Protective Measures:	Wear impervious gloves to avoid skin contact. Use chemical goggles and a faceshield. Impervious An eye wash and safety shower should be provided in the immediate work area.

Exposure Limit Data



CHEMICAL NAME No Data Found CAS #

Name of Limit

Exposure

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid Form liquid Color: Clear yellow Characteristic Odor: Molecular Weight: No data Specific Gravity : 1.45 pH: < 2.0 (@ 25 Deg. C) Boiling Point: No data Freezing Point: No data Melting Point: No data Density: No data Vapor Pressure: No data Vapor Density: No data Viscosity: No data Fat Solubility: No data Solubility in Water: Miscible Partition coefficient n-No data octanol/water: Evaporation Rate: No data Oxidizing: No data Volatiles, % by vol.: No data VOC Content No data HAP Content No data

10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions. Product will not undergo hazardous polymerization.
Conditions to Avoid:	High temperatures, Avoid freezing.
Chemical Incompatibility:	Strong oxidizing agents, Strong bases, Metals, Aluminium, Mild steel
Hazardous Decomposition Products: Decomposition Temperature:	Carbon monoxide, Carbon dioxide, Phosphine, phosphorus oxides No data

11. TOXICOLOGICAL INFORMATION

Component Animal T	oxicology		
Oral LD50 value: ETIDRONIC ACID	LD50	= 1,440 mg/kg	Rat
Dermal LD50 value: ETIDRONIC ACID	LD50	> 4,764 mg/kg	Rabbit
Pool Breeze Metal Rem REVISION DATE: 0		Page 5	of 9



No data

Inhalation LC50 value: ETIDRONIC ACID

<u>Product Animal Toxicity</u> <u>Oral LD50 value:</u> <u>Dermal LD50 value:</u> <u>Inhalation LC50</u> <u>value:</u> Skin Irritation: Eye Irritation:	LD50 = 2,400 mg/kg Rat LD50 > 7,940 mg/kg Rabbit No data This material is expected to be moderately irritating. Corrosive to eyes.		
Skin Sensitization:	Negative skin sensitizer, guinea pig - Magnusson-Kligman method.		
Acute Toxicity: Subchronic / Chronic Toxicity:	This product is corrosive to the eyes, moderately irritating to the skin and upon inhalation, may cause irritation to mucous membranes and respiratory tract. High oral exposure of a similar chemical to laboratory rodents has been shown to alter red and white cell count, decrease hemoglobin concentration and decrease the hematocrit value. This effect to blood occurred when they were fed a diet containing 3% HEDP-A. No effect was observed at a dietary concentration of 1%., The hematological effects observed in laboratory studies using rodents would be unlikely to occur in humans because of the high dose required.		
Reproductive and Developmental Toxicity	This product has been tested and was shown not to produce any adverse effects on reproductive function or fetal development when administered to laboratory animals.		
ETIDRONIC AC	This product has been tested and was shown not to produce any adverse effects on reproductive function or fetal development when administered to laboratory animals.		
Mutagenicity: ETIDRONIC AC	This chemical has been tested and was shown to be non-mutagenic. This chemical has been tested and was shown to be non-mutagenic.		
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure		
ETIDRONIC AC	have been shown not to cause cancer in laboratory animals. This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown not to cause cancer in laboratory animals.		

12. ECOLOGICAL INFORMATION

Overview:

Practically non- toxic to fish and other aquatic organisms., Practically non-toxic to wildlife and domestic animals.



Ecological Toxicity Values for: ETIDRONIC ACID		
Bluegill	-	96 h LC50 = 868 mg/l
Rainbow trout (Salmo gairdneri),	-	96 h LC50 = 368 mg/l
Channel Catfish (Ictalurus		96 h LC50 = 695 mg/l
punctatus rafinesque),		
Sheepshead minnow		96 h LC50 = 2,180 mg/l
Daphnia magna,	-	48 h EC50= 527 mg/l
Grass shrimp	-	96 h LC50= 1,770 mg/l
Oyster Shell Deposition	-	96 h EC50= 89 mg/l
Mallard duck	-	Oral LD50 > 2,510 mg/kg
Bobwhite quail	-	Oral LD50 > 2,510 mg/kg

13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.
Disposal Methods :	As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D002

14. TRANSPORT INFORMATION

Land (US DOT): Water (IMDG):	Not Regulated NOT REGULATED AS A DOT HAZARDOUS MATERIAL UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (ETIDRONIC ACID) 8 III Marine Pollutant: No
Air (IATA):	Flash Point: Not applicable UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (ETIDRONIC ACID) 8 III
Emergency Response G	uide Number: Not applicable



Transportation Notes:

Product not regulated for ground transport in the USA per exception permitted in 49 CFR 173.154(d).

EMS:

F-A, S-B

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA):		The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.		
EPA Pesticide Registration Number:		None establ	ished	
FIFRA Listing of Pesticide Chemicals (40 CFR 180):		Not register	Not registered in the US under FIFRA.	
Superfund Amendments and Reauthorization Act (SARA) Title III:				
Hazard Categories Se Health Physical		ediate (Acute)	Health Hazard	
Emergency Planning	յ & Community Riզ	ght to Know (40 CFR 355, App. A):	
Extremely Hazardou ZUS_SAR302	s Substance Section TPQ (threshold plat quantity)		shold Planning Quantity: None established	
Reportable Quantity (49 CFR 172.101, Appendix):ZUS_CERCLAReportable quantityNone establishedZUS_SAR302Reportable quantityNone established				
Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components				
ZUS_SAR313	De minimis concer	ntration	None established	
Clean Air Act Toxic ARP Section 112r: CAA 112R None established				
Clean Air Act Socmi HON SOC		tablished		
Clean Air Act VOC Section 111: CAA 111 None established				
Clean Air Act Haz. Air Pollutants Section 112:ZUS_CAAHAPNone established				
ZUS_CAAHRP		tablished		
Pool Breeze Metal Remo REVISION DATE : 09	oving Agent /28/2009	Page 8 of 9		



CAA AP

State Right-to-Know Regulations Status of Ingredients			
Pennsylvania:			
CAS #	COMPONENT NAME		
ZUSPA_RTK	None established		
New Jersey:			
CAS #	COMPONENT NAME		
ZUSNJ_RTK	None established		
Massachusetts:			
CAS #	COMPONENT NAME		
ZUSMA_RTK	None established		
California Proposition 65:			
CAS #	COMPONENT NAME		
ZUSCA_P65	None established		
WHMIS Hazard Classification: None established			

None established

16. OTHER INFORMATION

MSDS REVISION STATUS :	Revised to meet the ANSI standard of 16 sections
SECTIONS REVISED:	First formulated version in SAP.
Major References :	Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.