

# SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

# LEISURE TIME FILTER CLEAN

Version 2.2	Revision Date 2021.05.05	Print Date 2022.01.20
SECTION 1. IDENTIFICATION		
Product name	: LEISURE TIME FILTER CLEAN	
Manufacturer or supplier's details		
Company	<ul> <li>Innovative Water Care, LLC 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004</li> </ul>	
Telephone E-mail address Emergency telephone number	<ul> <li>1-800-511-6737 (Outside the USA: 1</li> <li>sds@sigurawater.com</li> <li>1-800-654-6911 (Outside the USA: 1</li> </ul>	

# Recommended use of the chemical and restrictions on use

Recommended use	: Water treatment chemical

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Acute toxicity (Inhalation)	:	Category 4
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled.
Precautionary statements	:	<b>Prevention:</b> P260 Do not breathe vapours. P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.
Ref. / 00000024441		SDS_US / EN



P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER/ doctor. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P321 Specific treatment (see supplemental first aid instructions on this label). P363 Wash contaminated clothing before reuse. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/container in accordance with local regulation.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

### Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Hydrochloric acid (in water)	7647-01-0	5 - 10
Sulphuric acid	7664-93-9	5 - 10
Alcohols, C12-14-secondary, ethoxylated	84133-50-6	5 - 10
Citric acid	77-92-9	3 - 5
Polyethylene glycol ;Ethane-1,2-diol, homo- polymer	25322-68-3	0.1 - 0.2

### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
In case of skin contact	:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the



	clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
In case of eye contact	: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
If swallowed	: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Most important symptoms and ef- fects, both acute and delayed	: None known.
Notes to physician	: Probable mucosal damage may contraindicate the use of gas- tric lavage.

# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Specific hazards during firefighting	:	Material will not ignite or burn.
Further information		Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing appa- ratus.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency proce- dures	:	Additional protective clothing must be worn to prevent person- al contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus. Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for contain- ment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush into surface water or sanitary sewer system.



## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not take internally.</li> <li>Avoid contact with skin, eyes and clothing.</li> <li>If in eyes or on skin, rinse well with water.</li> <li>Avoid breathing vapours, mist or gas.</li> </ul>
Conditions for safe storage	<ul> <li>Store in a cool, dry and well ventilated place. Isolate from incompatible materials.</li> <li>Do not freeze.</li> </ul>
Materials to avoid	: Refer to Section 10, "Incompatible Materials."

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissi- ble concentra- tion	Basis
Hydrochloric acid (in water)	7647-01-0		2 ppm	ACGIH
		Ceil_Time	5 ppm 7 mg/m3	NIOSH/GUIDE
Sulphuric acid	7664-93-9	(Thoracic fraction.)		ACGIH
		TWA (Tho- racic frac- tion.)	0.2 mg/m3	ACGIH
		REL	1 mg/m3	NIOSH/GUIDE
Polyethylene glycol	25322-68-3	TWA (Aero- sols)	10 mg/m3	WEEL

### Components with workplace control parameters

**Engineering measures** : Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

### Personal protective equipment

Respiratory protection

Wear a NIOSH approved respirator if levels above the exposure limits are possible.
 A NIOSH approved full-face air purifying respirator with acid gas cartridge and N-95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

#### Hand protection



Remarks :	Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit is recommended if exposure is possible to a large portion of the body.
Eye protection :	Chemical resistant goggles must be worn. Face-shield
Skin and body protection :	Neoprene butyl-rubber Natural Rubber
Protective measures :	Ensure that eyewash stations and safety showers are close to the workstation location.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	no data available
Odour	:	no data available
Odour Threshold	:	no data available
рН	:	0.0 - 2.0
Melting point/freezing point	:	no data available
Boiling point/boiling range	:	212 °F / 100 °C
Flash point	:	no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Product is not known to be flammable, combustible, pyrophor- ic or explosive.
Flammability (liquids)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	> 1
Relative density	:	1.08 (68 °F / 20 °C)



Density	:	no data available
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available

# SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Stable under normal conditions. Product will not undergo hazardous polymerization.
Conditions to avoid	:	Heat
Incompatible materials	:	Amines Metals Alkalis
Hazardous decomposition products	:	Carbon oxides Sulphur oxides Nitrogen oxides (NOx) Hydrogen

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of expo- : sure

Eyes Skin Ingestion Inhalation

Acute toxicity Acute oral toxicity	: LD50 (Rat): Believed to be approximately 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): Believed to be approximately 7.9 mg/l Exposure time: 1 h



		Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): Believed to be > 2,000 mg/kg
Acute toxicity (other routes of admin- istration)	:	Remarks: Corrosive to eyes Corrosive to skin May cause respiratory tract irritation.

### Skin corrosion/irritation

Result: Corrosive to skin

## Serious eye damage/eye irritation

Result: Corrosive to eyes

## Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

### Carcinogenicity

Remarks: The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans (group 1).

IARC	Group 1: Carcinogenic to humans	
	Sulphuric acid	7664-93-9
OSHA	No component of this product present at levels great equal to 0.1% is on OSHA#s list of regulated carcin	
NTP	Known to be human carcinogen	
	Sulphuric acid	7664-93-9
ACGIH	Suspected human carcinogen	
	Sulphuric acid	7664-93-9
Repeated dose toxicity		

# Remarks: Not known or reported to cause subchronic or chronic toxicity.

# Further information

Remarks: no data available

## SECTION 12. ECOLOGICAL INFORMATION

# Ecotoxicity

no data available



Persistence and degradability no data available		
Bioaccumulative potential		
Components:		
Sulphuric acid:		
Partition coefficient: n-octanol/water	:	Remarks: Not applicable
Citric acid:		
Partition coefficient: n-octanol/water	:	log Pow: -1.72 (20 °C) Method: OECD Test Guideline 107
Polyethylene glycol:		
Partition coefficient: n-octanol/water	:	log Pow: -3.39
Mobility in soil		
no data available		
Other adverse effects		
Ozone-Depletion Potential	:	Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone- Depleting Substances (40 CFR 82, Subpt. A, App A & B) Remarks: This product neither contains, nor was manufac- tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	:	Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic or- ganisms and aquatic systems.

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.</li> <li>As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.</li> </ul>

# SECTION 14. TRANSPORT INFORMATION



# DOT

	UN number Proper shipping name Transport hazard class Packing group Labels Emergency Response Guidebook Number Environmental hazards	:	1760 Corrosive liquids, n.o.s. (Hydrochloric acid, Sulphuric acid) 8 II 8 154 no
TDG			
	UN number Proper shipping name	:	1760 CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Sulphuric acid)
	Transport hazard class Packing group Labels Environmental hazards	:	8 II 8 no
ΙΑΤΑ			
	UN number Proper shipping name		1760 Corrosive liquid, n.o.s. (Hydrochloric acid, Sulphuric acid)
	Transport hazard class Packing group Labels	:	8    8
	Environmental hazards	:	no
IMDG			
	UN number Proper shipping name	-	1760 Corrosive liquid, n.o.s. (Hydrochloric acid, Sulphuric acid)
	Transport hazard class Packing group Labels	:	8    8
	EmS Number 1 EmS Number 2	:	F-A S-B Marina pollutanti na

: S-B : Marine pollutant: no

Environmental hazards



# ADR

UN number Proper shipping name	<ul> <li>1760</li> <li>CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Sulphuric acid)</li> </ul>
Transport hazard class	: 8
Packing group	: 11
Classification Code	: C9
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no

### RID

	1760 CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Sulphuric acid)
Transport hazard class	8
Packing group	11
Classification Code	C9
Hazard Identification Number	80
Labels	8
Environmental hazards	no

1

### Special precautions for user

Packages with inner packaging less than 1 liter may ship under the Limited Quantity Exception.

Transport in bulk according to An-	:	Not applicable
nex II of MARPOL 73/78 and the IBC		
Code		

## SECTION 15. REGULATORY INFORMATION

## EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	11439

# SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	11439



### SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Concentration
Sulphuric acid	7664-93-9	5 - 10 %

### **SARA 313**

Components	CAS-No.	Concentration
Hydrochloric acid (in water)	7647-01-0	5 - 10 %
Sulphuric acid	7664-93-9	5 - 10 %

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Components	CAS-No.	Concentration
Hydrochloric acid (in water)	7647-01-0	5 - 10 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

Components	CAS-No.	Concentration
Hydrochloric acid (in water)	7647-01-0	5 - 10 %
Sulphuric acid	7664-93-9	5 - 10 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Components	CAS-No.	Concentration
Polyethylene glycol	25322-68-3	0.1 - 1 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

### **Clean Water Act**

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Components	CAS-No.	Component RQ (lbs)
Hydrochloric acid (in water)	7647-01-0	5000
Sulphuric acid	7664-93-9	1000

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Components	CAS-No.	Concentration
Hydrochloric acid (in water)	7647-01-0	5 - 10 %
Sulphuric acid	7664-93-9	5 - 10 %



This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

#### Massachusetts Right To Know

Components	CAS-No.
Hydrochloric acid (in water)	7647-01-0
Sulphuric acid	7664-93-9

### Pennsylvania Right To Know

Components	CAS-No.
Hydrochloric acid (in water)	7647-01-0
Sulphuric acid	7664-93-9
Alcohols, C12-14-secondary, ethoxylated	84133-50-6
Citric acid	77-92-9

### New Jersey Right To Know

Components	CAS-No.
Hydrochloric acid (in water)	7647-01-0
Sulphuric acid	7664-93-9
Alcohols, C12-14-secondary, ethoxylated	84133-50-6
Citric acid	77-92-9

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **Canadian lists**

#### NPRI

Components	CAS-No.
Hydrochloric acid (in water)	7647-01-0
Sulphuric acid	7664-93-9

### The components of this product are reported in the following inventories:

:

TSCA

The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

### **SECTION 16. OTHER INFORMATION**

## Full text of other abbreviations

: US. ACGIH Threshold Limit Values



### NIOSH/GUIDE WEEL

US. NIOSH: Pocket Guide to Chemical Hazards, as amended US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DOT - Department of Transportation: DSL - Domestic Substances List (Canada): ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

: 2021.05.05

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format

: yyyy/mm/dd

US/EN