

SAFETY DATA SHEET



Date Issued : 04/15/2014
 SDS No : 11710093_15181-12
 Date Revised : 05/25/2021
 Revision No : 5

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: S/G SMART TUBE DISPENSER 4GM (12)

PRODUCT CODE: 11710093_15181-12

MANUFACTURER

Pacer Technology
 3281 E. Guasti Road, Suite 260
 Ontario, CA 91761

Emergency Contact: Chemtrec

Emergency Phone: (800) 424-9300

Customer Service: (909) 987-0550

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (800) 424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2A
 Skin Irritation, Category 2
 Target Organ Toxicity (Single exposure), Category 3

Physical:

Flammable Liquids, Category 4

GHS LABEL

Note: If this product is a consumer product it is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will not contain the OSHA label elements shown below on this SDS.



Exclamation
 mark

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H227: Combustible liquid.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.
 H335: May cause respiratory irritation.

PRECAUTIONARY STATEMENTS

Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. - No Smoking.
 P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264: Wash skin and hands thoroughly after handling.
 P271: Use only outdoors or in a well-ventilated area.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET



Date Issued : 04/15/2014
 SDS No : 11710093_15181-12
 Date Revised : 05/25/2021
 Revision No : 5

Response:

P302+352: IF ON SKIN: Wash with plenty of soap and water.
 P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312: Call a POISON CENTER or doctor/physician if you feel unwell.
 P313: Get medical advice/attention.
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
 P337: If eye irritation persists: seek medical attention.
 P362: Take off contaminated clothing.
 P370: In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.
 P403+P235: Store in a well-ventilated place. Keep cool.
 P405: Store locked up.

Disposal:

P501: Dispose of in a manner consistent with federal, state, and local regulations.

HAZARDS NOT OTHERWISE CLASSIFIED:

Bonds skin and eyes instantly. Do not get in eyes, in mouth or on skin. Avoid contact with clothing as can cause burns. If spilled on clothing, flush with water immediately, do not remove, contact a physician.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
2-Methoxyethyl 2-cyanoacrylate	70 - 100	27816-23-5
Polymethyl methacrylate	10 - 30	9011-14-7

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN: Flush skin with water for several minutes. If bonded, immerse bonded areas in warm, soapy water for several minutes. Peel or roll skin or bonded material apart. Get medical attention if irritation occurs. Remove and launder clothing before re-use.

INGESTION: Flush lips with warm water to release lips if bonded. Ingestion is unlikely, though the product may stick in the mouth. Over a period of 1-2 days, the product will be loosened by saliva. Avoid swallowing the product. Get medical attention if symptoms occur.

INHALATION: Remove victim to fresh air. Get medical attention if symptoms of exposure persist.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Bonds eyelids immediately.

SKIN: Bonds skin immediately. Large quantities may react with skin and cause skin burns. May be harmful if swallowed.

INGESTION: May be harmful if swallowed.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

5. FIRE FIGHTING MEASURES

SAFETY DATA SHEET



Date Issued : 04/15/2014
SDS No : 11710093_15181-12
Date Revised : 05/25/2021
Revision No : 5

EXTINGUISHING MEDIA: Use dry chemical extinguisher or flush with large amounts of water.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon and nitrogen, hydrogen cyanide, and other toxic or irritating compounds.

FIRE FIGHTING EQUIPMENT: Wear an approved, positive pressure, self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Collect material with absorbent rags (not paper towels) or wash the material down with water to solidify and scrape solid off surface. Rinse spill area with water.

GENERAL PROCEDURES: Evacuate spill area and keep unprotected personnel away. Remove all ignition sources such as open flames, etc. Avoid contact with eyes, skin or clothing. Wear appropriate protective clothing to prevent eye and skin contact including impervious gloves, safety goggles, and respirator if needed. Avoid breathing mists or vapors. Ventilate area.

RELEASE NOTES: Avoid releases to the environment. Report spills and releases as required to appropriate authorities.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Avoid breathing mists or vapors. Use with adequate ventilation. Avoid contact with the eyes, skin, and clothing. Wear appropriate protective clothing as describe in Section 8. Wash thoroughly after handling. Keep away from flames and sources of ignition. No smoking in storage or use areas. Keep containers closed when not in use.

STORAGE: Store in a container in a cool, dry, well-ventilated location away from heat, sunlight and incompatible materials. Keep in original container. Prevent moisture contact. Keep container tightly closed when not in use. Ideal storage temperature 5-10C (41-40F).

STORAGE TEMPERATURE: Ideal storage: 41-50F (5-10C)

SHELF LIFE: One year from the date of shipment from Pacer Technology, unless otherwise noted.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Use with adequate general or local exhaust ventilation to minimize exposure levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical safety goggles are recommended where splashing is possible.

SKIN: Impervious gloves such as nitrile gloves are suggested to prevent skin contact. Do not use PVC, Nylon, or cotton materials. Contact your glove supplier for selection assistance.

RESPIRATORY: If needed, an approved respirator with organic vapor cartridges may be used. For higher exposures, a supplied air respirator may be required. Respirator selection and use should be based on contaminant type, form, and concentration. Follow applicable regulations and good Industrial Hygiene practice.

PROTECTIVE CLOTHING: Impervious clothing is required to prevent skin contact and contamination of personal clothing.

OTHER USE PRECAUTIONS: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Characteristic odor

ODOR THRESHOLD: Not Established

APPEARANCE: Transparent, colorless liquid

pH: Not Established

SAFETY DATA SHEET



Date Issued : 04/15/2014
SDS No : 11710093_15181-12
Date Revised : 05/25/2021
Revision No : 5

PERCENT VOLATILE: No data available
FLASH POINT AND METHOD: ≤ 93.3°C (200°F)
FLAMMABLE LIMITS: No data available
AUTOIGNITION TEMPERATURE: No data available
VAPOR PRESSURE: No data available
VAPOR DENSITY: No data available
BOILING POINT: ≥ to 150°C (302°F)
FREEZING POINT: -22 C (-7.5 F)
MELTING POINT: No data available
POUR POINT: No data available
THERMAL DECOMPOSITION: No data available
SOLUBILITY IN WATER: Insoluble in water.
EVAPORATION RATE: No data available
DENSITY: No data available
SPECIFIC GRAVITY: 1.08 g/mL at 25°C
VISCOSITY #1: 80 to 120 Centipoise at 22°C (72°F)
MOLECULAR WEIGHT: No data available
(VOC): < 20 g/L Per SCAQMD Method 316B.

10. STABILITY AND REACTIVITY

REACTIVITY: Rapid exothermic polymerization will occur in presence of incompatible materials.

HAZARDOUS POLYMERIZATION: Polymerization will occur on contact with water, amines, alkalis, and alcohols. The polymerization is an exothermic reaction and may cause thermal burns.

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Keep away from heat, flames, and other sources of ignition. keep dry. Avoid high humidity or high temperatures above 80C/176F.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion will produce oxides of carbon and nitrogen, hydrogen cyanide, and other toxic or irritating compounds.

INCOMPATIBLE MATERIALS: Water, alcohol, amines, and alkaline materials.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Chemical Name	ORAL LD ₅₀	DERMAL LD ₅₀
2-Methoxyethyl 2-cyanoacrylate	> 5000 mg/kg	> 2000 mg/kg

DERMAL LD₅₀: > 2000 mg/kg

Notes: (Estimated)

ORAL LD₅₀: > 5000 mg/kg

Notes: (Estimated)

SKIN CORROSION/IRRITATION: 2-Methoxyethyl 2-Cyanoacrylate: Not irritating to rabbit skin. This product is not expected to cause skin irritation.

SAFETY DATA SHEET



Date Issued : 04/15/2014
SDS No : 11710093_15181-12
Date Revised : 05/25/2021
Revision No : 5

SERIOUS EYE DAMAGE/IRRITATION: 2-Methoxyethyl 2-Cyanoacrylate: Not irritating according to HET-CAM test. This product is not expected to cause eye irritation.

RESPIRATORY OR SKIN SENSITISATION: No data available

GERM CELL MUTAGENICITY: No data available

CARCINOGENICITY

NOTES: None of the components of this product are listed as carcinogens by OSHA, IARC, NTP, ACGIH, and the EU CLP.

REPRODUCTIVE TOXICITY: No data available

STOT-SINGLE EXPOSURE: No data available

STOT-REPEATED EXPOSURE: No data available

ASPIRATION HAZARD: Components are not aspiration hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data available

AQUATIC TOXICITY (ACUTE): No data available for mixture. This product is expected to be harmful to the aquatic environment. Releases to the environment should be avoided.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all local, state, and federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NOT REGULATED

AIR (ICAO/IATA)

SHIPPING NAME: ID8000, CONSUMER COMMODITY, 9 (PKG LESS THAN OR EQUAL TO 30 kg G); or UN3334, AVIATION REGULATED LIQUID, N.O.S (METHOXY-ETHYL CYANOACRYLATE), 9, III (LTD QTY, IP VOL LESS THAN OR EQUAL TO 5.0 L, OP WGT LESS THAN OR EQUAL TO 30 kg G) *

VESSEL (IMO/IMDG)

SHIPPING NAME: NOT REGULATED

COMMENTS: * This product may be shipped as EXCEPTED QUANTITIES OF CLASS 9, UN3334 (IP VOL LESS THAN OR EQUAL TO 0.03 L, OP VOL LESS THAN OR EQUAL TO 1.0 L)

The transport information provided in this section only applies to the material formulation/itself, and is not specific to any package/configuration. This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organizations to follow all applicable laws, regulations, and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HEALTH HAZARDS: Immediate Health, Delayed Health, Fire, Reactive.

313 REPORTABLE INGREDIENTS: None above reporting de minimus.

SAFETY DATA SHEET



Date Issued : 04/15/2014
 SDS No : 11710093_15181-12
 Date Revised : 05/25/2021
 Revision No : 5

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: None above reporting de minimus.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
2-Methoxyethyl 2-cyanoacrylate	27816-23-5
Polymethyl methacrylate	9011-14-7

TSCA STATUS: All components are listed on or are exempt from listing on the Toxic Substances Control Act.

CLEAN AIR ACT

40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: Not applicable.

CALIFORNIA PROPOSITION 65: No California Proposition 65 ingredients are known to be in this product.

16. OTHER INFORMATION

APPROVED BY: Pacer Technology Regulatory Department


PREPARED BY: Pacer Technology Regulatory Department **Date Revised:** 05/25/2021

REVISION SUMMARY: This SDS replaces the 03/09/2017 SDS. Revised: **Section 1:** PRODUCT CODE. **Section 2:** HAZARDS NOT OTHERWISE CLASSIFIED. **Section 9:** FREEZING POINT.

HMIS RATING

HEALTH	<input type="checkbox"/>	2
FLAMMABILITY	<input type="checkbox"/>	2
PHYSICAL HAZARD	<input type="checkbox"/>	1
PERSONAL PROTECTION	<input type="checkbox"/>	

NFPA CODES



MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, Pacer Technology does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.