Issuing Date 24-Apr-2013 Revision Date 10-May-2016 Revision Number 0



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Carmex Lip Moisturizer SPF 15 Sunscreen Original

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sunscreen-Lotion or Non-Aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Carma Laboratories, Inc.

Supplier Address 5801 W. Airways Ave.

Franklin WI 53132 US

Supplier Phone Number Phone:414-421-7707

Fax:414-421-0737

Supplier Email | Ischneider@carma-labs.com

Emergency telephone number

Company Emergency Phone

Number

414-305-8850

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements



Emergency Overview

Signal word Warning

Hazard Statements

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure



Appearance Off yellow Cloudy

Physical state Solid

Odor Vanilla

Precautionary Statements - Prevention

Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label) Get medical advice/attention if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

27.7 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation
Harmful to aquatic life with long lasting effects
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical name	CAS No	Weight-%	Trade Secret
Paraffin waxes and Hydrocarbon waxes	8002-74-2	1 - 5	*
Oxybenzone	131-57-7	1 - 5	*
Camphor	76-22-2	1 - 5	*
Salicylic acid	69-72-7	0.1 - 1	*
D-Limonene	5989-27-5	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization in susceptible persons. Treat symptomatically.





5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code Sensitizer: Solid

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required. Evacuate personnel to safe areas.

Refer to protective measures listed in Sections 7 and 8. **Other Information**

Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions**

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



Page 4/11

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

	Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Г	Paraffin waxes and	TWA: 2 mg/m³ fume	(vacated) TWA: 2 mg/m³	TWA: 2 mg/m ³ fume
	Hydrocarbon waxes			
	8002-74-2			
Г	Camphor	STEL: 3 ppm synthetic	TWA: 2 mg/m ³	IDLH: 200 mg/m ³
	76-22-2	TWA: 2 ppm synthetic	(vacated) TWA: 2 mg/m³	TWA: 2 mg/m³ synthetic

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992)

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES



Page 5/11

Physical and Chemical Properties

Physical state Solid

AppearanceOff yellow CloudyOdorVanilla

Color No information available **Odor Threshold** No information available

None known

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

No data available None known рΗ Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density

No data available
No data available
No data available
No data available

Specific Gravity .8691

Water Solubility Insoluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available **Autoignition temperature** No data available No data available **Decomposition temperature** No data available Kinematic viscosity **Dynamic viscosity** No data available **Explosive properties** No data available No data available **Oxidizing properties**

Other Information

Softening Point

VOC Content (%)

Particle Size

No data available

No data available

No data available

Particle Size Distribution



10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin waxes and Hydrocarbon	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
waxes 8002-74-2			
Oxybenzone 131-57-7	= 7400 mg/kg (Rat)	-	-
Salicylic acid 69-72-7	= 891 mg/kg(Rat)	> 2 g/kg (Rat)	> 900 mg/m³(Rat)1 h
D-Limonene 5989-27-5	= 4400 mg/kg (Rat)	> 5 g/kg(Rabbit)	-

Information on toxicological effects

Symptoms Itching. Rashes. Hives.



Page 7/11

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
D-Limonene		Group 3		X
5989-27-5		•		

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Based on

classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

Chronic Toxicity Avoid repeated exposure. Prolonged exposure may cause chronic effects.

Target Organ Effects Central Nervous System (CNS). Eyes. Respiratory system. Skin. Liver. Kidney.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 15,923.00 mg/kg ATEmix (inhalation-dust/mist) 37.43 mg/l ATEmix (inhalation-vapor) 542.00 ATEmix



12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Salicylic acid		48h LC50: = 90 mg/L		48h EC50: = 870 mg/L 24h
69-72-7		(Leuciscus idus)		EC50: = 105 mg/L
D-Limonene		96h LC50: = 35 mg/L		
5989-27-5		(Oncorhynchus mykiss) 96h		
		LC50: 0.619 - 0.796 mg/L		
		(Pimephales promelas)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical name	Log Pow
Salicylic acid	2.26
69-72-7	

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
D-Limonene 5989-27-5	Toxic

14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated



MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Exempt

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CFRCI A

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

.



Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lanolin 8006-54-0			Х		
Paraffin waxes and Hydrocarbon waxes 8002-74-2	Х	Х	Х		
Camphor 76-22-2	Х	Х	Х		
Phenol 108-95-2	Х	Х	Х	Х	Х

International Regulations

Mexico

National occupational exposure limits

Chemical name	Carcinogen Status	Exposure Limits
Paraffin waxes and Hydrocarbon waxes		Mexico: TWA= 2 mg/m ³
·		Mexico: STEL= 6 mg/m ³
Camphor		Mexico: TWA 2 ppm
		Mexico: TWA 12 mg/m ³
		Mexico: STEL 3 ppm
		Mexico: STEL 19 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA Health Hazards 2 Flammability 1 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 2 * Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date24-Apr-2013Revision Date10-May-2016

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

