

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** GE284 3TG(T)-TUBE(0.198LBS-0.090KG)

**Other means of identification**

**Synonyms:** SILICONE SEALANT

**Recommended use and restriction on use**

**Recommended use:** Silicone Elastomer

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials LLC  
260 HUDSON RIVER RD  
Waterford NY 12188-1910

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**

**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Skin sensitizer	Category 1
Toxic to reproduction	Category 1B

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Hazard Statement:** H317; May cause an allergic skin reaction.  
 H360; May damage fertility or the unborn child.

**Precautionary Statements**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as required. Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

**Substance(s) formed under the conditions of use:** Generates methanol during cure.

**3. Composition/information on ingredients**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Silane, dichlorodimethyl-, reaction products with silica	68611-44-9	10 - <20%	# This substance has workplace exposure limit(s).
Distillates, petroleum, hydrotreated middle	64742-46-7	1 - <5%	# This substance has workplace exposure limit(s).
Hexamethyldisilazane	999-97-3	1 - <5%	No data available.
DIBUTYL TIN BIS ACETYLACETONATE	22673-19-4	0.1 - <0.3%	# This substance has workplace exposure limit(s).

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

<b>Ingestion:</b>	If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention if any discomfort continues.
<b>Inhalation:</b>	If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
<b>Skin Contact:</b>	To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water.
<b>Eye contact:</b>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Most important symptoms/effects, acute and delayed**

<b>Symptoms:</b>	Treatment is symptomatic and supportive.
<b>Hazards:</b>	No data available.

**Indication of immediate medical attention and special treatment needed**

<b>Treatment:</b>	No data available.
-------------------	--------------------

**5. Fire-fighting measures**

<b>General Fire Hazards:</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
------------------------------	---

**Suitable (and unsuitable) extinguishing media**

<b>Suitable extinguishing media:</b>	All standard extinguishing agents are suitable.
<b>Unsuitable extinguishing media:</b>	Do not use water jet as an extinguisher, as this will spread the fire.

<b>Specific hazards arising from the chemical:</b>	No data available.
--	--------------------

**Special protective equipment and precautions for firefighters**

<b>Special fire fighting procedures:</b>	No data available.
<b>Special protective equipment for fire-fighters:</b>	Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Avoid contact with skin and eyes. Use only in well-ventilated areas. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

**Methods and material for containment and cleaning up:** Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**7. Handling and storage**

**Precautions for safe handling:** Sensitivity to static discharge is not expected.

**Conditions for safe storage, including any incompatibilities:** Keep container closed.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Silane, dichlorodimethyl-, reaction products with silica	TWA	0.8 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Silane, dichlorodimethyl-, reaction products with silica - Particulate.	ST ESL	27 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
Distillates, petroleum, hydrotreated middle - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (03 2015)
Distillates, petroleum, hydrotreated middle - Mist.	REL	5 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	STEL	10 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	PEL	5 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	5 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	5 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
Distillates, petroleum, hydrotreated middle	ST ESL	3,500 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
	AN ESL	350 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
Distillates, petroleum, hydrotreated middle - Mist.	TWA PEL	5 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

			amended (01 2015)
Distillates, petroleum, hydrotreated middle	IDLH	2,500 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
DIBUTYL TIN BIS ACETYLACETONATE - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
DIBUTYL TIN BIS ACETYLACETONATE - Particulate.	AN ESL	0.1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
	ST ESL	1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)
DIBUTYL TIN BIS ACETYLACETONATE - as Sn	TWA PEL	0.1 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)
	STEL	0.2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)
DIBUTYL TIN BIS ACETYLACETONATE	IDLH	25 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)

**Appropriate Engineering Controls**

Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wear suitable gloves and eye/face protection.

**Eye/face protection:**

Safety glasses with side shields

**Skin Protection**

**Hand Protection:**

Use chemical-resistant, impervious gloves.

**Other:**

Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:**

If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

**Hygiene measures:**

Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat or drink.

**9. Physical and chemical properties**

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Appearance**

<b>Physical state:</b>	solid
<b>Form:</b>	solid
<b>Color:</b>	Colorless
<b>Odor:</b>	Ammonia.
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	Not applicable
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	Not applicable
<b>Flash Point:</b>	> 93.3 °C (estimated)
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper:</b>	No data available.
<b>Explosive limit - lower:</b>	No data available.
<b>Heat of combustion:</b>	No data available.
<b>Vapor pressure:</b>	Not applicable
<b>Vapor density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	1.02
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Insoluble
<b>Solubility (other):</b>	Slightly in Toluene
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	No data available.
<b>VOC:</b>	27 g/l ;

**10. Stability and reactivity**

<b>Reactivity:</b>	Reacts with water.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous polymerization will not occur.

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

<b>Conditions to avoid:</b>	Reacts with water liberating small amounts of methanol. Reacts with water liberating small amounts of ammonia. Moisture.
<b>Incompatible Materials:</b>	Moisture.
<b>Hazardous Decomposition Products:</b>	Carbon dioxide Silicon dioxide. Ammonia. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

**11. Toxicological information**

**Information on likely routes of exposure**

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**  
**Product:** ATEmix : 32,035.94 mg/kg

**Specified substance(s):**  
Hexamethyldisilazane LD 50 (Rat): 870 mg/kg

**Dermal**  
**Product:** ATEmix : 11,046.88 mg/kg

**Inhalation**  
**Product:** ATEmix : 405.05 mg/l

---

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Repeated dose toxicity**

**Product:** No data available.

**Skin Corrosion/Irritation**

**Product:** No data available.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Respiratory or Skin Sensitization**

**Product:** Bühler-Patch-Test skin sensitisation on guinea pigs, OECD Test Guideline 406 (Guinea Pig): negative Test results are based on analogy with a similar material.

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.



**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Aspiration Hazard**

**Product:** No data available.

**Other effects:**

Contains dibutyltin compound(s) - May impair fertility. May cause harm to unborn child.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**

Hexamethyldisilazane Log Kow: Not applicable

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

Silane, dichlorodimethyl-, reaction products with silica	No data available.
Distillates, petroleum, hydrotreated middle	No data available.
Hexamethyldisilazane	No data available.
DIBUTYL TIN BIS ACETYLACETONATE	No data available.

**Other adverse effects:** No data available.

**13. Disposal considerations**

**General information:** The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of as unused product.

**14. Transport information**

**DOT**  
Not regulated.

**IMDG**  
Not regulated.

**IATA**  
Not regulated.

**Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Keep away from foodstuffs and animal feed.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
None present or none present in regulated quantities.

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**

<u>Chemical Identity</u>	<u>OSHA hazard(s)</u>
METHYLPOLYSILOXAN E	No OSHA Hazards
SILOXANES AND SILICONES, DI-ME	No OSHA Hazards
Silane, dichlorodimethyl-, reaction products with silica	No OSHA Hazards
Distillates, petroleum, hydrotreated middle	Causes mild skin irritation.; Systemic effects
Hexamethyldisilazane	Toxic by ingestion; Toxic by skin absorption; Corrosive to eyes; Toxic by inhalation.
Methyltrimethoxysilane	Causes mild skin irritation.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Respiratory or Skin Sensitization  
Reproductive toxicity

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
--------------------------	------------------------------------

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**

---

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**



**WARNING:** This product can expose you to chemicals including Methanol, which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**

METHYLPOLYSILOXANE  
SILOXANES AND SILICONES, DI-ME  
Silane, dichlorodimethyl-, reaction products with silica  
Distillates, petroleum, hydrotreated middle  
Hexamethyldisilazane

**US. Massachusetts RTK - Substance List**

**Chemical Identity**

Distillates, petroleum, hydrotreated middle  
10,10'-OXYBISPHENOXARSINE

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

Distillates, petroleum, hydrotreated middle

**US. Rhode Island RTK**

**Chemical Identity**

Distillates, petroleum, hydrotreated middle

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	*	2
<b>Flammability</b>		0
<b>Physical Hazards</b>		1
<b>PERSONAL PROTECTION</b>		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 11/23/2020  
**Revision Date:** No data available.  
**Version #:** 6.0  
**Further Information:** No data available.

---

**GE284 3TG(T)-TUBE(0.198LBS-0.090KG)**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.