according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID MAX® SPIDER & SCORPION KILLER

Version 1.1

Revision Date 05/18/2010

Print Date 11/10/2010

MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name	:	RAID MAX® SPIDER & SCORPION KILLER
Use of the Substance/Mixture	:	Insecticide
Company	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Emergency telephone	:	24 Hour Transport & Medical Emergency Phone (866) 231- 5406 24 Hour International Emergency Phone (952) 852-4647

2. HAZARDS IDENTIFICATION

Emergency Overview Appearance / Odor	:	off-white / aerosol / solvent
Immediate Concerns	:	Caution CAUSES EYE IRRITATION. Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst. Keep away from heat, sparks and flame. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas.
Potential Health Effects Exposure routes	:	Eye, Skin, Inhalation, Ingestion.
Eyes	:	May cause: Moderate eye irritation
Skin	:	May cause transient tingling and reddening of the skin.
Inhalation	:	Excessive exposures may affect human health, as follows: May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects.
Ingestion	:	Aspiration hazard if swallowed - can enter lungs and cause damage.
Aggravated Medical Condition	:	Persons with pre-existing skin disorders may be more susceptible to irritating effects.
		1/9

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID MAX® SPIDER & SCORPION KILLER

Version 1.1

Revision Date 05/18/2010

Print Date 11/10/2010

MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Hydrocarbon Solvent (CAS#s 629-59-4, 629-62- 9, 544-76-3 or 64742-47-8)	Mixture	10.00 - 30.00
Isobutane	75-28-5	5.00 - 10.00
Propane	74-98-6	1.00 - 5.00
Imiprothrin	72963-72-5	0.10 - 1.00
Deltamethrin	52918-63-5	0.01 - 1.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES		
Eye contact	:	Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention if irritation develops and persists.
Skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists.
Inhalation	:	Remove to fresh air. If breathing is affected, get medical attention.
Ingestion	:	Get medical attention immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media	:	Alcohol foam, carbon dioxide, dry chemical, water fog
Specific hazards during fire fighting	:	Aerosol Product - Containers may rocket or explode in heat of fire.
Further information	:	Cool and use caution when approaching or handling fire- exposed containers. Fight fire from maximum distance or protected area. Wear full protective clothing and positive
		2/9

Material Safety Data Shee	t	SC .
according to ANSI Z400.1- 2004 and 29 C		
RAID MAX® SPIDER &	S	
Version 1.1		Print Date 11/10/2010
Revision Date 05/18/2010		MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800
		pressure self-contained breathing apparatus.
Flash point	:	< -7 °C Note: Propellant
Flash point	:	< 20 °F Note: Propellant
Lower explosion limit	:	Note: no data available
Upper explosion limit	:	Note: no data available
NFPA Classification	:	NFPA Level 1 Aerosol
6. ACCIDENTAL RELEASE MEA	ASU	RES
Personal precautions	:	Remove all sources of ignition.
Environmental precautions	:	Use appropriate containment to avoid environmental contamination. Do not flush into surface water or sanitary sewer system.
Methods for cleaning up	:	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Dike large spills.
7. HANDLING AND STORAGE		
Handling		
Advice on safe handling	:	Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition.
Storage		
Requirements for storage areas and containers	:	Keep in a dry, cool and well-ventilated place. Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID MAX® SPIDER & SCORPION KILLER

Version 1.1

Revision Date 05/18/2010

Print Date 11/10/2010

MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection

Industrial setting	:	Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
Household setting	:	No personal respiratory protective equipment normally required.
Hand protection		
Industrial setting	:	For prolonged or repeated contact use protective gloves.
Household setting	:	not required under normal use
Eye protection		
Industrial setting	:	No special requirements.
Household setting	:	No special requirements.
Hygiene measures	:	Use only with adequate ventilation. Wash thoroughly after handling. Wear suitable protective clothing. Keep away from food, drink and animal feedingstuffs.
		4/9

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID MAX® SPIDER & SCORPION KILLER

Version 1.1

Revision Date 05/18/2010

Print Date 11/10/2010

MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	aerosol
Color	:	off-white
Odor	:	solvent
рН	:	not applicable
Boiling point	:	no data available
Freezing point	:	no data available
Flash point	:	< -7 °C Propellant
Flash point	:	< 20 °F Propellant
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Does not sustain combustion.
Autoignition temperature	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	0.89 g/cm3
Water solubility	:	at 21 °C slightly soluble
Viscosity, dynamic	:	no data available
Volatile Organic Compounds (California Air Resource Board – CARB) Total VOC (wt. %)	:	10.5 % - does not include any applicable regulatory exemptions

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID MAX® SPIDER & SCORPION KILLER

Version 1.1

Revision Date 05/18/2010

Print Date 11/10/2010

MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800

10. STABILITY AND REACTIVITY

10.	STABILITY AND REACTIVITY		
	Conditions to avoid	:	Heat, flames and sparks.
	Materials to avoid	:	Do not mix with oxidizing agents.
	Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.
	Hazardous reactions	:	Stable
11.	TOXICOLOGICAL INFORMAT	101	N
	Acute oral toxicity	:	LD50 estimated > 5,000 mg/kg
	Acute inhalation toxicity	:	LC50 estimated > 2.0 mg/l
	Acute dermal toxicity	:	LD50 estimated > 5,000 mg/kg
	Chronic effects Carcinogenicity	:	no data available
	Mutagenicity	:	no data available
	Reproductive effects	:	no data available
	Teratogenicity	:	no data available
	Sensitisation	:	Substance is not a sensitizer.

Material Safety Data Sh	eet					
according to ANSI Z400.1- 2004 and 2	(Č) ohnsor					
	A FAMILY COMPAN					
RAID MAX® SPIDER & SCORPION KILLER						
Version 1.1		Print Date 11/10/2010				
Revision Date 05/18/2010		MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800				
12. ECOLOGICAL INFORMA	TION					
Ecotoxicity effects	: Harmful to aq	uatic organisms.				
13. DISPOSAL CONSIDERAT	TIONS					
Industrial setting		WASTE: oplicable Federal, Provincial and State Id Local/Municipal ordinances regarding				
Household setting	: Dispose of in	accordance with local regulations.				
RCRA waste class	: D001 (Ignitab	e Waste)				
SCJ product category	: AF: Aerosol F	lammable				
14. TRANSPORT INFORMAT	ION					
Land transport						
 U.S. DOT and Canac UN-Number Proper shipping name Class: Packaging group: 	lian TDG Surface Trar 1950 Aerosols, Flammat 2.1 None.					
Note:	SC Johnson ships (non-bulk package:	this product as Consumer Commodity ORM-D s)				
Sea transport IMDG: Class: Packaging group: Proper shipping name UN-Number: Note:	2.1 None. Aerosols, Flammak 1950	ble derogation may be applicable to this product,				
	please check trans					

Material Safety Data She according to ANSI Z400.1- 2004 and 29		A FAMILY COMPAN
RAID MAX® SPIDER	& SCORPION KILLE	R
Version 1.1		Print Date 11/10/2010
Revision Date 05/18/2010		MSDS Number 350000014693 SITE_FORM Number 300000000000011331.002 GEN_SOF Number 39800
Air transport		
ICAO/IATA:		
Class:	2.1	
Packaging group: Proper shipping name UN/ID No.:	None. Aerosols, Flammable UN 1950	
Note:	not been determined if the IATA/ICAO package criteri	not ship products via air, therefore it has product container meets current a. Refer to IATA/ICAO Dangerous Good structions when shipping this item by air.
Notification status California Prop. 65 Registration # / Agency 4822-562/US/EPA	listing on the U.S. Toxi Chemical Substance Ir	ject to the reporting requirements under
6. OTHER INFORMATION		
HMIS Ratings		
Health	2	
Flammability	4	
Reactivity	0	
NFPA Ratings		
Health	2	
Fire	4	
Reactivity	0	
Special		
Further information		
	8/9	

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID MAX® SPIDER & SCORPION KILLER

Version 1.1

Revision Date 05/18/2010

Print Date 11/10/2010

MSDS Number 350000014693 SITE_FORM Number 3000000000000011331.002 GEN_SOF Number 39800

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	