


1. Product and Company Identification

Product Name RESOLVE® High Traffic Foam
UPC CODES Refer to Section 16
CAS # Mixture
Product use Carpet care
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 0
Flammability	1
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview CAUTION
 CONTENTS UNDER PRESSURE.
 Do not puncture or incinerate container.
 DO NOT expose to heat or store at temperatures above 120°F (49°C).
 Avoid freezing.
 Contains no phosphates.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.
Eyes Not an eye irritant. (based on raw material data)
Skin Not a skin irritant. (based on raw material data)
Inhalation Not harmful. (based on raw material data)
Ingestion Not harmful (calculated LD50 > 5000 mg/kg)

Target organs Skin. Eyes.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.
 Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	38916-42-6	2.5 - 10
Isobutane	75-28-5	2.5 - 10
Propane	74-98-6	1 - 2.5
Ethanol	64-17-5	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact	In case of eye contact, IMMEDIATELY rinse thoroughly with water. Remove any contact lenses and continue rinsing eyes for at least 15 minutes. Get medical attention.
Skin contact	In case of skin contact, wash with soap and water. If irritation persists, get medical attention.
Inhalation	In case of accident, move the person to fresh air. Use only as directed.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

Ingestion	If swallowed, rinse mouth and drink a glass of water. Call a physician or Poison Control Centre.
------------------	--

Notes to physician

Symptoms may be delayed.

General advice

Avoid contact with eyes and skin. Keep out of reach of children. Immediate medical attention is required. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. If you feel unwell, seek medical advice (show the label where possible).

5. Fire Fighting Measures

Flammable properties Aerosol flame extension less than 15 cm.

Extinguishing media

Suitable extinguishing media Carbon dioxide. Water spray. Foam. Dry chemical powder.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products May include and are not limited to: Oxides of carbon. Oxides of sulphur.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling CAUTION
Contents under pressure.
Avoid contact with eyes, skin and clothing.

Storage

Keep out of reach of children.
 Keep away from heat, sparks, and flame.
 Do not puncture or incinerate container.
 DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst.
 Store in a cool dry place inaccessible to children and pets.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	ACGIH-TLV Not established OSHA-PEL Not established
Ethanol	ACGIH-TLV TWA: 1000 ppm STEL: 1000 ppm OSHA-PEL TWA: 1000 ppm
Isobutane	ACGIH-TLV TWA: 1000 ppm OSHA-PEL Not established
Propane	ACGIH-TLV TWA: 1000 ppm OSHA-PEL TWA: 1000 ppm

Engineering controls

General ventilation normally adequate. Provide adequate ventilation.

Personal protective equipment**Eye / face protection**

Not normally required under normal use conditions.
 Emergency responders should wear full eye and face protection.

Hand protection

No special requirements under normal use conditions.
 Emergency responders should wear impermeable gloves.

Skin and body protection

As required by employer code.
 Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
 Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.
 When using do not eat or drink.
 Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance	Foamy Spray
Color	white
Form	Aerosol.
Odor	Characteristic
Odor threshold	Not available

Physical state	Gas
pH	8.8 - 9.2 (Concentrate)
Freezing point	Not available
Pour point	Not available
Boiling point	Not available
Flash point	> 199.94 °F (> 93.3 °C) Tagliabue
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	> 1
Specific gravity	0.998 - 1.002
Octanol/water coefficient	Not available
Solubility (H2O)	Miscible
Auto-ignition temperature	Not available

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F). DO NOT MIX WITH BLEACH or use in conjunction with other household products.
Incompatible materials	Acids. Caustics.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	Not available
Ethanol	31623 ppm rat
Isobutane	658 mg/l/4h rat
Propane	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	6500 mg/kg rat
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Isobutane	Not available
Propane	Not available

Effects of acute exposure

Eye	Not an eye irritant. (based on raw material data)
Skin	Not a skin irritant. (based on raw material data)
Inhalation	Not harmful. (based on raw material data)
Ingestion	Not harmful (calculated LD50 > 5000 mg/kg)
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.

Carcinogenicity	The finished product is not expected to have chronic health effects.	
ACGIH - Threshold Limit Values - Carcinogens		
Ethanol	64-17-5	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
IARC - Group 1 (Carcinogenic to Humans)		
Ethanol	64-17-5	Monograph 96 [in preparation] (in alcoholic beverages)
Mutagenicity	The finished product is not expected to have chronic health effects.	
Reproductive effects	The finished product is not expected to have chronic health effects.	
Teratogenicity	The finished product is not expected to have chronic health effects.	
Synergistic Materials	Not available	

12. Ecological Information

Ecotoxicity	See below	
Ecotoxicity - Freshwater Fish Species Data		
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L [flow-through]
Ecotoxicity - Water Flea Data		
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
Environmental effects	Not available	
Aquatic toxicity	Not available	
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Partition coefficient	Not available	
Mobility in environmental media	Not available	
Chemical fate information	Not available	

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Class 2.2, Re-classed as
Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN 1950, Aerosols, Class 2.2, Re-classed as
Consumer Commodity/ LTD. QTY.

IMDG (Marine Transport)

UN 1950, Aerosols, Class 2.2, Limited Quantity

IATA/ICAO (Air)

UN1950, Aerosols, Non-Flammable, Class 2.2, Limited
Quantity, Consumer Commodity, ID 8000 if acceptable
to air carrier.

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard
Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

Product Registration: Not registered

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Clean Air Act (CAA)	Not available
Clean Water Act (CWA)	Not available
State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Ethanol	64-17-5	Teratogen
Isobutane	75-28-5	Present
Propane	74-98-6	Present

U.S. - Minnesota - Hazardous Substance List

Ethanol	64-17-5	Present
Propane	74-98-6	Simple asphyxiant

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol	64-17-5	sn 0844
Isobutane	75-28-5	sn 1040
Propane	74-98-6	sn 1594

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol	64-17-5	Present
Isobutane	75-28-5	Present
Propane	74-98-6	Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol	64-17-5	Toxic; Flammable
Propane	74-98-6	Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

59631-41015 - 623 g - RESOLVE® High Traffic Foam - 0147465

Issue date

10-May-2010

Effective date

01-May-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.