MATERIAL SAFETY DATA SHEET

SECTION 01 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Chemical Name: STOVE & FIREPLACE MORTAR

Manufacturer: Kel Kem Ltd.

#3 – 1333 Cornwall Road Oakville, Ontario L6J 7T5 Tel: (905) 829-5888 Fax: (905) 829-3247

Canutec 24 Hour Emergency Tel: (613)-996-6666 (Collect)

Date: April 1, 2011

Prepared by: Gerry van Konynenburg

WHMIS Classification: D2A, D2B

Product Use: Mortar Compound

Product Code(s): KK0306

SECTION 02 - COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients	CAS No.	%	OSHA PEL	ACGIH TLV
Calcium Metasilicate	13983-17-0	3.0 - 7.0	n/a	n/a
Silica, Quartz	14808-60-7	0.1 – 1.0	0.1 mg/m ³	0.05 mg/m ³
Hydrous Aluminum Silicate	1332-58-7	40.0 - 70.0	n/a	n/a
Sodium Silicate	1344-09-8	30.0 - 60.0	n/a	5 mg/m³
Sodium Hydroxide	1310-73-2	1.0 - 5.0	2 mg/m³	2 mg/m ³

The ingredients listed above are controlled products as defined in CPR, am. SOR/88-555 or 29 CFR 1910.1200

SECTION 03 - HAZARDS INDENTIFICATION:

ROUTES OF ENTRY INTO THE BODY (ACUTE EFFECTS):

Eyes: Direct contact may cause severe irritation. Symptoms may include

watering, itching and burning.

Skin: May cause severe irritation including itching and inflammation.

Inhalation: Upper respiratory tract irritation.

Ingestion: Gastrointestinal irritation. Symptoms may include abdominal pain,

nausea, diarrhea and vomiting.

WHMIS HAZARD SYMBOL(S):



SECTION 04 - FIRST AID MEASURES:

Eyes: Flush with copious quantities of lukewarm water. Do not attempt to

physically remove the solids from the eye. Seek medical attention

immediately.

Skin: Remove contaminated clothing. Wash thoroughly with warm water and

non-abrasive soap. Seek medical attention if you feel ill or a reaction

develops.

Inhalation: Remove to fresh air and provide water. Seek medical attention if you feel

ill or a reaction develops.

Ingestion: Do not induce vomiting. Provide water and get immediate medical

attention.

SECTION 05 - FIRE FIGHTING MEASURES:

Flammable Conditions:

Extinguishing Media:

Fire Fighting Measures:

Flash Point:

Not applicable

Not applicable

Not applicable

Flammability Limits: Lower Explosion Limit - not applicable

Upper Explosion Limit - not applicable

Autoignition Temperature: Not applicable Hazardous Decomposition Products: Not applicable

Sensitivity - Impact: None Static: None

SECTION 06 - ACCIDENTAL RELEASE MEASURES:

Containment / Clean Up: Restrict access to the area of the spill. Provide ventilation and protective

clothing. Scrape up compound and place in container for disposal. Local, state, provincial, federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup.

SECTION 07 - HANDLING AND STORAGE:

Handling and Storage: Store in an adequately ventilated area under dry conditions between 50°F

(10°C) to 77°F (25°C) and keep container tightly sealed when not in use.

SECTION 08 - EXPOSURE CONTROL / PERSONAL PROTECTION:

Component Exposure Limits: See Section 2.

Respiratory: Respiratory protection to be provided.

Ventilation: In indoor applications, passive ventilation (opening of doors and windows)

is recommended. Local exhaust as necessary to keep exposure levels

within guidelines.

Personal Protective Equipment: Safety glasses with side-protection, impermeable gloves (e.g., neoprene,

nitrile, silver shield (R)), coveralls or apron are important in preventing contamination of eyes, skin and clothing. Wash thoroughly after handling.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Paste

Odor and Appearance: Odorless, black, buff or gray gunnable paste

Odor Threshold: Not available

Specific Gravity: 1.8

Vapor Pressure:

Vapor Density:

Evaporation Rate:

Not available

Not available

Boiling Point: 100°C (212°F) due to water component

Freezing Point:

pH:

Coeff. Oil/Water Distribution:

Not available

Not available

SECTION 10 - STABILITY AND REACTIVITY:

Chemical Stability: Stable
Incompatible Materials: Not available
Reactive Conditions: Not available
Hazardous Polymerization: Will not occur

SECTION 11 - TOXICOLOGICAL INFORMATION:

Effects of overexposure: Acute hazards are to eyes and skin if contacted. The silica in this

product is totally encapsulated and thus present no inhalation danger

to the user.

Sensitization: Not Known

Carcinogenicity: Respirable quartz silica from occupational sources is listed by IARC as

a human carcinogen.

Reproductive Toxicity:

Not known
Teratogenicity:

Not known
Mutagenicity:

Not known
Synergistic Products:

Not known

SECTION 12 - ECOLOGICAL INFORMATION:

Air: Complete information is not yet available. Water: Complete information is not yet available. Soil: Complete information is not yet available.

SECTION 13 – DISPOSAL CONSIDERATIONS:

Waste Disposal: Dispose in accordance with Federal, State / Provincial and local

regulations.

SECTION 14 - TRANSPORT INFORMATION:

Shipping Information: Not subject to DOT, TDG, IMDG Code or IATA Regulations.

SECTION 15 - REGULATORY INFORMATION:

TSCA Inventory Status: Chemical components listed on TSCA inventory except as exempted.

NFPA Profile: Health 2, Flammability 0, Reactivity 0

SARA TITLE III Chemical Listings: Section 302 Extremely Hazardous Substances: None

Section 304 CERCLA Hazardous Substances: This product contains the following toxic chemicals which are subject to reporting: 1.2% by weight

Caustic Soda (CAS# 01310-73-3).

Section 312 Hazard Class: Acute: Yes; Chronic: No; Fire: No; Pressure: No;

Reactive: No

<u>Section 313 Toxic Chemicals</u>: This product contains the following toxic chemicals which are subject to reporting: 1.2% by weight Caustic Soda

(CAS# 01310-73-3).

State Substance List: This product contains a listed substance(s) that appears on one or more of

the Substance Lists for Pennsylvania, Massachusetts and New Jersey: sodium hydroxide (CAS# 01310-73-2); sodium silicate (CAS# 01344-09-8); calcium metasilicate (CAS#13983-17-0); hydrous aluminum silicate (CAS#

1332-58-7); and silica, quartz (CAS# 14808-60-7).

California Proposition 65 List: None known

Volatile Organic Content: None WHMIS Classification: D2A, D2B

Domestic Substance List: Chemical components listed on DSL except as exempted.

SECTION 16 - OTHER INFORMATION:

The information is provided in good faith and is correct to the best of Kel Kem Ltd.'s knowledge as of the date hereof and is designed to assist our customers; however Kel Kem Ltd. Makes no representation as to its completeness or accuracy. Final determination of suitability of any material is the sole responsibility of the user. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Kel Kem Ltd. Disclaims all expressed or implied warranties or representations.