## Material Safety Data Sheet

PC - Woody, Part A MSDS No. 120313-17

Date of Preparation: 12/06/2012 Revision:10

### **Section 1 - Chemical Product and Company Identification**

Product/Chemical Name: PC Woody, part A

Chemical Formula: Mixture CAS Number: Mixture General Use: Adhesive

Manufacturer: Protective Coating Company, 221 S. Third St., Allentown, PA 18102-4922, Emergency Phone 1-800-255-3924,

International + 01 or +001-813-248-0585 (Please call collect if necessary) (24 Hr) CHEM-TEL

Contact Phone (610)432-3543, FAX (610)432-5043 (9AM-5PM EST)

### **Section 2 - Composition / Information on Ingredients**

Ingredient Name	CAS Number
Bisphenol A Epoxy Resin	25068-38-6
Bis(2-ethylhexyl)-1,4-benzenedicarboxylate	6422-86-2
Magnesium Silicate	14807-96-6
Aluminum Silicate	1332-58-7
Glycidyl Ethers of Bisphenol F Resin	09003-36-5

#### **Section 3 - Hazards Identification**

#### **☆☆☆☆** Emergency Overview ☆☆☆☆

#### **Potential Health Effects**

Acute Effects
Inhalation: none

**Eye:** moderate eye irritation or sensitization. **Skin:** moderate skin irritation or sensitization.

**Ingestion:** possible irritation.

**Carcinogenicity:** IARC, NTP, and OSHA do not list PC - Woody, Part A as a carcinogen. **Medical Conditions Aggravated by Long-Term Exposure:** skin and eye conditions.

#### **Section 4 - First Aid Measures**

Inhalation: Remove to fresh air.

**Eye Contact:** Flush with water, consult a physician. **Skin Contact:** Wash with water, consult a physician.

**Ingestion:** Seek medical advice.

After first aid, get appropriate in-plant, paramedic, or community medical support.

### **Section 5 - Fire-Fighting Measures**

Flash Point: 480° F

Flash Point Method: Closed Cup Flammability Classification: IIIB

**Extinguishing Media:** Water spray, CO<sub>2</sub>, dry chemicals. **Unusual Fire or Explosion Hazards:** None known.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, aldehydes

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing

apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

#### **Section 6 - Accidental Release Measures**

**Spill /Leak Procedures:** Dispose of in normal manner.

Disposal: Incinerate in furnace of bury in landfill according to applicable regulations; not a hazardous waste.

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

H 1
F 1
R 0
PPE†B
†Sec. 8

**HMIS** 

NFPA

PC - Woody, Part A MSDS No. 120313-17

Date of Preparation: 12/06/2012 Revision:10

### **Section 7 - Handling and Storage**

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.

Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSHapproved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Handling Precautions:** None

Storage Requirements: Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

### **Section 8 - Exposure Controls / Personal Protection**

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.

Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-

approved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles.

### **Section 9 - Physical and Chemical Properties**

Physical State: Paste Water Solubility: Insoluble in water

Appearance and Odor: White, mild odor Other Solubilities: alcohols **Density:** 6.6 lbs./ gallon **Boiling Point:** No data Specific Gravity (H<sub>2</sub>O=1, at 4 °C): 0.79 **% Volatile:** < 1 %

#### Section 10 - Stability and Reactivity

Stability: PC - Woody, Part A is stable.

Polymerization: Hazardous polymerization cannot occur.

### **Section 11- Toxicological Information**

#### **Toxicity Data:**

Lethal Dose Information(mg/kg)	Oral (mg/kg)	Skin (mg/kg)	Inhale	LC5
Bisphenol A Epoxy Resin	>5000 rat	20000 rabbit	N/EST	N/EST
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate	>5000 rat	>19670 guinea pig	N/EST	N/EST

### **Section 12 - Ecological Information**

Ecotoxicity: No data

Environmental Fate: No data

Environmental Degradation: No data Soil Absorption/Mobility: No data

### **Section 13 - Disposal Considerations**

**Disposal:** Incinerate in furnace of bury in landfill according to applicable regulations; not a hazardous waste. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local

regulations.

PC - Woody, Part A MSDS No. 120313-17

Date of Preparation: 12/06/2012 Revision:10

### **Section 14 - Transport Information**

### **DOT Transportation Data** (49 CFR 172.101):

Shipping Name: Not regulated Shipping Symbols: Not required. Hazard Class: Not Hazardous **ID No.:** Not applicable.

Packing Group: Not determined

Label: Not required

Special Provisions (172.102):

None

#### **IMDG** ICAO/IATA

**Proper Shipping Name:** Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin) **Hazard Class: 9 ID Number:** 

UN3082 Packing Group: PG III **EMS Number:** F-A,S-F Marine pollutant.: Yes

**Proper Shipping Name:** Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin) Hazard Class: 9 ID Number: UN3082 Packing

Group: PG III

Cargo Packing Instruction: 914 **Passenger Packing Instruction: 914** 

**Additional Information** MARINE POLLUTANT

### **Section 15 - Regulatory Information**

#### **EPA Regulations:**

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec.

307(a), CAA, Sec. 112

CERCLA Reportable Quantity (RQ), Not listed.

SARA 311/312 Codes: None.

SARA Toxic Chemical (40 CFR 372.65): Not listed.

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed.

#### **OSHA Regulations:**

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

OSHA Specifically Regulated Substance, none

State Regulations:

#### **Section 16 - Other Information**

**Storage Requirements:** Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.

Personal Hygiene: Wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, faceshield, and gloves.

Prepared By: Charles Moloney

**Revision Notes:** 

Notes: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions- in addition to those described herein- are required. Any health hazard and safety information herein should be passed on to your customers or employees as the case may be.

Disclaimer: The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other natures are made hereunder with respect to the information refers. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

### Material Safety Data Sheet

PC - Woody, Part B MSDS No. 120313-16

Date of Preparation: 12/06/2012 Revision:12

### **Section 1 - Chemical Product and Company Identification**

Product/Chemical Name: PC-Woody, part B

Chemical Formula: Mixture CAS Number: Mixture General Use: Adhesive

Manufacturer: Protective Coating Company, 221 S. Third St., Allentown, PA 18102-4922, Emergency Phone 1-800-255-3924,

International + 01 or +001-813-248-0585 (Please call collect if necessary) (24 Hr) CHEM-TEL

Contact Phone (610)432-3543, FAX (610)432-5043 (9AM-5PM EST)

### **Section 2 - Composition / Information on Ingredients**

Polyoxypropylenediamine	9046-10-0
N-Aminoethylpiperazine	140-31-8
Nonylphenol	84852-15-3
Bis(2-ethylhexyl)-1,4-benzenedicarboxylate	6422-86-2
Wood Flour	9004-34-6
Aliphatic Polyaminoamide	68410-23-1
Magnesium Silicate	14807-96-6
Aluminum Silicate	1332-58-7

#### **Section 3 - Hazards Identification**

#### ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟ Emergency Overview ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟

#### **Potential Health Effects**

Acute Effects
Inhalation: none

**Eye:** moderate eye irritation or sensitization. **Skin:** moderate skin irritation or sensitization.

**Ingestion:** possible irritation.

**Carcinogenicity:** IARC, NTP, and OSHA do not list PC - Woody, Part B as a carcinogen. **Medical Conditions Aggravated by Long-Term Exposure:** skin and eye conditions.

#### **Section 4 - First Aid Measures**

**Inhalation:** Remove to fresh air.

**Eye Contact:** Flush with water, consult a physician. **Skin Contact:** Wash with water, consult a physician.

**Ingestion:** Seek medical advice.

After first aid, get appropriate in-plant, paramedic, or community medical support.

### **Section 5 - Fire-Fighting Measures**

Flash Point: 480° F Flash Point Method: Closed Cup Flammability Classification: IIIB

Extinguishing Media: Water spray, CO2, dry chemicals. Unusual Fire or Explosion Hazards: None known.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, aldehydes

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

#### **Section 6 - Accidental Release Measures**

Spill /Leak Procedures: Dispose of in normal manner.

**Disposal:** Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste.

NFPA

**HMIS** 

 $PPE^{\dagger B}$ 

†Sec. 8

1

**H** 1

F

R

PC - Woody, Part B MSDS No. 120313-16

Date of Preparation: 12/06/2012 Revision:12

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

#### **Section 7 - Handling and Storage**

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.

Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-

approved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or

chemical safety goggles

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Handling Precautions: None

Storage Requirements: Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

### **Section 8 - Exposure Controls / Personal Protection**

Ventilation: Provide general or local exhaust ventilation systems if product is sanded or ground.

Respiratory Protection: Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-

approved respirator.

**Protective Clothing/Equipment:** Wear chemically protective gloves to prevent skin contact. Wear protective eyeglasses or chemical safety goggles.

#### **Section 9 - Physical and Chemical Properties**

Physical State: Paste Water Solubility: Insoluble in water.

Appearance and Odor: Light brown, slight amine odor.

Other Solubilities: alcohols

**Density:** 6.4 lbs./ gallon **Boiling Point:** No data **Specific Gravity (H<sub>2</sub>O=1, at 4 °C):** 0.77 **Boiling Point:** No data **Volatile:** < 1 %

### Section 10 - Stability and Reactivity

Stability: PC - Woody, Part B is stable.

Polymerization: Hazardous polymerization cannot occur.

### **Section 11- Toxicological Information**

#### **Toxicity Data:**

Lethal Dose Information(mg/kg)	Oral (mg/kg)	Skin (mg/kg)	Inhale	LC50
Polyoxypropylenediamine	2880 rat	2980 rabbit	No data	No data
N-Aminoethyl piperzine	2150 rat	900 rabbit	No data	No data
Nonylphenol	580 rat	2140 rabbit	No data	No data

### **Section 12 - Ecological Information**

Ecotoxicity: No data

Environmental Fate: No data Environmental Degradation: No data Soil Absorption/Mobility: No data

### Section 13 - Disposal Considerations

**Disposal:** Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste.

Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local

regulations.

PC - Woody, Part B MSDS No. 120313-16

Date of Preparation: 12/06/2012 Revision:12

### **Section 14 - Transport Information**

# DOT Transportation Data (49 CFR 172.101):

Consumer commodity, ORM-D **Bulk Shipping Name:** Corrosive Solid, n.o.s. (aminoethylpiperazine, nonylphenol)

Hazard Class: 8 ID No.: UN1759 Packing Group: III

### IMDG

**Proper Shipping Name:** 

Corrosive Solid, n.o.s. (aminoethylpiperazine, nonylphenol), LTD QTY

Hazard Class: 8 ID Number: UN1759 Packing Group: PG III

MarinePollutant

#### ICAO/IATA

Limited Quantity

**Proper Shipping Name: :** Corrosive Solid, n.o.s. (aminoethylpiperazine, nonylphenol)

Hazard Class: 8 ID Number: UN1759 Packing Group: PG III

Marine pollutant: P – marine pollutant

### **Section 15 - Regulatory Information**

#### **EPA Regulations:**

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec.

307(a), CAA, Sec. 112

CERCLA Reportable Quantity (RQ), Not listed.

SARA 311/312 Codes: None.

SARA Toxic Chemical (40 CFR 372.65): Not listed.

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed.

#### **OSHA Regulations:**

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

OSHA Specifically Regulated Substance, none

**State Regulations:** 

#### **Section 16 - Other Information**

Storage Requirements: Storage temperature: <90°F(32°C). Store in a cool, dry, well ventilated area.

**Personal Hygiene:** Wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, faceshield, and gloves.

Prepared By: Charles Moloney

**Revision Notes:** 

**Notes:** A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions- in addition to those described herein- are required. Any health hazard and safety information herein should be passed on to your customers or employees as the case may be.

**Disclaimer:** The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other natures are made hereunder with respect to the information refers. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.