MSDS No.: GC3

I. Basic Information:

Manufacturer: RADIATOR SPECIALTY COMPANY Address: 600 RADIATOR ROAD City, ST Zip: INDIAN TRAIL, NC 28079 Country:

Product Name: AMMONIA FREE FOAMING GLASS CLEANER MSDS No.: GC3

Issue Date: 05/31/2011 Supersedes Date: 10/26/2009

II. Hazards Identification:

EMERGENCY OVERVIEW

CAUTION: Eye Irritant, Contents Under Pressure.

N.F.P.A. Level 1 Aerosol

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Health Effects

Route(s) of Entry:

Absorption, Eye, Inhalation, and Ingestion.

Health Hazards (Acute and Chronic):

None known

Signs and Symptoms:

Eye Contact: Direct spray of vapors may be irritating or harmful to eyes. Skin Contact: Prolonged contact may cause irritation due to defatting of skin. Inhalation: High concentration of vapors may irritate nose and throat and cause headaches and nausea. Ingestion: Can cause irritation, gastric disturbances, and nausea.

Medical Conditions Generally Aggravated by Exposure:

None known

Other Health Warnings:

None known

Potential Environmental Effects

Not Available

III. Composition/Information on Ingredients:

Chemical Name	CAS No.	% Range	Trade Secret
Hydrocarbon Propellant	68476-86-8	1.0 - 5.0	
Isopropyl alcohol	67-63-0	1.0 - 5.0	
Morpholine	110-91-8	0.1 - 1.0	
Tripropylene Glycol Monomethyl Ether	25498-49-1	1.0 - 5.0	

IV. First Aid Measures:

Emergency and First Aid Procedures:

Eye Contact: Flush eyes with water for 15 minutes while lifting upper and lower eyelid. Get prompt medical attention. Skin Contact: Wash with soap and water. If irritation persists, get prompt medical attention. Inhalation: Move to fresh air. If breathing becomes difficult get prompt medical attention. Ingestion: Drink water or milk. Call Poison Control Center, physician, or hospital emergency room immediately.

Contact: Robert Geer

Information Telephone Number: 704-684--181 1 Emergency Contact: RMPDC (877-740-5015) Emergency Telephone Number: 303-623-5716 Emergency Restrictions:

MSDS No.: GC3

Note to Physicians:

N/E

V. Fire Fighting Measures:

Suitable Extinguishing Media:

Water Fog, Foam, Carbon Dioxide, Dry Chemical

Unsuitable Extinguishing Media:

None

Products of Combustion:

Carbon dioxide, carbon monoxide (product will not burn by itself)

Protection of Firefighters:

Wear self-contained positive pressure breathing apparatus and protective clothes. Use shield to protect from rupturing and venting containers. At elevated temperatures containers may vent, rupture or burst, even violently

VI. Accidental Release Measures:

Personal Precautions:

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental Precautions:

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occured.

Methods for Containment:

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

Methods for Cleanup:

Scoop absorbed waste into a chemical waste container. Neutralize remaining traces of material and flush with water followed by liberal covering with sodium bicarbonate. All clean-up material should be removed and placed in approved containers for disposal. Rinse water may be disposed of down a sanitary sewer system if authorized by the local municipality.

Other Information:

No known

VII. Handling and Storage:

Handling Precautions:

Use with adequate ventilation. Do not take internally. Do no puncture or incinerate container.

Storage Precautions:

Avoid contact with strong oxidizing agents. Do not expose to heat, flames or sparks. Do not store at temperatures above 120 F.

VIII. Exposure Controls/Personal Protection:

Chemical Name	OSHA PEL	ACGIH TLV	Other Limits
Isopropyl alcohol	400 ppm	400 ppm	Not Available
Morpholine	20 PPM	20 PPM	Not Available
Tripropylene Glycol Monomethyl Ether	N/E	N/E	Not Available
Hydrocarbon Propellant	N/E	1000 ppm	Not Available

Engineering Controls:

See above for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

MSDS No.: GC3

Personal Protective Equipment:

For prolonged exposure wear protective safety glasses, gloves, and apron.

IX. Physical and Chemical Properties:

Boiling Point: 212 F Boiling Range: N/D Solubility In Water: Soluble Flash Point: None Odor Threshold: N/D Vapor Density (AIR = 1): N/D pH Range: 9.5 - 10.5 Decomposition Temp: N/D Lower Explosive Limit: N/D Specific Gravity (H20 = 1): 0.98 Other Information: N/D

Melting Point: N/A Freezing Point: N/D Evaporation Rate (Butyl Acetate = 1): < 1 Flash Point Method: TCC Appearance and Odor: Clear liquid with alcohol odor. Vapor Pressure (mm Hg.): N/D Partition Coefficient: N/D Auto-Ignition Temp: N/D Upper Explosive Limit: N/D

X. Stability and Reactivity:

<u>Stability:</u> Stable

Conditions to Avoid:

Avoid heat, sparks, and flames

Incompatible Materials:

Avoid contact with strong oxidizing agents

Hazardous Decomposition Products:

Carbon Monoxide, Carbon Dioxide

Possibility of Hazardous Reactions:

Will not occur

XI. Toxicological Information:

N/D.

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

XIV. Transport Information:

Shipping Name: Not Available

MSDS No.: GC3

DOT Hazard Class: Not Available

UN/NA#: Not Available

DOT Subsidiary Hazard Class: Not Available Packing Group: Not Available

Transportation Information: Shipping Name: Consumer Commodity DOT Hazard Class: ORM-D

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for international and air shipping purposes.

ICAO/IATA (US) UN number: UN1950 Shipping Name: Aerosols Class: 2.2

International:

ICAO/IATA UN number: UN1950 Shipping Name: Aerosols Class: 2.2

IMDG UN number: UN1950 Shipping Name: Aerosols Class: 2.2 EMS: F-D, S-U

XV. Regulatory Information:

SARA Reportable Chemicals: Isopropanol 67-63-0

USA TSCA: All components of this material are listed on the US TSCA Inventory.

State RTK Chemicals: Isopropanol 67-63-0

XVI. Other Information:						
Chemical State:	X Liquid	Gas	Solid	NFPA	Fire	
Chemical Type:	Pure	X Mixture		Health	2 Reactivity	
Hazard Category:				< 1		
X Acute	Chronic	Fire				
	X Pressure	Reactive		×	Special	
Additional Manufacturer Warnings:						
Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!			1	Health		
		. ,	2	Flammability		
N/E: Not Established				0	Physical Hazard	
N/D: Not Determined				А	Pers. Protection	
N/A: Not Applicable N/AV: Not Available						

Additional Product Information:

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered soley for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is repsonsible for full compliance.