MSDS No.: C105

I. Basic Information:

Manufacturer: RADIATOR SPECIALTY COMPANY Address: 600 RADIATOR ROAD City, ST Zip: INDIAN TRAIL, NC 28079 Country:

Product Name: M-P RADIATOR SEALANT MSDS No.: C105

Issue Date: 10/28/2008 Supersedes Date: 06/15/2005

II. Hazards Identification:

EMERGENCY OVERVIEW

Caution: Harmful if swallowed. Eye and Skin Irritant.

OSHA Regulatory Status

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Potential Health Effects

Route(s) of Entry:

Absorption, inhalation and Ingestion.

Health Hazards (Acute and Chronic):

See signs and symptoms below

Signs and Symptoms:

Eye Contact: Direct spray of vapors may be irritating or harmful to eyes. Skin Contact: Product may cause irritation. Inhalation: High concentration of vapors may irritate nose and throat and cause headaches and nausea. Ingestion: Can cause irritation, gastric disturbances, and nausea.

Medical Conditions Generally Aggravated by Exposure:

None Known

Other Health Warnings:

None Known

Potential Environmental Effects

Not Available

III. Composition/Information on Ingredients:

Chemical Name	CAS No.	% Range	Trade Secret
Borates, tetra, sodium salts - decahydrate	1303-96-4	5.0 - 10.0	
Borates, tetra, sodium salts - decahydrate	1303-96-4	5-10	

IV. First Aid Measures:

Emergency and First Aid Procedures:

Eye Contact: Flush eyes with water for 15 minutes while lifting upper and lower eyelid. Get prompt medical attention.

Skin Contact: Wash with soap and water. If irritation persists, get prompt medical attention.

Inhalation: Move to fresh air. If breathing becomes difficult, give oxygen and get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING. Call Poison Control Center, physician, or hospital emergency room immediately.

Note to Physicians:

Contact: Robert Geer Information Telephone Number: 704-684--181 1 Emergency Contact: Rocky Mountain Poision Control Center Emergency Telephone Number: 303-623-5716 Emergency Restrictions:

MSDS No.: C105

V. Fire Fighting Measures:

Suitable Extinguishing Media:

Water Fog, Foam, Carbon Dioxide, Dry Chemical

Unsuitable Extinguishing Media:

None

Products of Combustion:

Oxides of Carbon, Nitrogen, and Sulfur

Protection of Firefighters:

Wear self-contained positive pressure breathing apparatus and protective clothes.

VI. Accidental Release Measures:

Personal Precautions:

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental Precautions:

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occurred.

Methods for Containment:

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

Methods for Cleanup:

Neutralize remaining traces of material and flush with water followed by liberal covering with sodium bicarbonate. All clean-up material should be removed and placed in approved containers for disposal. Rinse water may be disposed of down a sanitary sewer system if authorized by the local municipality.

Other Information:

Use appropiate protective equipment.

VII. Handling and Storage:

Handling Precautions:

Do not store near acids. For use with bulk materiial, use with adequate ventilation and proper protective equipment.

Storage Precautions:

Keep container closed tightly when not in use.

VIII. Exposure Controls/Personal Protection:

Chemical Name	OSHA PEL	ACGIH TLV	Other Limits
Borates, tetra, sodium salts - decahydrate	5 mg/m3	5 mg/m3	Not Available
Borates, tetra, sodium salts - decahydrate	5 mg/m3	5 mg/m3	Not Available

Engineering Controls:

See above for any controls.

Personal Protective Equipment:

For prolonged exposure to the material, wear safety glasses, gloves, and apron.

IX. Physical and Chemical Properties:

Boiling Point:212°FBoiling Range:Not AvailableSolubility In Water:Soluble

Melting Point: N/A Freezing Point: Not Available Evaporation Rate (Butyl Acetate = 1): N/D

MSDS No.: C105 Flash Point: None Odor Threshold: Not Available Vapor Density (AIR = 1): N/D pH Range: 8 - 9 Decomposition Temp: Not Available Lower Explosive Limit: N/A Specific Gravity (H20 = 1): 1.10 Other Information: VOC Contents: 0%

X. Stability and Reactivity:

Stability:

Stable

<u>Conditions to Avoid:</u> See Incompatible Materials below.

Incompatible Materials:

Avoid contact with acids.

Hazardous Decomposition Products:

Oxides of Carbon, Nitrogen, and Sulfur.

Possibility of Hazardous Reactions:

Will not occur

XI. Toxicological Information:

N/D

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in a recycling centers when empty. Before offering for recycling, empty the can or bottle by using the product according to the label. If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations

XIV. Transport Information:

Shipping Name: Not Available

DOT Hazard Class: Not Available

UN/NA#: Not Available

Transportation Information:

Flash Point Method: N/A

 Appearance and Odor:
 Greenish slurry with mild odor

 Vapor Pressure (mm Hg.):
 N/D

 Partition Coefficient:
 Not Available

 Auto-Ignition Temp:
 Not Available

 Upper Explosive Limit:
 N/A

DOT Subsidiary Hazard Class: Not Available Packing Group: Not Available

MSDS No.: C105

DOT Shipping Name: Not DOT regulated. DOT Hazard Class: None

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for international and air shipping purposes.

ICAO/IATA (US): Not regulated

International: ICAO/IATA: Not regulated

IMDG: Not regulated

XV. Regulatory Information:

SARA 313 Reportable Chemicals: None

USA TSCA: All components of this material are listed on the US TSCA Inventory.

XVI. Other Information:							
Chemical State:	X Liquid	Gas	Solid	NFPA	Fire		
Chemical Type:	Pure	X Mixture	-	Health	0 Reactivity		
Hazard Category:					o T		
X Acute	Chronic	Fire			~ 💛		
	Pressure	Reactive			Special		
Additional Manufacturer V	<u>Varnings:</u>				•		
Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!		2	Health				
			0	Flammability			
N/E: Not Established				0	Physical Hazard		
N/D: Not Determined							
N/A: Not Applicable N/AV: Not Available				В	Pers. Protection		

Additional Product Information:

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.