



MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: MAGIC STAINLESS STEEL CLEANER
PRODUCT CODE(S): 1821, 1860
DATE: 1-26-2012
DISTRIBUTED BY: THE HOMAX GROUP, INC.
200 WESTERLY ROAD
BELLINGHAM, WA 98226
BUSINESS PHONE: 1-800-729-9029
TRANSPORTATION EMERGENCIES: CALL CHEMTREC AT 1-800-424-9300

SECTION 2 - HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

ROUTES OF EXPOSURE: EYE CONTACT, SKIN CONTACT, INHALATION, INGESTION

EYE CONTACT: CAUSES EYE IRRITATION.

SKIN CONTACT: CAUSES SKIN IRRITATION.

INGESTION: INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

INHALATION: MAY CAUSE HEADACHE, NAUSEA, DROWSINESS, CENTRAL NERVOUS SYSTEM DEPRESSION, CONVULSIONS AND LOSS OF CONSCIOUSNESS.

CHRONIC EFFECTS: SEE SECTION 11 OF THIS MSDS

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL	CAS NUMBER	WEIGHT %
DISTILLATES, PETROLEUM, HYDROTREATED LIGHT	64742-47-8	1 - 10
PETROLEUM GASES, LIQUEFIED, SWEETENED	68476-86-8	1 - 10

THE INGREDIENTS IN THE BALANCE OF THIS PRODUCT DO NOT CONTRIBUTE SIGNIFICANT HAZARDS BEYOND THOSE DESCRIBED IN THIS DOCUMENT. ALL PERTINENT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION HAS BEEN PRESENTED, PER THE REQUIREMENTS OF THE US FEDERAL OSHA HAZARD COMMUNICATION STANDARD (29CFR 1910.1200).

SECTION 4 - FIRST AID MEASURES

EYE CONTACT: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION.

SKIN CONTACT: IMMEDIATELY FLUSH WITH MILD SOAP AND WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE.

INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

INHALATION: REMOVE PERSON TO FRESH AIR. IF BREATHING DOES NOT IMPROVE, GET MEDICAL ATTENTION IMMEDIATELY.

NOTES TO PHYSICIAN: N/A

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: - 123 F (PROPELLANT)

LOWER EXPLOSION LIMIT: UNKNOWN

UPPER EXPLOSION LIMIT: UNKNOWN

EXTINGUISHING MEDIA: FOAM, CARBON DIOXIDE, AND DRY CHEMICAL.



MATERIAL SAFETY DATA SHEET

UNUSUAL FIRE AND EXPLOSION HAZARDS: CONTAINER MAY EXPLODE IN HEAT OF FIRE.

FIRE FIGHTING INSTRUCTIONS: USE A FULL-FACED SELF-CONTAINED BREATHING APPARATUS ALONG WITH FULL PROTECTIVE GEAR. KEEP NEARBY CONTAINERS AND EQUIPMENT COOL WITH A WATER STREAM.

HAZARDOUS COMBUSTION PRODUCTS: THERMAL DECOMPOSITION INCLUDES OXIDES OF CARBON AND OTHER ASPHYXIANTS.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: EVACUATE UNNECESSARY PERSONS AND KEEP FROM ENTERING SPILL AREA.

SAFEGUARDS: VENTILATE AREA. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

SPILL CLEAN UP: CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. PREVENT ENTRY INTO SEWERS AND WATERWAYS. DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

SECTION 7 - HANDLING AND STORAGE

HANDLING PRECAUTIONS: CONTENTS UNDER PRESSURE -DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT USE OR STORE NEAR HEAT, SPARKS, OPEN FLAME, OR ANY OTHER IGNITION SOURCES.

STORAGE: STORE CONTAINERS UPRIGHT. STORE IN AREAS THAT ARE COOL, DRY, AND WELL-VENTILATED. EXPOSURE TO TEMPERATURES AT OR ABOVE 120°F (49°C) MAY CAUSE BURSTING. KEEP AWAY FROM HEAT, OPEN FLAME, ANY IGNITION SOURCES, AND STRONG OXIDIZERS. KEEP OUT OF REACH OF CHILDREN.

NFPA 30B: LEVEL 1 AEROSOL

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: NOT NORMALLY REQUIRED. GENERAL DILUTION VENTILATION.

RESPIRATORY PROTECTION: NOT NORMALLY REQUIRED. AVOID BREATHING VAPOR OR SPRAY MISTS.

EYE PROTECTION: USE CHEMICAL GOGGLES OR GLASSES WITH SIDE SHIELDS.

SKIN PROTECTION: USE CHEMICAL RESISTANT GLOVES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: EYE WASH, SAFETY SHOWER, FULL PROTECTIVE CLOTHING.

WORK HYGIENIC PRACTICES: THE USUAL PRECAUTION FOR THE HANDLING OF CHEMICALS MUST BE OBSERVED.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: AEROSOL

COLOR: WHITE

ODOR: LIGHT CITRUS

SPECIFIC GRAVITY: 0.953 @ 70°F

PH: N/A

VISCOSITY: NOT DETERMINED

SOLUBILITY IN WATER: PARTIAL

BOILING POINT: NOT DETERMINED

VAPOR PRESSURE (MM HG): NOT DETERMINED

VAPOR DENSITY: NOT DETERMINED

EVAPORATION RATE: NOT DETERMINED

CONSUMER PRODUCT VOC: COMPLIES WITH ALL US STATE AND FEDERAL VOC CONTENT LIMITS

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE



MATERIAL SAFETY DATA SHEET

CONDITIONS TO AVOID: ELEVATED TEMPERATURES. SOURCES OF IGNITION.
INCOMPATIBLE MATERIALS: OXIDIZERS. STRONG ACIDS. STRONG BASES.
POSSIBILITY OF HAZARDOUS REACTIONS: NONE

SECTION 11 - TOXICOLOGICAL INFORMATION

COMPONENT DATA

CHEMICAL	LD50 ORL RAT	LC50 INH RAT	CARCINOGENICITY STATUS		
			IARC	NTP	OSHA
DISTILLATES, PETROLEUM, HYDROTREATED LIGHT	> 5 GM/KG	>5.5 MG/L (8 HOURS)	N	N	N
PETROLEUM GASES, LIQUEFIED, SWEETENED			N	N	N

CHRONIC TOXICOLOGICAL DATA

SENSITIZATION: NO DATA AVAILABLE
CARCINOGENICITY: NO DATA AVAILABLE
MUTAGENICITY: NO DATA AVAILABLE
REPRODUCTIVE EFFECTS: NO DATA AVAILABLE
TERATOGENICITY: NO DATA AVAILABLE

SECTION 12 - ECOLOGICAL INFORMATION


NO DATA AVAILABLE

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSE IN ACCORDANCE WITH FEDERAL, STATE, PROVINCIAL AND LOCAL REGULATIONS.

SECTION 14 - TRANSPORT INFORMATION

GROUND TRANSPORT (US DOT): LIMITED QUANTITY
LABEL:



AIR TRANSPORT (IATA): NOT EVALUATED
MARINE/WATER TRANSPORT (IMDG): NOT EVALUATED

SECTION 15 - REGULATORY INFORMATION

UNITED STATES

THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.



MATERIAL SAFETY DATA SHEET

SARA CHEMICAL	SARA	CERCLA 302	CA PROP 313	RQ	65
<hr/>					
DISTILLATES, PETROLEUM, HYDROTREATED LIGHT		N	N	N	N
PETROLEUM GASES, LIQUEFIED, SWEETENED		N	N	N	N

CANADA

THIS PRODUCT HAS NOT BEEN EVALUATED FOR CANADIAN REQUIREMENTS.

SECTION 16- OTHER INFORMATION

DISCLAIMER: THE INFORMATION IN THIS MSDS IS BELIEVED TO BE OBTAINED FROM RELIABLE SOURCES. HOWEVER, THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. SINCE THE USE, HANDLING, STORAGE AND DISPOSAL OF THIS PRODUCT ARE BEYOND THE SELLER'S CONTROL, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE SAFE CONDITIONS FOR THE USE OF THIS PRODUCT AND TO ASSUME LIABILITY OF LOSS, DAMAGE, OR EXPENSE ARISING OUT OF THE PRODUCT'S MISUSE. USER IS RESPONSIBLE TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.