

CARCINOGEN

Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	TURTLE WAX OXY POWER OUT CARPET CLEANER
PRODUCT CODE	T-244R1
CHEMICAL FAMILY	Carpet & Upholstery Cleaner
CHEMICAL NAME	Mixture: Water, Surfactant, Silicone, Co-solvent
FORMULA	Mixture

MANUFACTURER

EMERGENCY TELEPHONE NUMBERS

Turtle Wax, Inc. 625 Willowbrook Centre Parkway Willowbrook, IL 60527 Phone: 630-455-3700 Fax: 630-455-3868

Transportation: CHEMTREC: 800-424-9300 Medical: Contact your local Poison Control Center

2. <u>POSITION/INFORMATION ON INGREDIENTS</u>

COMPONENT	CAS NUMBER	CONCENTRATION (wt %)
lsobutane (Liquified Petroleum Gas)	75-28-5	1-3%
Propane (Liquified Petroleum Gas)	74-98-6	1-3%
Propylene Glycol Methyl Ether (Glycol Ether PM)	107-98-2	1-2%

EXPOSURE LIMITS 8 hrs. TWA(ppm)

	OSHA PEL	ACGIH TLV	(OSHA,NPT,IARC)
Isobutane	1000ppm	1000ppm	No
(Liquified Petroleum Gas)			
Propane	1000ppm	1000ppm	No
(Liquified Petroleum Gas)			
Propylene Glycol Methyl Ether	100ppm	100ppm	No
(Glycol Ether PM)			

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

INHALATION: Repeated or excessive inhalation of vapor can cause irritation, dizziness, and nausea. Intentional misuse by deliberately concentrating and inhaling vapors, may be harmful or fatal. No chronic effects known.

INGESTION: Can cause digestive system upsets and nausea. Avoid sucking into lungs. No chronic effects known.

SKIN CONTACT: Can cause irritation. No chronic effects known.

EYE CONTACT: Flush with water for 15 minutes. Get medical attention if effects persist.

4. FIRST AID MEASURES

EYE: Flush with water for 15 minutes. Get medical attention if effects persist.

SKIN: Remove contaminated clothing. Wash effected areas thoroughly with soap and water. Launder clothing before re-use.

INHALATION: Remove to fresh air. Use artificial respiration and oxygen if needed.

INGESTION: Rinse mouth. Never give anything orally to someone who is unconscious. Give several large glasses of water to drink. Do not induce vomiting. If liquid is sucked into lungs, get prompt medical attention.

5. FIRE FIGHTING MEASURES

FLASH POINT: Sprayed vapors can be ignited with a flame. Flame length 14 – 16 inches or less with no flash back to nozzle by CPSC test [16 CFR 1500.3(b)(6)(viii)] is rated non-flammable. **NFPA 30:** Aerosol Level 1

EXTINGUISHING MEDIA: Water Spray, Alcohol Foam, Carbon Dioxide, Dry Chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Aerosol cans, under pressure, can explode when heated above 140°F (60°C) and become projectiles. Treat contents as flammable liquid/explosive vapor fire. Keep unignited containers cool with water. Vapors, that are heavier than air, can collect in low areas and may travel to distant source of ignition and flashback. Avoid flow of material to sewers. See Sec. 8 for personal protection.

6. ACCIDENTIAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Remove all ignition sources. Provide good ventilation. Take up spills and put into closed containers. Avoid flow to sewers. Floors may be slippery. See Section 8 for other protective measures.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE (MIN./MAX.): 32° F (0° C)/120° F (49° C)

SHELF LIFE: 7 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Store in cool and ventilated places, but avoid freezing. Do not store above 120°F (49°C).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS: Wear goggles. Have convenient eye wash stations.

SKIN PROTECTION REQUIREMENTS: Wear chemical resistant gloves and other clothing as needed to prevent exposure.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV.

EXPOSURE LIMITS: Not established for product as whole.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Pressurized container
COLOR: Clear liquid dispensed as a foam
ODOR: typical
BOILING POINT: n/av
MELT / FREEZE POINT: n/av
PH: 9.8
SOLUBILITY IN WATER: Complete
SPECIFIC GRAVITY: 1.010
% NON-VOLATILE BY WEIGHT: 8.0%
VAPOR PRESSURE: 35 PSIG @ 70°F

VAPOR DENSITY: n/av

10. **REACTIVITY**

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Does not occur

INCOMPATIBILITIES: DECOMPOSITION PRODUCTS: When burned: CO, CO2, Hydrocarbons

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Can cause irritation, dizziness, and nausea

CHRONIC INHALATION: None known

ACUTE SKIN CONTACT: Can cause irritation, de-fatting, or dermatitis

CHRONIC SKIN CONTACT: None known

ACUTE EYE CONTACT: Causes irritation

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

RCRA Hazardous Waste: Is not a RCRA hazardous waste.

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

14. TRANSPORT INFORMATION

15.

DOT INFORMATION:	ORM-D		
PROPER SHIPPING NAME:	Consumer Commodity		
TECHNICAL SHIPPING NAME:	Aerosols (Non-Flammable)		
HAZARD CLASS:	2.2 (Non Flammable Gas)		
UN NUMBER:	1950		
PRODUCT RQ (lbs):			
LABEL:	Non Bulk Bulk	ORM-D Non-Flamma	able Gas
PLACARD:	Non Bulk Bulk	None Non-Flamma	able Gas
FREIGHT CLASS BULK:	n/av		
FREIGHT CLASS PACKAGE:	n/av		
PRODUCT LABEL	None		
REGULATORY INFORMATION			
TSCA STATUS:		All ingredier	nts are listed under TSCA.
CERCLA REPORTABLE QUANTITY:		None	
SARA TITLE III:			
SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES		None	
SECTION 311/312 HAZARD CATEGORIES Acute Health		Yes	
Chronic Health		No	
Fire		No	
Reactive		No	
Sudden Release of Provide the	essure	Yes	
SECTION 313 CHEMICAL NAME		NUMBER	CONCENTRATION
Propylene Glycol Methyl Ethe	r 107	-98-2	1-2%

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

~~				1/
СО	NNP	~)/\	ルーハ	
00	, , , , ,	U /1		

CAS NUMBER	CONCENTRATION	STATE CODE
None		

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. OTHER INFORMATION

HMIS CLASSIFICATION	Health	1
	Flammability	2
	Reactivity	0
	PPI	В
NFPA RATING	Health	1
	Fire	2
	Reactivity	0
	Special	None
REASON FOR ISSUE	New SKU Lau	nch – Remove Canadian Designation
PREPARED BY	James P. Heidel	
TITLE	Technical Director, R&D	
APPROVAL DATE	November 5, 2009	
SUPERCEDES DATE	October 7, 2009	
REVISION NUMBER	A - 3	

This information is to the best of Turtle Wax, Inc.'s knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.