SAFETY DATA SHEET

Damp Rid Moisture Absorbers

HEALTH 1
FLAMMABILITY 0
PHYSICAL 0
PPE X

Printed: 05/04/2012 Revision: 05/04/2012

Page: 1

Supercedes Revision: 01/20/2012

1. Product and Company Identification

Product Code: FG01K

Product Name: Damp Rid Moisture Absorbers

Trade Name: DampRid

Manufacturer Information

Company Name: W. M. Barr

2105 Channel Avenue Memphis, TN 38113

Phone Number: (901)775-0100

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Web site address: www.wmbarr.com

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Intended Use: To absorb excess moisture from the air.

Chemical Family: Inorganic Salt

Synonyms

FG0130, FG01CAN, FG01D, FG01K, FG01MT, FG01W, FG02B, FG02WM, FG23, FG30CAN, FG30K, FG30MT, FG30W, FG36, FG37H, FG40, FG40CS, FG42, FG45, FG50, FG50MT, FG50T, FG60, FG60MT, FG8D, FG80, FG80CAN, FG80CR, FG80D, FG80FC, FG80CF, FG80FF, FG80LV, FG80MT, FG81D, FG81FCD, FG82FCBD, FG83C, FG83FC, FG83CAN, FG83K, FG83LV, FG83MT, FG83W, FG84, FG84C, FG84CR, FG84MT, FG84MTP, FG84MTW, FG88, FG90, FG90C, FG90CAN, FG90MT, FG92, FG92CAN, FG100, FG100MT, FG103, FG103MT, FG110, FG402, FG922, FG80FFCON, FG80FFFCD, FG90H, FG92H, FG83H, FG80H, FG100H, FG91KEN, FG80CON, FG91, FG95, FG110, FG0130MP, FG41, FG91, FG95, FG91D, FG95D, FG9195D, FG80H, FG90H, FG100H, FG92H, FG01KEN, FG82H, FG82BD, FG82BMT, FG82FFB, FG8282FFBD, FG82FFBMT, FG82FCB, FG8282FCBD, FG82FCBMT, FG80CON, FG910PDQ, FG9592D, FG9192D, FG9192MT, FG108, FG118, FG0130MT

2. Hazards Identification

GHS Hazard Phrases

No data available.

GHS Precaution Phrases

No data available.

GHS Response Phrases

No data available.

GHS Storage and Disposal Phrases

No data available.

Emergency Overview

Odorless, white pellets or flakes. Causes eye irritation. Avoid breathing dust, Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly after handling. Reacts with water to liberate heat.

Page: 2 Printed: 05/04/2012 Revision: 05/04/2012

Supercedes Revision: 01/20/2012

Potential Health Effects (Acute and Chronic)

ACUTE INHALATION, SKIN CONTACT, EYE CONTACT: May cause irritation.

INGESTION: May cause nausea.

CHRONIC EFFECTS: None known.

Target Organs: Stomach, Upper Respiratory Tract

Primary Routes of Entry: Ingestion, Inhalation

Signs and Symptoms Of Exposure

See Potential Health Effects.

Medical Conditions Generally Aggravated By Exposure

None known.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

3. Composition/Information on Ingredients

Ha	zardous Components (Chemical Name)	CAS#	Concentration
1.	Calcium chloride	10043-52-4	60.0 -100.0 %
2.	Sodium chloride	7647-14-5	1.0 -5.0 %
3.	Potassium chloride	7447-40-7	1.0 -5.0 %

4. First Aid Measures

Emergency and First Aid Procedures

INHALATION: Remove from exposure area to fresh air.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected area with soap or mild detergent. Seek medical attention if irritation persists.

EYE CONTACT: Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.

INGESTION: Get medical attention.

Note to Physician

None.

Fire Fighting Measures

Flammability Classification: Not flammable or combustible.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data available.

Fire Fighting Instructions

Neglibile fire hazard when exposed to heat or flame. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Extinguish fire using agent suitable for type of surrounding fire and/or chemicals. Do not sure water directly on the material. Avoid breathing corrosive vapors; keep upwind. Dike area to prevent runoff and contamination of water sources.

Flammable Properties and Hazards

Negligible fire hazard when exposed to heat or flame.

Page: 3 Printed: 05/04/2012 Revision: 05/04/2012

Supercedes Revision: 01/20/2012

Hazardous Combustion Products

Not applicable.

Suitable Extinguishing Media

Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing Media

None known.

Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Wear appropriate protective gear for the situation. Prevent skin and eye contact.

For dry spills, place material in covered, clean dry container for disposal.

7. Handling and Storage

Precautions To Be Taken in Handling

Observe all federal, state and local regulations when storing this product.

Precautions To Be Taken in Storing

Keep in clean tightly closed dry containers. Store away from incompatible materials.

Other Precautions

None.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name) CA			OSHA PEL	ACGIH TLV	Other Limits
1.	Calcium chloride	10043-52-4	No data.	No data.	No data.
2.	Sodium chloride	7647-14-5	No data.	No data.	No data.
3.	Potassium chloride	7447-40-7	No data.	No data.	No data.

Respiratory Equipment (Specify Type)

Use of a NIOSH approved respirator should be based on contamination levels in the workplace or situation.

When warranted, use a face mask particulate respirator with a NIOSH N95 rating.

Eye Protection

Wear safety glasses with splash shields or safety goggles/shield.

Protective Gloves

Wear appropriate protective gloves to prevent skin contact.

Other Protective Clothing

Wear appropriate protective (impervious) clothing and equipment.

Engineering Controls (Ventilation etc.)

Provide local exhaust ventilation.

Work/Hygienic/Maintenance Practices

A source of clean water should be available in the work area for flushing of the eyes and skin.

Wash hands thoroughly after use.

Do not eat, drink, or smoke in the work area.

Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use.

Discard any clothing or other protective equipment that cannot be decontaminated, such as gloves or shoes.

9. Physical and Chemical Properties

Physical States:	[] Gas [] Liquid	[X] Solid
Melting Point:	370 F (187.2 C)	

Boiling Point: No data.

Autoignition Pt: No data.

Page: 4
Printed: 05/04/2012
Revision: 05/04/2012

Supercedes Revision: 01/20/2012

Flash Pt: No data.

Specific Gravity (Water = 1): 2.15 at 77 F (25.0 C)

Density: 15.4 LB/GL at 22 C

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: No data.

Solubility in Water: 40 % at 68 F (20.0 C)

Percent Volatile: No data.

Appearance and Odor

Odorless, white to off-white pellets or flakes.

Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability

Reacts exothermically with water.

Incompatibility - Materials To Avoid

Strong oxidizing agents.

Hazardous Decomposition Or Byproducts

None, under normal temperature and pressures.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions

No data available.

11. Toxicological Information

ANHYDROUS CALCIUM CHLORIDE

TDLO: 12 g/kg, oral, 20 weeks, rat LDLO: 274 mg/kg, subcutaneous, dog

LD50: 1000 mg/kg, oral, rat

LD50: 264 mg/kg, intraperitoneal, rat

Mutagenic data and tumorigenic data-see Registry of Toxic Effects of Chemical Substances (RTECS) file.

ACUTE TOXICITY LEVEL: Moderately toxic by ingestion, slightly toxic by dermal absorption.

Skin Corrosion/Irritation: Material is a skin irritant.

Serious Eye Damage/Irritation: Material is a mucous membrane and eye irritant.

Respiratory or Skin Sensitization: No data available.

Aspiration Hazard: No data available.

Chronic Toxicological Effects

Germ Cell Mutagenicity: No data available.

Reproductive Toxicity: No data available.

STOT-Single Exposure: No data available.

STOT-Repeated Exposure: No data available.

SAFETY DATA SHEET

Damp Rid Moisture Absorbers

Printed: 05/04/2012 Revision: 05/04/2012

Page: 5

Supercedes Revision: 01/20/2012

Hazardous Components (Chemical Name)		CAS#	NTP	IARC	ACGIH	OSHA
1.	Calcium chloride	10043-52-4	n.a.	n.a.	n.a.	n.a.
2.	Sodium chloride	7647-14-5	n.a.	n.a.	n.a.	n.a.
3.	Potassium chloride	7447-40-7	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

Toxicity: LC50 Nitzschia linearia 3,130 mg/l/120 hr in static water.

Persistence and Degradability: Will not biodegrade.

Bioaccumulative Potential: Will not bioaccumulate.

Mobility in Soil: No data available.

Other Adverse Effects: None known.

13. Disposal Considerations

Waste Disposal Method

Dispose in accordance with applicable local, state, and federal regulations.

14. Transport Information

GHS Classification No data available.

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name No data available.

LAND TRANSPORT (Canadian TDG)

Additional Transport Information

For D.O.T. information, contact W.M. Barr Technical Services at 1-800-398-3892.

15. Regulatory Information

Canadian Chemical Lists

На	zardous Components (Chemical Name)	CAS#	Canadian NPRI	Canadian IDL
1.	Calcium chloride	10043-52-4	No	No
2.	Sodium chloride	7647-14-5	No	No
3.	Potassium chloride	7447-40-7	No	No

Canadian WHMIS Classification

CLASS D, DIVISION 2, SUBDIVISION B: Toxic Materials (Mutagenicity, skin sensitization, irritation, etc.)

US EPA SARA Title III

Hazardous Components (Chemical Name)		CAS#	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1.	Calcium chloride	10043-52-4	No	No	No	No
2.	Sodium chloride	7647-14-5	No	No	No	No
3.	Potassium chloride	7447-40-7	No	No	No	No

US EPA CAA, CWA, TSCA

На	zardous Components (Chemical Name)	CAS#	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1.	Calcium chloride	10043-52-4	HAP, ODC ()	No	Inventory	No
2.	Sodium chloride	7647-14-5	HAP, ODC ()	No	Inventory	No
3.	Potassium chloride	7447-40-7	HAP, ODC ()	No	Inventory	No

International Regulatory Lists

Page: 6
Printed: 05/04/2012
Revision: 05/04/2012
Supercedes Revision: 01/20/2012

EPA Hazard Categories:

This material meets the EPA 'Hazard Categories'	defined for SARA Title III Sections 311/312 as indicated:			
[X] Yes [] No	Acute (immediate) Health Hazard			
[] Yes [X] No	Chronic (delayed) Health Hazard			
[] Yes [X] No	Fire Hazard			
[] Yes [X] No	Sudden Release of Pressure Hazard			
[X] Yes [] No	Reactive Hazard			
Regulatory Information				
This product has been classified according to the	hazard criteria of the Controlled Products Regulations.			
Concentrations reported in section 2 are weight/w	Concentrations reported in section 2 are weight/weight.			
Ingredients disclosed in section 2 are on Canadian DSL.				
WHMIS Health Effects Criteria Met by this Chen D2B - Eye irritation - toxic - other	nical:			

16. Other Information

Company Policy or Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.