# MATERIAL SAFETY DATA SHEET

#### Date Revised: 8/17/11

### SECTION I - PRODUCT AND COMPANY INFORMATION

### MANUFACTURERS NAME **GARDNER – GIBSON CORPORATION**

STREET ADDRESS 4161 E. 7TH AVENUE **EMERGENCY TELEPHONE NUMBER** 1-800-424-9300 CHEMTREC PRODUCT CLASS PREMIUM RUBBERIZED COATING

CITY, STATE, AND ZIP CODE **TAMPA, FL 33605** PRODUCT INFORMATION 1-813-248-2101 MANUFACTURES CODE **IDENTIFICATION** 6080

### TRADE NAME **BLACK JACK PROFESSIONAL GRADE RUBR-COAT**

### **SECTION II- HAZARDOUS INGREDIENTS**

INGREDIENT	PERCENT	TLV PPM	TLV Mg/M3
PETROLEUM ASPHALT CAS # - 8052-42-4	<25%	ND	0.5
STYRENE BUTADIENE POLYMER CAS #- 9003-55-8	<25%	*	ND
WATER CAS #- 7732-18-5	<50%	*	ND

ADDITIONAL INFORMATION- \* NOT HAZARDOUS ND = No Data

Hazardou	<b>s</b> .	Μ	aterials	Ide	entifi	icatior	ı S	vstem	(H	IMIS	5)		

Health	Flammability	Reactivity	Personal Protection
1	0	0	В

### SECTION III - PHYSICAL DATA

VAPOR DENSITY 🔀 HEAVIER THAN AIR

BOILING RANGE: 2	12°F VA	APOR DENSITY 🛛	HEAVIER TH	IAN AIR
EVAPORATION RATE	SLOWER THAN ETH	IER PERCENT VOLUME	VOTILE BY 50 %	WEIGHT PER GALLON BY VOLUME 9.0 LBS

### SECTION IV - FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY - Not Regulated

FLASH POINT- NA Water-based product

EXTINGUISHING MEDIA- CO2, FOAM, & DRY CHEMICAL

UNUSUAL FIRE AND EXPLOSION HAZARDS- CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. PRODUCTS OF COMBUSTION MAY BE TOXIC

SPECIAL FIRE FIGHTING PROCEDURES- WEAR SELF CONTAINED BREATHING APPARATUS. WATER MAY BE USED TO COOL CLOSED CONTAINERS. HIGH PRESSURE STREAM WILL SPREAD FIRE.

### SECTION V - REACTIVITY DATA

STABILITY: STABLE CONDITIONS TO AVOID: NONE INCOMPATIBILTY (MATERIALS TO AVOID): STRONG OXIDIZERS HAZARDOUS DECOMPOSITION PRODUCTS: BURNING DRIED FILM MAY PRODUCE OXIDES OF CARBON AND NITROGEN.

HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID: NONE WILL NOT OCCUR

### SECTION VI-HEALTH HAZARD DATA

#### EFFECTS OF OVEREXPOSURE

ACUTE: **SKIN**: REPEATED CONTACT MAY CAUSE IRRITATION. **EYES**: CONTACT MAY CAUSE IRRITATION, BLURRED VISION. **INHALATION**: EXCESSIVE BREATHING OF HIGH VAPOR CONCENTRATION CAN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, NAUSEA AND POSSIBLE UNCONSCIOUSNESS AND EVEN ASPHYXIATION. **INGESTION**: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS, WHICH CAN BE FATAL. **CARCINOGENICITY**: NO. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: PRE-EXISTING LUNG AND SKIN DISORDERS. **REPRODUCTIVE EFFECTS:** ND. **TERATOGENIC:** ND. **MUTAGENIC:** ND.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN OR CLOTHIN(

### EMERGENCY FIRST AID PROCEDURE

**SKIN:** WASH EXPOSED AREA WITH SOAP AND WATER. **EYES:** FLUSH EYES WITH COPIOUS AMOUNTS OF WATER, IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. **INHALATION:** REMOVE PERSON TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION. SEEK MEDICAL ATTENTION IMMEDIATELY. **INGESTION:** DO NOT INDUCE VOMITING.

## SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SOAK UP SPILL WITH SAND OR OTHER ABSORBENT. PLACE IN CONTAINERS. WASH AREA.

WASTE DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS.

### SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: USE NIOSH/MSHA APPROVED RESPIRATOR WHEN TLV IS EXCEEDED. VENTILATION: USE WITH ADEQUATE VENTILATION. PROTECTIVE GLOVES:RUBBER GLOVES SHOULD BE USED. EYE PROTECTION: SAFETY GLASSES SHOULD BE USED OTHER PROTECTIVE EQUIPMENT: N/A PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE IN A COOL PLACE. PROTECT FROM FREEZING. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

# SECTION IX – REGULATORY INFORMATION

DOT CATEGORY: NOT REGULATED

**TSCA STATUS:** ALL CHEMICAL SUBSTANCES IN THIS PRODUCT ARE INCLUDED ON OR EXEMPTED FROM LISTING ON THE TSCA INVENTORY OF CHEMICAL SUBSTANCES.

**CALIF. PROP. 65 • CHEMICAL WARNING** (CALIFORNIA HEALTH AND SAFETY CODE #25249.5 ET SEQ). **WARNING:** This product contains chemicals known to the State of California to cause cancer, birth defects or reproductive harm. Read and follow label directions and information given on Material Safety Data Sheets and use care when handling or using all petroleum products.