

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name LYSOL® Brand Neutra Air® Freshmatic®

UPC CODES Refer to Section 16

CAS # Mixture
Product use Fragrance

Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225


In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview

DANGER: FLAMMABLE. HARMFUL OR FATAL IF SWALLOWED. EYE IRRITANT. May be harmful if directly inhaled. May cause allergic reaction in some individuals. DO NOT spray towards face or body. DO NOT get in eyes. Avoid contact with skin. CONTAINER MAY EXPLODE IF HEATED. DO NOT puncture or incinerate container. DO NOT expose to heat or store at temperatures above 120°F (49°C). DO NOT position near heat or electrical sources. DO NOT spray directly onto surfaces. DO NOT spray into open flames. In case of contact with surfaces, wipe immediately with damp cloth. Use in well-ventilated rooms away from sleeping areas. For adult use only. Product is not a toy.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Eye irritant. Avoid eye contact.

Skin Avoid skin contact. May cause allergic reactions in some individuals.

Inhalation Avoid breathing vapors. May be harmful if directly inhaled. Use only in a well ventilated

area.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

IngestionHarmful or fatal if swallowed.Target organsEyes. Skin. Respiratory system.

Chronic effectsThe finished product is not expected to have chronic health effects.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

#20407 Page 1 of 8 Issue date 20-May-2010

Ingredient(s)	CAS#	Percent
Distillates (petroleum), light hydrotreated	64742-47-8	40 - 60
Propane	74-98-6	2.5 - 10
Butane	106-97-8	10 - 20
Ethane, 1,1-difluoro-	75-37-6	10 - 20
Proprietary fragrance	Mixture	1 - 3

4. First Aid Measures

First aid procedures

Skin contact

Eye contact If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and

continue rinsing eyes for at least 15 minutes. If irritation persists, get medical attention.

If on skin, wash area with soap and water. Discontinue use IMMEDIATELY and get

medical attention if a reaction develops.

Inhalation Move to fresh air.

If swallowed, do NOT induce vomiting. IMMEDIATELY call a Physician or Poison Ingestion

Control Center.

Notes to physician Symptoms may be delayed.

Do not puncture or incinerate container. Keep away from sources of ignition. No General advice smoking. If you feel unwell, seek medical advice (show the label where possible).

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

5. Fire Fighting Measures

Flammable properties

Flammable Aerosol.

Extinguishing media

Suitable extinguishing media Treat for surrounding material.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for

firefiahters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of carbon.

Sensitivity to mechanical

impact

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do

not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers,

basements or confined areas.

Small spillages of up to 1 litre (0.26 gallon) may be cleaned up with a mop or an Methods for cleaning up

absorbant cloth. Medium spills of up to 5 litres (1.32 gallons) should be absorbed with sand, earth, sawdust or other inert material and transferred to a suitable container for

disposal.

#20407 Page 2 of 8 Issue date 20-May-2010

7. Handling and Storage

Handling Use this product with adequate ventilation.

Storage

When using do not eat or drink.

Do not puncture or incinerate container.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Do not pierce or burn after use. Keep away from all sources of ignition. Fires involving aerosols with flammable contents are severe and can spread quickly. Warehouses or stores containing aerosols should therefore be separated from other areas by a fire resistant construction. Stores should be well ventilated. The natural

ventilation in a large open warehouse building will normally be suitable.

Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F).

Keep away from heat, open flames or other sources of ignition.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

8. Exposure Controls / Personal Protection

	kposure Controls / Personal Protection	
Exposure limits Ingredient(s)	Exposure Limits	
Butane	<u> </u>	
bularie	ACGIH-TLV	
	TWA: 1000 ppm	
	OSHA-PEL	
	Not established	
Distillates (petroleum), light hydrotre	ated ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Ethane, 1,1-difluoro-	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Propane	ACGIH-TLV	
	TWA: 1000 ppm	
	OSHA-PEL	
	TWA: 1000 ppm	
Proprietary fragrance	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment	·	
Eye / face protection	Not normally required under normal use conditions. Avoid contact with eyes. Emergency responders should wear full eye and face protection.	
Hand protection	No special requirements under normal use conditions. Emergency responders should wear impermeable gloves.	
Skin and body protection	Usual safety precautions while handling the product will provide adequate protection against injury or irritation. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.	

#20407 20-May-2010 Page 3 of 8 Issue date

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

AppearanceAerosol.ColorColorlessFormMisty sprayOdorCharacteristicOdor thresholdNot available

Physical stateGaspH9.5 - 10.5Freezing pointNot availablePour pointNot availableBoiling pointNot available

Flash point > 82.76 °F (> 28.2 °C) (Concentrate)

Evaporation rate
Flammability limits in air, lower, %

by volume

Not available Not available

Flammability limits in air, upper, %

by volume

Not available

Vapor pressure

Vapor density

Specific gravity

Octanol/water coefficient

Solubility (H2O)

Auto-ignition temperature

Not available

Not available

Partially soluble

Not available

10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Extremes of temperatures can occur in cars and near ovens and fireplaces. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F).

Do not place in contact with hot surfaces or near naked flames.

Do not pierce or burn after use.

Do not spray on a naked flame, onto or near a fire, or any incandescent material such

as an electric fire.

Incompatible materials Caustics. Acids. Oxidizers.

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50		
Ingredient(s)	LC50	
Butane	Not available	
Distillates (petroleum), light hydrotreated	5.2 mg/l/4h rat	
Ethane, 1,1-difluoro-	> 64000 ppm rat	
Propane	Not available	
Proprietary fragrance	Not available	

#20407 Page 4 of 8 Issue date 20-May-2010

Component analysis - Oral LD50

Ingredient(s)

mgreatem(s)	2500
Butane	Not available
Distillates (petroleum), light hydrotreated	5000 mg/kg rat
Ethane, 1,1-difluoro-	1500 mg/kg rat
Propane	Not available
Proprietary fragrance	Not available

LD50

Effects of acute exposure

Eye Eye irritant. Avoid eye contact.

Skin Avoid skin contact. May cause allergic reactions in some individuals.

Inhalation Avoid breathing vapors. May be harmful if directly inhaled. Use only in a well ventilated

area.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

Ingestion Harmful or fatal if swallowed.

Sensitization May cause allergic reactions in some individuals.

Chronic effects

The finished product is not expected to have chronic health effects.

The finished product is not expected to have chronic health effects.

Mutagenicity

The finished product is not expected to have chronic health effects.

The finished product is not expected to have chronic health effects.

The finished product is not expected to have chronic health effects.

Teratogenicity

The finished product is not expected to have chronic health effects.

Synergistic Materials Not available

12. Ecological Information

Ecotoxicity

Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.

Ecotoxicity - Freshwater Fish Species Data

Distillates (petroleum), light 64742-47-8 96 Hr LC50 Pimephales promelas: 45 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 2.2 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 2.4 mg/L [static]

Ecotoxicity - Water Flea Data

Distillates (petroleum), light 64742-47-8 96 Hr LC50 Den-dronereides heteropoda: 4720 mg/L

hydrotreated

Environmental effects Not available

Aquatic toxicity May be harmful to aquatic organisms if bulk quantities are spilled into a water source.

Persistence / degradability

Bioaccumulation / accumulation

Partition coefficient

Mobility in environmental media
Chemical fate information

Not available
Not available
Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Empty container can be disposed of as household trash or rinsed and recycled where

appropriate.

14. Transport Information

U.S. Department of Transportation (DOT)				
	UN1950, Aerosols, Flammable, Class 2.1, Re-Classed as Consumer Commodity ORM-D			
Transportation of Dangerous Goods (TDG - Canada)				
	UN1950, Aerosols, Flammable, Class 2.1, Re-Classed as Consumer Commodity			
IMDG (Marine Transport)	UN1950 - Aerosols, Class 2.1, Limited Quantity			
IATA/ICAO (Air)	UN1950 - Aerosols, Flammable, Limited Quantity or Consumer Commodity, ID8000 if acceptable to airline			

#20407 Page 6 of 8 Issue date 20-May-2010

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Product Registration: Not registered

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Ye

chemical

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Butane 106-97-8 Present

U.S. - Massachusetts - Right To Know List

Butane 106-97-8 Present Ethane, 1,1-difluoro- 75-37-6 Present Propane 74-98-6 Present

U.S. - Minnesota - Hazardous Substance List

Butane 106-97-8 Present

Propane 74-98-6 Simple asphyxiant

U.S. - New Jersey - Right to Know Hazardous Substance List

 Butane
 106-97-8
 sn 0273

 Ethane, 1,1-difluoro 75-37-6
 sn 0715

 Propane
 74-98-6
 sn 1594

U.S. - Pennsylvania - RTK (Right to Know) List

Butane 106-97-8 Present Propane 74-98-6 Present

U.S. - Rhode Island - Hazardous Substance List

Butane 106-97-8 Toxic; Flammable Propane 74-98-6 Toxic; Flammable

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

#20407 Page 7 of 8 Issue date 20-May-2010

Further information 19200-79830-3 - LYSOL® Brand Neutral Air® Freshmatic® - Kit

19200-79831-0 - LYSOL® Brand Neutral Air® Freshmatic® - 6.17 oz. - Fresh Scent -

0137084

19200-82892-5 - LYSOL® Brand Neutral Air® Freshmatic® - 6.17 oz. - Lavender Mist -

0230695

19200-80881-1 - LYSOL® Brand Neutral Air® Freshmatic® - 6.17 oz. - Lemon Essence

- 0137086

19200-81344-0 - LYSOL® Brand Neutral Air® Freshmatic® - 6.17 oz. - Morning

Linen™ - 0168181

Issue date20-May-2010Effective date15-May-2010

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

#20407 Page 8 of 8 Issue date 20-May-2010