MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Slime Super Duty Tire Sealant

PRODUCT NUMBER: DATE: July 20, 2010

TRADE NAME: Slime Pro Premium Tire Sealant

GENERAL USE: Sealant PRODUCT DESCRIPTION:

Green paste with black specks, slight odor; may also be Blue,

White, Orange or Yellow in color

EUROPEAN DISTRIBUTOR

Freightways c/o Access Marketing Europe

DISTRIBUTOR TELEPHONE NUMBER (General Inquiries) DAT

(71) 4090701

DISTRIBUTOR ADDRESS (NUMBER, STREET, P.O. BOX)

Mandenmakerstraat 6

(CITY / STATE / POSTAL CODE) COUNTRY
2222 AX Katwjik Nederlands

DISTRIBUTOR/ MANUFACTURER (NORTH AMERICA)

Accessories Marketing, Inc.

NORTH AMERICA TELEPHONE NUMBER (General Inquiries)

(805) 489-0490



DATE PREPARED: July 20, 2010

SUPERSEDES: September 30, 2009

CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBERS

ChemTel No.

1-800-255-3924North America
(Toll Free)

813-248-0585 International and Local Calls

NORTH AMERICA ADDRESS (NUMBER, STREET, P.O. BOX)

125 Venture Drive, Suite 210

NORTH AMERICA (CITY / STATE / POSTAL CODE)

COUNTRY

San Luis Obispo, CA 93401

USA

SECTION 2-HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Mild paste, ingestion may cause gastric distress. Product has low toxicity.

US HAZARD SYMBOL(S) EUROPEAN (GHS) HAZARD SYMBOLS

No Hazards Symbols Required

HMIS HAZARD RATINGS
0=INSIGNIFICANT, 1=SLIGHT
2=MODERATE, 3=HIGH

HEALTH: 0
FLAMMABILITY: 0
PHYSICAL HAZARD: 0

REQUIRED PERSONAL PROTECTIVE EQUIPMENT:

HMIS PERSONAL PROTECTIVE EQUIPMENT LETTER:

Α



Safety Glasses are recommended as good practice during use.

RISK PHRASES

4=EXTREME

NONE

SAFETY PHRASES

S2 - Keep out of the reach of children

POTENTIAL HEALTH EFFECTS

INHALATION:

None expected, however, certain individuals may experience minor nausea or headaches.

SKIN:

None expected, however, prolonged contact may cause irritation.

EYES:

Contact with eyes may cause irritation.

INGESTION:

May cause gastric distress, vomiting and diarrhea.

CARCINOGENICITY:

NTP? NO IARC MONOGRAPHS? NO CALIFORNIA, Prop.65? NO

OSHA REGULATED? NO ESIS NOTATION? NO

SECTION 3- HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS#	EINECS#	Hazard Symbol	RISK PHRASES (Full Text Section 15)
1,2-Propylene glycol	40-60	57-55-6	200-338-0		

No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 67/548/EEC, 1999/45/EC, 91/155/EEC, 1999/45/EC, 1907/2006/EC (REACH) and 1272/2008/EC (CLP), and 453/2010/EC. NOTES: This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 1907/2006 (REACH). Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European (GHS) directive 1907/2006 and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directives.

<u>MATERIAL SAFETY DATA SHEET</u>

PRODUCT NAME: Slime Super Duty Tire Sealant

PRODUCT NUMBER: July 20, 2010

SECTION 4 - FIRST AID MEASURES

INHALATION:

Remove affected person to fresh air; if symptoms persist seek medical attention.

EYES:

Remove contact lenses if present, then flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.

SKIN

Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

INGESTION:

Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:

Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

FLASH POINT : **NA. Not Flammable**. Explosive Limits : NA (None). Autoignition temperature: Not Determined. EXTINGUISHING MEDIA:

Carbon dioxide, water, water fog, dry chemical, chemical foam

FIRE FIGHTING PROCEDURES:

Keep containers cool using water spray to avoid bursting. Wear Self-Contained Breathing Apparatus and full gear. Floor will become slippery if material is released.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Do not puncture or incinerate containers. Exposure to extreme temperatures may cause container to rupture; flooring may become slippery from released material.

HAZARDOUS COMBUSTION PRODUCTS:

Smoke, fumes, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Small spills - wash to sanitary sewer with plenty of water.. Large spills - soak up with approved absorbent (clay or diatomaceous earth is a good choice) and shovel absorbed product into approved container for disposal. Wash area with plenty of water.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Read label cautions carefully. Follow the label directions to avoid injury. Do not use near heat, sparks and open flames. Safety glasses are recommended during use. Avoid contact with food. Keep out of the reach of children. STORAGE PRECAUTIONS: Store in a cool well ventilated area. Do not store at temperatures above 120°F (48.9° C), below 20°F (-6.7° C) or in direct sunlight. Protect containers from punctures or crushing. Keep out of the reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

 HAZARDOUS COMPONENTS
 NIOSH
 ACGIH
 OSHA

 TWA ppm
 TWA mg/m3
 STEL ppm
 STEL mg/m3
 TLV/TWA ppm
 TWA mg/m3
 STEL ppm
 STEL mg/m3

No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives. See Section 2

ENGINEERING CONTROLS

The use of local exhaust ventilation is recommended. No other special controls are indicated.

PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not required during normal use; wear self-contained breathing apparatus for firefighting.

PROTECTIVE GLOVES:

None required in normal use.

EYE PROTECTION:

Recommended for general protection Refer to 29 CFR 1910.133 or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

For severe decontamination, use safety shower and eyewash fountain. Wash basin is suggested for cleansing hands after use.

WORK / HYGIENIC PRACTICES:

Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

Page 3 of 4 <u>MATERIAL SAFETY DATA SHEET</u> PRODUCT NAME: Slime Super Duty Tire Sealant PRODUCT NUMBER: July 20, 2010 DATE: SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR VAPOR PRESSURE Various colored paste with black specks, slight odor Not determined SPECIFIC GRAVITY (WATER = 1) На 8.8 ± 1.0 1.138 ± 0.050 BOILING POINT SOLUBILITY IN WATER 220° F (104.4° C) Appreciable MELTING POINT VISCOSITY (Brookfield) Paste Not Determined. FLAMMABLE LIMITS VAPOR DENSITY (AIR = 1) LEL: None **UEL: None AUTOIGNITION TEMPERATURE** EVAPORATION RATE (WATER = 1) Non-Flammable. VOLATILE ORGANIC COMPOUND (VOC) INFORMATION None. SECTION 10 - STABILITY AND REACTIVITY STABILITY Х CONDITIONS TO AVOID: Extreme temperatures, keep from freezing INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced. HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID: Will not Occur None related to hazardous polymerization

The Folder to Hazardou polymenzation					
SECTION 11 - TOXICOLOGICAL INFORMATION					
Hazardous Components	CAS# EINECS#	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)		
1,2-Propylene glycol	57-55-6 200-338-0	Oral - rat 20,000 mg / kg	Not Established		

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Dispose of in accordance with Local, State, and Federal Regulations. Product is classified as non -hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

SECTION 14 - TRANSPORT INFORMATION					
PROPER SHIPPING NAME: Not Regulated for Transport					
DOT HAZARD CLASS / Pack Group: None	IATA HAZARD CLASS / Pack Group:	None			
REFERENCE: 49CFR172	IMDG HAZARD CLASS: None				
UN / NA IDENTIFICATION NUMBER: None	RID/ADR Dangerous Goods Code:	None			
LABEL: None	UN TDG Class / Pack Group:	None			
HAZARD SYMBOLS: None	Hazard Identification Number (HIN):	None			

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

<u>MATERIAL SAFETY DATA SHEET</u>

PRODUCT NAME: Slime Super Duty Tire Sealant

PRODUCT NUMBER: July 20, 2010 DATE:

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act): All components are listed.

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):

Acute Health: Chronic Health: NO NO Sudden Release of Pressure: Fire: NO NO Reactive: NO

SARA 313 REPORTABLE INGREDIENTS: None

CERCLA (USA - Comprehensive Response Compensation and Liability Act): No components with an RQ. California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: No Reportable Components.

CPR (Canadian Controlled Products Regulations): Not Controlled per WHMIS. IDL (Canadian Ingredient Disclosure List): Non-Hazardous - No Disclosure Required.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): Listed on DSL EINECS (European Inventory of Existing Commercial Chemical Substances): All Components Referenced.

WGK Water Quality Index:

None	None	S2 - Keep out of the reach of children.
RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:
The state of the s	-	

SECTION 16 - OTHER INFORMATION

Legend:

ACGIH - American Congress of Government Industrial Hygienists

CAS - Chemical Abstracts Service

EINECS- European Inventory of Existing Commercial Chemical Substances

HMIS - Hazardous Materials Identification System IARC - International Agency for Research on Cancer NA Not Available ND -**Not Determined** NE -Not Established NR -Not Reported

NIOSH - National Institute for Occupational Safety and Health

National Toxicology Program

OSHA - Occupational Safety and Health Administration

Revised July 20, 2010. REVISION SUMMARY:

MSDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0585

Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.