

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Use of the Substance/Mixture : Air Freshener

Company : S.C. Johnson and Son, Limited
1 Webster Street
Brantford ON N3T 5R1

Emergency telephone number : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647
24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : clear / aerosol / pleasant

Immediate Concerns

: Warning
FLAMMABLE:
Avoid contact with skin, eyes and clothing.
Keep away from heat, sparks and flame.
Contents under pressure.
Do not puncture or incinerate.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : May cause:
Mild eye irritation

Skin : May cause skin reactions in rare cases.
Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : Inhalation may cause central nervous system effects.
May cause nose, throat, and lung irritation.
Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

- Ingestion : May cause irritation to mouth, throat and stomach.
May cause abdominal discomfort.
Causes headache, drowsiness or other effects to the central nervous system.
- Aggravated Medical Condition : Persons with pre-existing skin disorders may be more susceptible to irritating effects.
Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
Isobutane	75-28-5	30.00 - 60.00
Propane	74-98-6	5.00 - 10.00
Fragrance - Trade Secret	Mixture	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

- Eye contact : Rinse with plenty of water. Get medical attention if irritation develops and persists.
- Skin contact : Rinse with plenty of water. Get medical attention if irritation develops and persists.
- Inhalation : Remove to fresh air. If breathing is affected, get medical attention.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

- Specific hazards during fire fighting : Aerosol Product - Containers may rocket or explode in heat of fire. Burns with colourless flame.
- Further information : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.
- Flash point : < -7 °C
< 19.4 °F
Method: Tag Closed Cup (TCC)
Note: Propellant
- Lower explosion limit : Note: no data available
- Upper explosion limit : Note: no data available

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Remove all sources of ignition.
Wear personal protective equipment.
- Environmental precautions : Outside of normal use, avoid release to the environment.
- Methods for cleaning up : If damage occurs to aerosol can:
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Do not puncture or incinerate.
Avoid breathing vapors, mist or gas.
Do not spray toward face.
Do not use in areas without adequate ventilation.
Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more information visit www.inhalant.org.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Take measures to prevent the build up of electrostatic charge.

Storage

Requirements for storage areas and containers : Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Keep in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection

Industrial setting : Use only with adequate ventilation.

Household setting : No special requirements.

Hand protection : No special requirements.

Eye protection

Industrial setting : No special requirements.

Household setting : No special requirements.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081

SITE_FORM Number

30000000000000012067.001

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	aerosol
Color	:	clear
Odor	:	pleasant
pH	:	not applicable
Boiling point	:	no data available
Freezing point	:	no data available
Flash point	:	< -7 °C < 19.4 °F Method: Tag Closed Cup (TCC) Propellant
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Sustains combustion
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	0.653 g/cm ³ at 20 °C
Water solubility	:	no data available
Viscosity, dynamic	:	no data available
Volatile Organic Compounds (California Air Resource Board – CARB) Total VOC (wt. %)	:	97.9 % - does not include any applicable regulatory exemptions

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

10. STABILITY AND REACTIVITY

- Conditions to avoid : Heat, flames and sparks.
- Materials to avoid : Strong oxidizing agents
- Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.
- Hazardous reactions : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50
estimated
5,000 mg/kg

Acute inhalation toxicity : LC50
estimated
> 5 mg/l

Acute dermal toxicity : LD50
estimated
> 2,000 mg/kg

Chronic effects

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Not known to be a sensitizer.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : no data available

13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.
Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Land transport

▪ **U.S. DOT and Canadian TDG Surface Transportation:**

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1
Class: 2.1
UN number 1950
Packaging group: None.
Note: SC Johnson ships this product as Consumer Commodity ORM-D (non-bulk packages)

Sea transport

▪ **IMDG:**

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1
Class: 2
UN number: 1950
Packaging group: None.
EmS: F-D, S-U
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Air transport

▪ **ICAO/IATA:**

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1
Class: 2.1
UN/ID No.: UN 1950
Packaging group: None.
Note: SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081
SITE_FORM Number
30000000000000012067.001

Regulations for detailed instructions when shipping this item by air.

15. REGULATORY INFORMATION

- Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
- Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
- California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.
- Canada Regulations : This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

HMIS Ratings

Health	1
Flammability	4
Reactivity	0

NFPA Ratings

Health	1
Fire	4
Reactivity	0
Special	

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	------------------------------------------------------------------

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



GLADE® AUTOMATIC SPRAY - CLEAN LINEN™

Version 1.0

Print Date 06/06/2011

Revision Date 10/27/2010

MSDS Number 350000016081

SITE_FORM Number

30000000000000012067.001