MATERIAL SAFETY DATA SHEET

1. <u>PRODUCT AND COMPANY IDENTICATION</u>

| PROD | DUCT NAME | Marvel Mystery Oil |
|---------------------------------|---------------------------------|--|
| PROD | DUCT CODE | MM003, MM007, MM08, MM010, MM011, MM012, MM012R, MM12R, MM013, MM013R, MM13R, MM014, MM014R, MM14R, MM015, MM016, MM017, MM018, MM613 |
| CHEM | /ICAL FAMILY | Petroleum Distillates |
| CHEM | /ICAL NAME | Complex Mixture of Hydrocarbons |
| FORM | IULA | Mixture |
| MANUFACTU | URER | EMERGENCY TELEPHONE NUMBERS |
| Marvel Oil Cor 625 Willowbro | npany, Inc ok Centre Parkway | Transportation: CHEMTREC: 800-424-9300 |

Marvel Oil Company, Inc 625 Willowbrook Centre Parkway Willowbrook, IL 60527 Phone: 630-455-3866 Fax: 630-455-3868

CHEMTREC: 800-424-9300 Medical: ROCKY MTN POISON CTR: 800-332-3073

2. <u>POSITION/INFORMATION ON INGREDIENTS</u>

| COMPONENT | CAS NUMBER | CONCENTRATION (wt %) |
|--------------------------|------------|----------------------|
| Naphthenic Hydrocarbons | 64742-52-5 | 70 - 80 |
| Mineral Spirits | 08052-41-3 | 20 - 30 |
| Chlorinated Hydrocarbons | 00095-50-1 | 0 – 1 |

EXPOSURE LIMITS 8 hrs. TWA(ppm)

| | OSHA PEL | ACGIH TLV |
|--------------------------|---------------|---------------|
| Naphthenic Hydrocarbons | 5 as oil mist | 5 as oil mist |
| Mineral Spirits | 100 | 100 |
| Chlorinated Hydrocarbons | 25 | 25 |

3. <u>HAZARDS IDENTIFICATION</u>

POTENTIAL HEALTH EFFECTS

INHALATION: Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

SKIN CONTACT: Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

4. **<u>FIRST AID MEASURES</u>**

EYE: Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

SKIN: Thoroughly was exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

INHALATION: Remove person to fresh air. If breathing difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

INGESTION: Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

5. <u>FIRE FIGHTING MEASURES</u>

FLASH POINT: 128 ° F (53 ° C) TCC

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

6. <u>ACCIDENTIAL RELEASE MEASURES</u>

SPILL OR LEAK PROCEDURES: Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

7. <u>HANDLING AND STORAGE</u>

STORAGE TEMPERATURE (MIN./MAX.): -40 ° F (-40 ° C)/ 120 ° F (49 C)

SHELF LIFE: 3 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

EYE PROTECTION REQUIREMENTS: Splash goggles.

SKIN PROTECTION REQUIREMENTS: Wear chemically resistant gloves.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV's.

EXPOSURE LIMITS: Not established for product as whole.

| Mineral Spirits | NIOSH | 100 ppm TWA |
|-----------------|-------|-------------|
| Oil Mist | OSHA | 5 mg/m3 |

9. PHYSICAL AND CHEMICAL PROPERTIES

| PHYSICAL FORM: | Thin liquid |
|-----------------------|---------------------------|
| COLOR: | Red |
| ODOR: | Wintergreen |
| BOILING POINT: | Not determined |
| MELT / FREEZE POINT | - 60 ° F (- 51 ° C) |
| PH: | Not applicable |
| SOLUBILITY IN WATER: | Insoluble |
| SPECIFIC GRAVITY: | 0.876 @ 60 ° F (15.6 ° C) |
| % VOLATILE BY WEIGHT: | 25 % |
| VAPOR PRESSURE: | Not determined |
| VAPOR DENSITY: | Not determined |

10. <u>REACTIVITY</u>

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidizing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Aspiration into lungs can cause pneumonitis which can be fatal.

CHRONIC INHALATION: Not determined.

ACUTE SKIN CONTACT: Prolonged or repeated contact can cause moderate irritation, defatting or dermatitis.

CHRONIC SKIN CONTACT: Not determined.

ACUTE EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

12. ECOLOGICAL INFORMATION

No data available.

13. <u>DISPOSAL CONSIDERATIONS</u>

Ignitable hazardous waste, EPA Hazardous Waste Number D001

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

14. TRANSPORT INFORMATION **DOT INFORMATION: PROPER SHIPPING NAME:** Non Bulk Not regulated Bulk Petroleum distillates, n.o.s. **TECHNICAL SHIPPING NAME:** Fuel and oil additive HAZARD CLASS: ORM-D Non Bulk Bulk Class 3 **UN NUMBER:** UN 1268 **PRODUCT RQ (lbs):** None LABEL: Non Bulk ORM-D Bulk Flammable Liquid **PLACARD:** Non Bulk None Bulk Flammable Liquid FREIGHT CLASS BULK: PG III FREIGHT CLASS PACKAGE: None **PRODUCT LABEL** None 15. **REGULATORY INFORMATION TSCA STATUS:** All ingredients listed. **CERCLA REPORTABLE QUANTITY:** None SARA TITLE III: **SECTION 302 EXTREMELY** HAZARDOUS SUBSTANCES None **SECTION 311/312** HAZARD CATEGORIES Acute Health Yes Chronic Health Yes Fire Yes Reactive No Sudden Release of Pressure No **SECTION 313** CHEMICAL NAME CAS NUMBER CONCENTRATION

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product

00095-50-1

0 - 0.25 %

Ortho-dichlorobenzene

user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

| COMPONENT/ <u>CAS NUMBER</u> | CONCENTRATION | STATE CODE |
|---------------------------------|----------------------|------------|
| p-dichlorobenzene | less than 150 ppm | СА |
| 00106-46-7 | | |

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. <u>OTHER INFORMATION</u>

| HMIS CLASSIFICATION | Health | 2 |
|---------------------------------|--|-------|
| | Flammability | 2 |
| | Reactivity | 0 |
| | PPI | В |
| NFPA RATING | Health | 2 |
| | Fire | 2 |
| | Reactivity | 0 |
| | | |
| | Special | None |
| REASON FOR ISSUE | Special Add old product | |
| REASON FOR ISSUE PREPARED BY | - | codes |
| | Add old product | codes |
| PREPARED BY | Add old product Richard P. Kelly | codes |
| PREPARED BY TITLE | Add old product Richard P. Kelly Technical Manag | codes |

This information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use. Msdsmm10-6 July 16, 2009